

MERCHANT SALES SUPPORT:

☎ 0113 240 2424

✉ everbuild.sales@uk.sika.com

TECHNICAL SUPPORT:

☎ 0113 200 9417

✉ everbuild.technicalservices@uk.sika.com

Everbuild - A Sika® Company
Site 41, Knowsthorpe Way,
Cross Green Industrial Estate,
Leeds LS9 0SW

☎ 0113 240 3456

✉ everbuild.info@uk.sika.com

🌐 everbuild.co.uk

Sika® Ireland Limited
Sika® House
Ballymun Industrial Estate,
Dublin D11 DA2V

☎ +353 (0) 1862 0709

THE COMPLETE PRODUCT GUIDE



A SIKA COMPANY

CONTENTS

Everbuild Products

INTRODUCTION	02
SEALANTS	04
Professional	06
Fire Protection	14
DIY	15
Guns & Tools	18
Specifier	21
ADHESIVES	26
Sealant & Adhesive Hybrid	28
Grab	30
Plasterboard	35
Wood	36
Contact	39
Superglues & Activators	40
Carded	42
Smart Tack	45
Flooring	46
BUILDING PRODUCTS	48
PVA & SBR Bonding Agents	50
Building Admixtures	52
Surface Treatments	56
Waterproofing	61
Concrete Repair	61
Technical Mortars	62
Floor Levelling Compounds	64
Epoxy Repairs	66
Putties	67
Chemical Anchors	68
Paints	70
Survey & Line Markers	70
BITUMEN & ROOFING	72
Roof Repair	74
Flashing	77
Bitumen	78
WOOD CARE	80

TILE ADHESIVES	86
Wet Room System	88
Ready Mix	90
Powder	91
Grouts	91
EXPANDING FOAMS	94
Professional & DIY	96
Foam Ancillaries	98
Fire Protection	99
FILLERS & DECORATING SUNDRIES	100
Surface Protectors	102
Decorating Fillers	104
Wood Fillers	108
Dust Sheets & Tarpaulins	110
Decorating Sundries	111
TAPES	114
Building	116
Repair	119
Masking	120
Safety	121
Packaging	121
Double Sided	122
Flooring Adhesive	122
Plasterboard	123
CLEANING	124
Wipes	126
Glazing Cleaners	128
Cleaners & Lubricants	129
FIRE CEMENTS & COMPOUNDS	130
Fire, Stove & Flue Cements	132
Fire & Stove Sundries	134
PLUMBING	136
Central Heating Treatments	138
Plumbers' Range	138

WATERPROOFING	140
Waterproofing & Damp Proofing	142
Bitumens & Roofing	147
ADMIXTURES & BUILDING CHEMICALS	148
PVA & SBR	150
Admixtures	151
Concentrated Chemicals	153
Repair Mortars	154
Fixing & Anchoring	157
LANDSCAPING & SURFACE TREATMENTS	158
FLOORING & WALL FINISHING	166
Wood Floor Adhesives	168
Primers & DPMs	170
Levelling Compounds	172
Floor Coatings	173
Ready Mixed Tile Adhesives	174
Powdered Tile Adhesives	175

CONTENTS

Sika Products

ADHESIVES & SEALANTS	176
Adhesive & Sealant Hybrid	178
Adhesives	179
Sealants	180
Specialist Sealants	181
WOOD PRESERVATIVES	184
FEB	188
Admixtures & Building Chemicals	190
Bonding Agents	192
Structural Waterproofing	193
Surface Protectors	193
Concrete Repair & Speciality Mortars	193
PRODUCT INDEX	196
JARGON BUSTER	199
ICON GUIDE	200



THE BUILDERS' BRAND

INNOVATION PIONEERS FOR OVER 25 YEARS

ALWAYS HERE TO HELP

Technical support on-line and on the end of the phone means that you get the right advice every time.

OUTSTANDING QUALITY

In house research and testing delivers quality products every single time.

OUR **CAPABILITY**

Made in the UK, we can manufacture up to 55 million cartridges every single year.

SEALANTS

Professional	06
Fire Protection	14
DIY	15
Guns & Tools	18
Specifier	21

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Forever White Silicone Sealant



TRUSTED

FOREVER WHITE® CONTAINS A HIGH QUALITY ANTIMICROBIAL ADDITIVE, RIGOROUSLY TESTED IN ACCREDITED MICROBIOLOGICAL LABORATORIES TO SHOW NO MOULD GROWTH AFTER 10 YEARS*.

* Simulated ageing.

PERMANENTLY FLEXIBLE

TOOLS DOWN SMOOTHLY


PREMIUM QUALITY

STARTS WHITE - STAYS WHITE

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FOREVERWE	295ML	WHITE	12	5029347603540
FOREVERCLEAR	295ML	CLEAR	12	5029347603953
FOREVERIV	295ML	IVORY	12	5029347606404
FOREVERGY	295ML	GREY	12	5029347615376

A superior silicone sealant that's waterproof, flexible and antibacterial - designed to be used around the home.

Forever White is a superior silicone sealant that is permanently waterproof, flexible and ideal for sealing: shower bases and cubicles, wetrooms, around baths, sinks and basins. It is also ideal for use in kitchens and utility rooms and for sealing around window and door frames. Contains Mould Shield which actively protects the sealant against the growth of bacteria, mildew and black mould. CE Marked.



containing
Mould Shield



WATCH THE VIDEO:
everbuild.co.uk/videos/
break-mould-forever-white



Caulk Once Acrylic Caulk

SLUMPING IS OFTEN FOUND WITH INFERIOR CAULKS

CAULK ONCE IS QUICK AND EASY TO APPLY


CAULK ONCE TOOLS DOWN SMOOTHLY FOR A PERFECT FINISH

TRUSTED

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CLKONCEWE3	295ML	WHITE	12	5029347612955
CLKONCEWE4	380ML	WHITE	12	5029347612962

A premium quality acrylic caulk - fast-drying, permanently flexible and tailor-made for a range of jobs.

Caulk Once - the best caulk you will ever use - is a premium quality acrylic caulk that has been formulated to outperform all other conventional decorating caulks and fillers. Caulk Once has been manufactured using an advanced high quality polymer to offer superior adhesion, low shrink as well as tooling down smoothly. CE Marked.



SUPERIOR FLEXIBILITY

APPLY ONCE - JOB DONE

NO SLUMP

EASY SMOOTH



EVERFLEX®

Refreshed, revamped and looking better than ever, our huge range is ready for anything you throw at it.



WATCH THE VIDEO:
everbuild.co.uk/videos/here-comes-everflex



Premium 145 Butyl Rubber Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
145GY	300ML	GREY	12	5029347610357

A semi-setting jointing compound. Typically used for roofing, glazing, metal containers and sectional building applications. It forms a skin in approximately 24 hours but remains permanently plastic underneath. The sealant accommodates joint movements of +/- 5% and is overpaintable. Provides an effective weatherproof seal in a variety of exterior and interior applications.



Brick / Stone / Concrete / Timber



Premium 175 Universal Acrylic Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
175BN	300ML	BROWN	25	5029347601218
175WE	300ML	WHITE	25	5029347000066
175C4WE	380ML	WHITE	12	5029347615031

A high quality acrylic sealant that provides a long lasting, permanently flexible seal in a wide variety of applications. Adheres to virtually all substrates. Ideal for internal and external sealing around timber and metal window and door frames. Also for internal sealing around PVCu window, door frames, baths and basins, sealing cracks and gaps in brickwork, stone and concrete, and as an adhesive for bonding polystyrene coving and tiles. CE Marked.



Timber / Plaster / Brick / PVCu / Concrete / Stone



Contract 115 GP Building Mastic

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MASBN	285ML	BROWN	25	5029347601386
MASGY	285ML	GREY	25	5029347601393
MASNL	285ML	STONE	25	5029347601409
MASWE	285ML	WHITE	25	5029347000141

A traditional oil based pointing mastic that provides an effective weatherproof seal. Typically used to seal composite sectional panels and low movement vertical building joints. This high solids formulation means excellent gap filling properties. It's semidrying too, so it remains permanently elastic beneath the surface skin.



Brick / Stone / Concrete / Timber



Contract 125 One Hour Caulk

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
125C3	300ML	WHITE	25	5029347000042
125BN	300ML	BROWN	25	5029347601195
125MAG	300ML	MAGNOLIA	25	5029347601201
125C4	380ML	WHITE	12	5029347000059
OHCC425	380ML	WHITE	25	5029347000059

A fast drying flexible decorators filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper - no sanding down required. Ideal for sealing and filling cracks and gaps prior to decorating, and for use around skirting boards, ceiling cornices, window and door frames, stair treads and risings and fixtures adjoining walls. Can be used to fill damaged plaster. CE Marked.




Timber / Plaster / Brick / Concrete



Premium+ 195 Silicised Acrylic Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
195WE	300ML	WHITE	25	5029347609535

A high quality sealant that remains highly flexible and can be used on a wide variety of sealing applications both internally and externally. 195 Acrylic has improved adhesion characteristics when compared to conventional acrylic sealants. CE Marked.




Timber / Plaster / Brick / PVCu / Concrete / Stone



LMA 200 Contractors Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
200BK	295ML	BLACK	25	5029347601492
200BN	295ML	BROWN	25	5029347601485
200TR	295ML	TRANS	25	5029347601478
200WE	295ML	WHITE	25	5029347601461

A cost effective acetoxy cure sealant that adheres to most smooth and nonporous materials. Contains an anti-fungal compound to prevent mould growth to the sealant in areas of high humidity. Ideal for aluminium sealing, sealing around baths, showers, basins and other sanitary ware, as an adhesive for fixing PVCu trims, cladding and panels, sealing around worktops and laminates, pointing and door frames, for aluminium gutter sealing and for general draughtproofing. CE Marked.




Glass / Timber / Aluminium / Ceramics / Laminates



Contract 225
Industrial & Glazing Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
225BK	295ML	BLACK	25	5029347601225
225STEEL	295ML	STEEL	25	5029347602482
225TR	295ML	TRANS	25	5029347601249
225WE	295ML	WHITE	25	5029347000011

A mid modulus acetoxy cure silicone sealant that adheres to most smooth and non-porous substrates. Typically used for single glazing, draught-proofing and general industrial use. Quick curing, with low dirt pick up, it remains permanently flexible and provides a waterproof seal. Temperature resistant to 200°C. Contains a powerful anti-fungal compound to prevent mould growth to the sealant. CE Marked.




Glass / Timber / Aluminium / Ceramics / Laminates

Premium+ 450
Builders Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
450BF	300ML	BUFF	25	5029347601317
450BK	300ML	BLACK	25	5029347601324
450BN	300ML	BROWN	25	5029347601331
450CY	300ML	GREY	25	5029347601348
450OAK	300ML	OAK	25	5029347603502
450TR	300ML	TRANS	25	5029347601355
450WE	300ML	WHITE	25	5029347000035

A premium quality low modulus non-corrosive neutral cure silicone sealant that adheres to virtually all substrates, both porous and non-porous. Typically used for construction expansion joints and perimeter pointing of all types of door and window frames. Low dirt pick up - which is particularly important in PVCu work. CE Marked. **Conforms to ISO 11600 Class: F 25LM and G 25LM.**




Timber / Brick / Stone / PVCu / Concrete / Metal

Premium 335
Construction Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
335BK	295ML	BLACK	25	5029347601256
335BN	295ML	BROWN	25	5029347601263
335GY	295ML	GREY	25	5029347601287
335NEWBZ	295ML	BRONZE	25	5029347601270
335TOF	295ML	TOFFEE	25	5029347601294
335TR	295ML	TRANS	25	5029347601300
335WE	295ML	WHITE	25	5029347000028

A low modulus reactive cure silicone sealant specially formulated as a cost-effective PVCu sealant, which also adheres to many common building substrates. It remains permanently flexible, forming a weather tight rubber-like seal. Contains anti-fungal compound to prevent mould growth to the sealant. CE Marked.




PVCu / Brick / Aluminium / Plastics / Glass

Premium+ 500
Bath & Sanitary Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
500GREY	295ML	GREY	12	5029347603373
500IV	295ML	IVORY	25	5029347601362
500SAND	295ML	STONE	12	5029347603380
500TR	295ML	TRANS	25	5029347601379
500WE	295ML	WHITE	25	5029347000127

A premium quality mid modulus acetoxy cure silicone sealant that contains a high level of powerful anti-fungal compound to protect the sealant. Typically used in areas of high humidity, such as bathrooms and kitchens. Permanently flexible, waterproof seal. Will not discolour on ageing even in humid/damp conditions. CE Marked.




Ceramics / Acrylic / Laminates / Aluminium / Glass

Premium+ 565
Clean Room Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
565WE	295ML	WHITE	25	5029347612399

An advanced neutral curing hygienic sealant that combines Mould Shield®, a powerful anti-bacterial compound which is food contact approved. Prevents the growth of most common moulds. Offers outstanding adhesion to most substrates including plastics, ceramics and metal. Virtually odourless in application with a slow skinning time. Ideal for long joint runs in larger applications. Remains permanently flexible with a movement capability of +/- 25%. CE Marked. **Approved for food contact to 21CFR177.2600 by IANESCO (France) and meets ISO 11600 F 25LM.**




Metal / Ceramics / Glass / Most Plastics

Contract AC50
Acoustic Sealant & Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AC50900	900ML	WHITE	9	5029347600112
AC50C4	380ML	WHITE	12	5029347600358

A high strength, permanently flexible sealant and adhesive specifically formulated for sealing and bonding plasterboard and other kraft lined insulation boards. Typically used for walls, ceilings and dry lining applications. Water based, solvent free formula, easy to use and clean up and adheres to just about all building substrates. CE Marked.



Timber / Plaster / Brick / Stone / Concrete

Contract 700T
LMN Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
700TBN	300ML	BROWN	25	5029347615123
700TNEWBZ	300ML	BRONZE	25	5029347615130
700TCA	300ML	CARAMEL	25	5029347615147
700TNEWMH	300ML	MAHOGANY	25	5029347615154
700TTR	300ML	TRANS	25	5029347600631
700TWE	300ML	WHITE	25	5029347615116
700TBK	300ML	BLACK	25	5029347615161
FP700TTR	600ML	TRANS	12	NO BARCODE
FP700TWE6	600ML	WHITE	12	NO BARCODE

A fast, neutral cure, low modulus sealant specially formulated for the PVCu and roofline industry. For perimeter pointing window and door frames, sealing plastic roofline areas, general weather sealing, and also sanitary applications. White and translucent also available in a foil pack. CE Marked.



Timber / Brick / Stone / PVCu / Concrete / Metal

Check out our full range of guns, tools and nozzles for cartridge and foil packs

See pages 18-20 within the Sealants section

Silicone Eater


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SILEAT	100ML	-	12	5029347115005

A revolutionary chemical that breaks up and removes all types of silicone sealant. Harmless to most surrounding surfaces and can be used to remove sealant from baths, kitchen worktops, basins, showers, doors and window frames.

Aqua Mate
Aquarium Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQUATR	295ML	TRANS	12	5029347120009

A high modulus acetoxycure 100% silicone sealant and adhesive designed specifically for aquarium manufacture. 100% fish safe formula. The waterproof seal will withstand continuous water immersion over a long period of time once cured. Fast cure (tack free in one hour), gives extremely high early strengths. **Meets the requirements of ISO 11600 G25HM**




Glass / PVCu / Aluminium

Heat Mate
Heat Resistant Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HEAT	295ML	RED	12	5029347113001
HTSBK	295ML	BLACK	12	5029347615307

A high modulus permanently flexible 100% silicone which is temperature resistant up to 300°C. Ideal for sealing industrial and high performance gaskets, oven doors etc. Cures quickly to reduce dirt pick up. Remains permanently flexible, forming a water tight rubber-like seal. Excellent adhesion to most non-porous surfaces.



Lead Mate
Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LEAD	295ML	GREY	25	5029347007355

Specially formulated as an alternative to mortaring lead flashing and sheet into brick, stone and concrete, providing a fully waterproof joint. Cleaner and easier to apply than conventional mortar, and a great time-saver. Excellent weathering characteristics, permanently flexible and accommodates thermal movement in lead. Tack free in 1 hour. Temperature resistant to 150°C. CE Marked.



Lead / Brick / Concrete / Stone / Timber

Weather Mate
Gap Filler & Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WEACL	295ML	CLEAR	25	5029347601454
WEAWE	295ML	WHITE	25	5029347000073
WEABK	295ML	BLACK	25	5029347601447

Based on an advanced isoacrylic formula that provides the ultimate in technology for adhesion to many surfaces. It can be applied in wet weather, to wet surfaces, even under water. Resistant to all weather extremes, remains permanently flexible and can be overpainted with most paints and wood stains when cured, although overpainting is not essential.




Metal / Timber / Galvanised Steel / Bitumen

Galva Mate
Duct Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GALVAM	295ML	GREY	25	5029347000070

A high performance solvent free adhesive and sealant specifically designed for sealing high velocity duct work in heating and ventilation systems. Very strong adhesion to galvanised and stainless steel surfaces, excellent slump resistance, permanently flexible and resistant to mildew and mould growth. CE Marked.



Galvanised Steel / Stainless Steel

Visit everbuild.co.uk/everflex for all the latest product data sheets for the Everflex range, along with our handy product selector and jargon buster.

Fire Mate
Intumescent Acrylic Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FIRE	295ML	WHITE	25	5029347000134
FIREMATEGY	295ML	GREY	25	5029347613648

An intumescent acrylic sealant that swells when exposed to temperatures in excess of 125°C to prevent the passage of fire and smoke. Has a fire rating of up to 4 hours in certain joint configurations. CE Marked. **Fire rated to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1. Tested to EN1366-3.**



Brick / Concrete / Stone / Timber / Plasterboard

Contract AC95
Intumescent Sealant & Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AC95900	900ML	WHITE	9	5029347602413

An intumescent acrylic sealant and adhesive specifically formulated for fire rated sealing and bonding applications on plasterboard and other kraft lined insulation boards. Provides up to 4 hours fire resistance. CE Marked. **Tested to EN1366-4. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. Tested to EN13963, Type 4A.**



Timber / Plaster / Brick / Stone / Concrete

Pyro Mate
Fire Rated Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PRYWE	295ML	WHITE	12	5029347608941

A neutral cure elastic silicone sealant which conforms to EN1366-4 for fire protection and has a fire rating of up to 4 hours in certain joint configurations. Acoustic rated to ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation. CE Marked. **Conforms to ISO 11600 class: F25LM and EN15651 to ISO 9047, 8339 and 10563.**



Timber / Brick / Stone / Glass / Concrete / Metal

Firespan
Intumescent Putty Pads

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FSPANGL	SINGLE	RED	20	NO BARCODE
FSPANDBL	DOUBLE	RED	20	NO BARCODE

Designed to be used on the inside or outside of electrical socket boxes to maintain fire and smoke barrier where service holes are cut into dry lining and all types of fire rated boarding. Tested to EN1366-3 to provide up to 2 hours fire protection, and also maintain acoustic integrity of the drylining system. High tack adhesion, pliable and mouldable, self bonding.

Single Socket Pad Size: 4MM thick x 170MM x 170MM.
Double Socket Pad Size: 4MM thick x 230MM x 170MM.


Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components/products for residential ventilation.

**General Purpose**
Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EASIGPCL	80ML	CLEAR	12	5029347606060
EASIGPWE	80ML	WHITE	12	5029347606022

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GPSBK	280ML	BLACK	25	5029347600938
GPSBN	280ML	BROWN	25	5029347200008
GPSGY	280ML	GREY	25	5029347608965
GPSTR	280ML	CLEAR	25	5029347100001
GPSWE	280ML	WHITE	25	5029347000004
12GPSBK	280ML	BLACK	12	5029347600938
12GPSBN	280ML	BROWN	12	5029347200008
12GPSGY	280ML	GREY	12	5029347608965
12GPSTR	280ML	CLEAR	12	5029347100001
12GPSWE	280ML	WHITE	12	5029347000004

A mid modulus silicone sealant that adheres to most smooth and non-porous materials. Contains an anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. Available in both cartridges and squeeze tubes. CE Marked.




Glass / Ceramics / Timber / Aluminium / Laminates

Bath & Kitchen
Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EASIBATH	200ML	WHITE	12	5029347000547

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BATH	290ML	WHITE	12	5029347000554

A high quality, acrylic based sealant that provides an effective, yet economical seal that is easy to use. With added anti-fungal compound. Perfect for use in bathrooms and kitchens. Available in both cartridge and squeeze tube form.




Acrylic / Ceramics / Laminates / Timber / Plaster

Flexible Decorators
Filler

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EASIFLEX	200ML	WHITE	12	5029347601041

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FLEX	290ML	WHITE	12	5029347000554

A fast drying, acrylic based filler and sealant that remains permanently flexible. Can be overpainted with most paint types or covered over with wallpaper. No sanding down required. Available in both cartridge and squeeze tube form.




Glass / Ceramics / Timber / Metal / Laminates

Showerproof Bathroom Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SHOWWE	280ML	WHITE	12	5029347609610
SHOWTR	280ML	CLEAR	12	5029347609627

A mid modulus sanitary & shower silicone sealant that adheres to most smooth and non-porous materials. Contains a powerful anti-fungal compound to be mould resistant in areas of high humidity. Forms a permanently flexible rubber seal. CE Marked.



Glass / Ceramics / Timber / Aluminium / Laminates

Timber & Laminate Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
TIMBBCH	290ML	BEECH	6	5029347600143
TIMBMAH	290ML	MAHOGANY	6	5029347600150
TIMBOAK	290ML	OAK	6	5029347600136
TIMBPINE	290ML	PINE	6	5029347600129

A polymer rich, permanently flexible sealant and gap filler designed for sealing around laminate flooring, fitted furniture and kitchen worktops. Formulated using high clarity lightfast colour pigments. CE Marked.



Timber / Laminates / MFC / MDF

External Frame Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EXTBN	290ML	BROWN	12	5029347000585
EXTGY	290ML	GREY	12	5029347000592
EXTST	290ML	STONE	12	5029347000608
EXTWE	290ML	WHITE	12	5029347000530

A high quality acrylic based sealant that provides a long lasting, permanently flexible seal that can be overpainted when cured. CE Marked.




Timber / Plaster / Brick / Stone / Concrete

Coving Adhesive & Joint Filler

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
COVE	290ML	WHITE	12	5029347600921

A high strength solvent free gap filling adhesive that provides a quick 'grab' for fixing polystyrene, plaster coving and cornices to sound porous surfaces. Dries white and is overpaintable when dry.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete

Roof & Gutter Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
ROOF	295ML	BLACK	12	5029347000172

A premium quality butyl based sealant and adhesive that provides instant, permanent weather-proofing to a wide variety of roofing applications. Adheres to most common roofing materials such as bitumen, asphalt, felt, metals and wood.




Felt / Slates / Tiles / Wood / Bitumen / Gutters

Instant Nails Solvent Free Adhesive

EASI-SQUEEZE MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EASIINST	200ML	WHITE	12	5029347000578

CARTRIDGE MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
INST	290ML	WHITE	12	5029347000561
25INST	290ML	WHITE	25	5029347000561

Instant Nails is a high strength, solvent free, gap filling, multi use adhesive that provides a quick grab and replaces mechanical fixings in many home improvement applications. Dries white and may be overpainted if required. Available in both cartridge and squeeze tube form.



Plaster / Timber / Polystyrene / Brick / Stone / Concrete / PVCu

Power Pro
Sealant Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGNEWPOWER	C4/400ML	6	5029347600945

The ultimate heavy duty sealant gun, extra pull trigger, hook end and swivel action barrel for both 310ML and 400ML cartridges. Engineered for the trade.

**Professional**
Sealant Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SG310	C3/310ML	12	5029347602246
SG400	C4/400ML	12	5029347600952

Sturdy skeleton gun with hexagonal rod and reinforced ring and hook end.

**Jumbo**
Sealant Gun


CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SG9	900ML	1	5029347600785

With swivel action and extra heavy duty push rod mechanism to cope with stiff acoustic sealants. For all 900ML cartridges.

**Superflow**
Sealant Gun


CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGSUPERF	C3/310ML	6	5029347613082

Engineered to be what we believe is the best gun ever with a rotating barrel, smooth action trigger soft grip handle and a non-drip device all wrapped up in a robust, sturdy gun that will handle the toughest of conditions.

**Foil Pack**
Applicator Gun

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGCOMBI6	600ML	1	5029347600808

The Foil Pack applicator gun is designed for use with foil packs, the enclosed aluminium barrel can also be used for standard cartridges.

**Foil Pack**
Spare Nozzles & Push Disc

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SGCOMBINOZ	-	1	5029347600815

Refill pack for foil pack applicator gun; contains 10 x nozzles and 1 x push disc.



For an environmentally friendlier choice - try the foil packed Tecnic range

See pages 24-25 within the Sealants section



Standard Nozzles

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
NOZSTD	-	12	5029347606237

Standard cartridge nozzles, handy replacements packed in 6's.



Seal Rite Smooth-Out Tool

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SMOOTHOUT	-	12	5029347603618

The Smooth-Out Tool is a unique tool that is ideal for smoothing out all sealants after application - it creates a perfect seal every time. Even better, you will have no edge marks and no mess! This tool is really remarkable, once used, you'll never seal again without it.



Seal Rite Strip-Out Tool

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
STRIPOUT	-	12	5029347603557


The Strip-Out Tool is a unique patented tool which works on any type of sealant and is the ideal partner for use before applying silicone sealant. The Strip-Out Tool is incredibly simple and its design and shape provides a really quick way to strip all types of sealant out of any 90° angle joint.



Seal Rite Strip-Out & Smooth-Out Twin Pack

CODE	SIZE	MERCHANT INFORMATION	
		BOX QTY	BARCODE
SRS5TWIN	-	12	5029347609603

A Twin pack with Strip-Out Tool for easy sealant removal and Smooth-Out Tool to create the perfect seal. Ideal for use with Everbuild Silicone Sealants.



Silicone 825 Silicone Sealant



TRUSTED

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
825ANTH	380ML	ANTHRACITE	25	5029347615741
825BG	380ML	BEIGE	25	5029347615734
825BK	380ML	BLACK	25	5029347615727
825BN	380ML	BROWN	25	5029347615710
825BRICK	380ML	BRICK RED	25	5029347615703
825BUFF	380ML	BUFF	25	5029347615697
825DKANTH	380ML	DARK ANTHRACITE	25	5029347615673
825DARKGY	380ML	DARK GREY	25	5029347615680
825LMWE	380ML	LIMESTONE WHITE	25	5029347615666
825MAG	380ML	MAGNOLIA	25	5029347615659
825MIDGREY	380ML	MID GREY	25	5029347615642
825SPORT	380ML	PORTLAND STONE	25	5029347615628
825WE	380ML	WHITE	25	5029347603977
FP825WE6	600ML	WHITE	12	5029347612870

Shore A Hardness	20-30
Movement Accommodation	+/-35% (ASTM C719)
Skinning Time	30-45 mins
Elastic Recovery	>80%

Silicone 825 is a low modulus, neutral curing Silicone sealant based on a filled alkoxy curing system.

Conforms to ISO 11600 class F25LM and G25LM. Used for expansion joints to stone, brick, concrete and composite panels, perimeter pointing around all types of window and door frames. Substrates: Glass, aluminium and PVC - all primerless. CE Marked.



SUBSTRATES: GLASS, ALUMINIUM AND PVC - ALL PRIMERLESS.

TECHNICAL EXCELLENCE PROFESSIONAL PERFORMANCE

Fire Sealant 300
Intumescent Acrylic Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
300GY	380ML	GREY	25	5029347603984
300WE	380ML	WHITE	25	5029347603984
FP300GY6	600ML	GREY	12	NO BARCODE
FP300WE6	600ML	WHITE	12	NO BARCODE

Movement Accommodation	+/-12.5%
Skinning Time	10 mins
Elongation at Break	200%

An intumescent and acoustic acrylic sealant that swells when exposed to temperatures in excess of 150°C to prevent the passage of fire and smoke, with a fire rating of up to 4 hours. Typically used for sealing joints, voids and irregular holes in fire walls, partitions and other structures. For internal perimeter pointing of fire rated door and window frames. CE Marked. **Fire rated to EN1366-4 and EN1366-3, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components - products for residential ventilation.**

**Fire Sealant 400**
Fire Rated Silicone Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
400BK	380ML	BLACK	25	5029347603991
400GY	380ML	GREY	25	5029347603991
400WE	380ML	WHITE	25	5029347603991

Movement Accommodation	+/-25%
Skinning Time	30 - 45 mins
Elastic Recovery	80%
Elongation at Break	350%

A neutral cure, elastic, acoustic rated silicone sealant with a fire rating of up to 4 hours. Typically used for all building and glazing joints which require a fire rating, sealing joints, voids and irregular holes in fire walls, partitions and other structures. CE Marked. **Fire rated to EN1366-4, Acoustic rated to BS EN ISO 140-3. Tested for air permeability to EN13141-1 Ventilation for buildings. Performance testing of components - products for residential ventilation. ISO 11600 class: F25LM.**

**Silicone S50**
Sanitary Silicone Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S50JAS	310ML	JASMINE	25	5029347604844
S50MAN	310ML	MANHATTAN GREY	25	5029347604844
S50TR	310ML	TRANS	25	5029347604844
S50WE	310ML	WHITE	25	5029347604844

Movement Accommodation	+/-20%
Skinning Time	15 mins @20°C
Cure Time	3-4MM per 24hrs
Service Temp	-40 to +150°C

A mid modulus, acetoxy curing silicone sealant that contains a powerful anti-fungal compound to prevent mould and fungal growth to the sealant in areas of high humidity. Gives improved adhesion and flexibility when compared to standard sanitary grades. CE Marked. **Tested to ISO 11600 F/G20LM and EN15651.**

**Joint Backer Rod**

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BACK10	1150MT	GREY	1	NO BARCODE
BACK12	750MT	GREY	1	NO BARCODE
BACK15	550MT	GREY	1	NO BARCODE
BACK19	350MT	GREY	1	NO BARCODE
BACK25	200MT	GREY	1	NO BARCODE
BACK31	160MT	GREY	1	NO BARCODE

Everbuild Tecnic Joint Backer Rod is a non absorbent compressible grey closed cell polyethylene foam backing material. It is inserted into a joint to control sealant depth and create a backstop to allow proper sealant applications.

**Silicone HM 60**
High Modulus Silicone

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HM60WE	310ML	WHITE	25	5029347610289

Shore A Hardness	30-35
Movement Accommodation	+/-25%
Skinning Time	15 mins at 20°C
Elastic Recovery	>90%

A premium, heavy bodied, pure acetoxy silicone sealant that is typically used for sealing to non-porous substrates. Contains fungicide to inhibit mould growth to the sealant making it ideal for areas subject to high levels of humidity. CE Marked.

**Silicone 950**
LMN Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
950NEWWE	380ML	WHITE	25	5029347604134

Shore A Hardness	~30
Movement Accommodation	+/-25%
Skinning Time	30-45mins
Elastic Recovery	>80%

A low modulus alkoxy sealant which is suitable for use on most building and construction joints. Silicone 950 adheres to most smooth porous and non-porous materials including PVCu, aluminium, painted surfaces, stone, brick, concrete, steel, brass, lead, polycarbonate etc. CE Marked.

**Anti Pick 109**
Pick Resistant Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
ANTIPI09GY	295ML	GREY	25	5029347610210
ANTIPI09SL	295ML	SOFT LINEN	25	5029347610210
ANTIPI09WE	295ML	WHITE	25	5029347610210

Shore A Hardness	~50
Tensile Strength (ISO 8339)	>1N/mm ² at 60% elongation
Curing Time at 23°C and 50% RH	2mm / 24hr

A very high modulus, one part, chemically curing sealant. Specifically designed for providing a hand pick resistant seal accommodating small movement for areas where a normal sealant is not hard enough. CE Marked.



Hybriflex 25LM
Low Modulus Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HYB25LMWE	380ML	WHITE	25	5029347612054

Shore A Hardness	20-30
Skin Formation at 23°C and 50% RH	20-45 mins

A one part low modulus building sealant based on hybrid polymer technology. For perimeter pointing of uPVC, window/door frames, for expansion joints, weather sealing applications, parapet and roofline sealing, weatherproofing sealing, construction and dilation joints. Overpaintable. CE Marked. **Tested to ISO11600 class: F25LM.**

**Hybriflex 40**
Hybrid Polymer Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HYB40GY	295ML	GREY	12	5029347613334

Shore A Hardness	50 +/-5
Skinning Time	10-40 mins
Cure Time	2mm/24 hr
Elastic Recovery	>60%

A high modulus, one-component hybrid based adhesive which adheres strongly to most substrates. Provides excellent resistance to most common chemicals and solvents and can be overpainted when cured. CE Marked.

**Hybriflex 55**
Hybrid Polymer Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FPHYB55BK	600ML	BLACK	12	NO BARCODE
FPHYB55WE	600ML	WHITE	12	NO BARCODE

Shore A Hardness	55-60
Skinning Time	30-45 mins
Elastic Recovery	>75%
Tensile Strength	1.5N/mm ²

A high strength, permanently elastic, neutral cure hybrid polymer based adhesive. Isocyanate, silicone and halogen free, overpaintable with most paints, excellent adhesion to most construction substrate, resistant to most chemicals.

**Hybriflex 480**
Hybrid Polymer Building Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HYB480GY	380ML	GREY	25	5029347606107
HYB480WE	380ML	WHITE	25	5029347606107

Shore A Hardness	35-45
Skinning Time	+/- 25%
Elastic Recovery	20-35 mins
Tensile Strength	>70%

A one part general purpose building sealant based on hybrid polymer technology. Ideal for perimeter pointing of uPVC and all window/door frames, expansion joints, weatherproof sealing etc. which need to be painted over afterwards. CE Marked. **Conforms to ISO 11600 Class: F25HM.**

**Hybriflex SMP**
Flooring Sealant

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FPHYBSMPGY	600ML	GREY	12	NO BARCODE

Shore A Hardness	30-40
Movement Accommodation	+/-20%
Elongation at Break (ISO 8339)	>250%
Service Temperatures	-40°C to +90°C

Formulated to provide a high shore A sealant combined with a low viscosity to enable high speed application into floor joints. Suitable for sealing saw cut and pre-formed expansion joints on both internal and external floor joints, provides exceptional abrasion resistance. CE Marked.

**Puraflex 25**
Low Modulus PU

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
INDPU25BK	300ML	BLACK	12	5029347613174
INDPU25BN	300ML	BROWN	12	5029347613181
INDPU25BU	300ML	BUFF	12	5029347613198
INDPU25GY	300ML	GREY	12	5029347613204
INDPU25WE	300ML	WHITE	12	5029347613211
FPINDPU25BK6	600ML	BLACK	20	NO BARCODE
FPINDPU25GY6	600ML	GREY	20	NO BARCODE
FPINDPU25WE6	600ML	WHITE	20	NO BARCODE

Shore A Hardness	20
Movement Accommodation	+100/-50% (ASTM C719)
Skinning Time	70 mins

A one part low modulus building sealant based on polyurethane technology. It is suitable for most construction expansion and dilation joints and adheres to most building surfaces such as concrete, ceramics, wood, metal, uPVC etc. **Conforms ISO11600 F25LM and is CE marked to EN15651-1: 2012 Type F EXT-INT CC.**

**Hybriflex FR**
Fire Rated Hybrid Polymer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FPHYBFRGY	600ML	GREY	12	NO BARCODE

Shore A Hardness	40 +/-5
Movement Accommodation	+/-25%
Skin Formation at 23°C and 50% RH	20-55 mins
Elongation at Break (ISO 8339)	>200%

A one part, chemically curing solvent free sealant and adhesive. Specifically designed multi-purpose floor/wall sealant for all concrete saw cuts and cladding applications and/or slab expansion joints, where fire resistance is required. CE Marked. **Fire rated up to 4 hours in certain joint configurations (when tested to EN1366 Part 4 2006 - Warrington Fire Certificate 195854/A October 2010).**

**Puraflex 40**
High Modulus PU

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
INDPU40BK	300ML	BLACK	12	5029347613143
INDPU40GY	300ML	GREY	12	5029347613150
INDPU40WE	300ML	WHITE	12	5029347613167
FPINDPU40BK6	600ML	BLACK	20	NO BARCODE
FPINDPU40GY6	600ML	GREY	20	NO BARCODE
FPINDPU40WE6	600ML	WHITE	20	NO BARCODE

Shore A Hardness	-37
Skinning Time	70 mins
Cure Time	3.5mm/24 hr
Elastic Recovery	>75%

A high modulus, one-component PU sealant and adhesive which adheres strongly to most substrates. Provides excellent mechanical resistance (shore A 37), resistance to most common chemicals and can be overpainted when cured. CE Marked.





ADHESIVES

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Sealant & Adhesive Hybrid	28
Grab	30
Plasterboard	35
Wood	36
Contact	39
Superglues & Activators	40
Carded	42
Smart Tack	45
Flooring	46

EB25

Sealant & Adhesive



TRUSTED

SEALS AND BONDS UNDERWATER

WORKS ON VIRTUALLY ANY SUBSTRATE

SUPERIOR FLEXIBILITY

SANITARY AND FOOD SAFE

INCREDIBLE BOND STRENGTH

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EB25ANTH	300ML	ANTHRACITE	12	5029347615598
EB25BK	300ML	BLACK	12	5029347615550
EB25CL	300ML	CRYSTAL CLEAR	12	5029347615543
EB25GY	300ML	GREY	12	5029347615567
EB25WE	300ML	WHITE	12	5029347615536

To celebrate our 25th anniversary, Everbuild brings you our best ever sealant and adhesive.

Using cutting-edge technology and a unique polymer blend, we've developed a truly universal, top quality hybrid. It's extremely flexible, certified for indoor and outdoor use, and in sanitary and food preparation areas (ISEGA). Plus, it's exceptionally strong, sticks to almost anything and even works underwater!

It's resistant to mould, temperature extremes, chemicals, petrol, UV radiation, plus it does all this whilst meeting the toughest emissions classification! CE Marked.

EB25 – 25 years of Everbuild expertise.



Brick / Timber / Metal / Plastic / Glass



WATCH THE VIDEO:
everbuild.co.uk/videos/eb25-ultimate-sealant-adhesive



Stixall Extreme Power

Sealant & Adhesive



TRUSTED

WORKS UNDERWATER

ADHERES TO VIRTUALLY ANYTHING

HIGH GRAB STRENGTH



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
STIXBK	290ML	BLACK	12	5029347603281
STIXBN	290ML	BROWN	12	5029347603304
STIXCLEAR	290ML	CRYSTAL CLEAR	12	5029347603960
STIXGY	290ML	GREY	12	5029347603298
STIXWE	290ML	WHITE	12	5029347602604
STIXNAT	290ML	NATURAL	12	5029347615291
EASISTIXCL	80ML	CRYSTAL CLEAR	12	5029347606053
EASISTIXWE	80ML	WHITE	12	5029347606015

Stixall Extreme Power is a combined adhesive and sealant, based on hybrid polymer technology, with extreme power to both bond and seal nearly everything in almost all conditions, even underwater and in the rain!

Available in both cartridges and easi-squeeze tubes. CE Marked.



Metal / Glass / Brick / Timber / PVCu




Pinkgrip
Solvent Based Adhesive



			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PINKGRIP	350ML	PINK	12	5029347601690

Pinkgrip's revolutionary grabbing strength usually removes the need to pin under the workpiece to prevent slipping or slumping.

Pinkgrip will stick just about anything on a building site that needs sticking. Its amazing grabbing strength not only removes the need to pin under the workpiece to prevent slumping, but its revolutionary initial 'Direct Bond' eliminates the need for double stick methods.



Brick / Metal / Timber / Concrete / Plastic


TRUSTED

- NON-SLIP BONDING
- SOLVENT BASED
- NO NEED TO 'DOUBLE STICK'
- FAST GRAB

Pinkgrip SF
Solvent Free Adhesive

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SFPINK	380ML	PINK	12	5029347602420
PINKWE	380ML	WHITE	12	5029347610081

A direct bond adhesive with all the legendary grabbing performance of original Pinkgrip but in a solvent free formula. Can be used to replace mechanical fixings in a wide variety of home improvement applications. Ideal for bonding wood, brick, plaster, plasterboard, polystyrene, metals and plastics. Available in Pink and White colours.




Brick / Metal / Timber / Concrete / Plastic

Griptite
Solvent Based Adhesive

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GRIPTEC3	310ML	BUFF GREEN	12	5029347611965
GRIPTEC4	350ML	BUFF GREEN	12	5029347611644

Griptite is an extra-tough, high grab construction adhesive that combines great performance with 'easyflow' gunability. This high bond strength, solvent based adhesive adheres to most common substrates and can be used on direct bond or double stick applications. With good early grab properties Griptite is suitable for a wide variety of applications including being usable in both vertical and horizontal positions.




Brick / Stone / Timber / Concrete

Gun A Nail Extra
Solvent Based Adhesive

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SBGANC4	380ML	BEIGE	12	5029347111007

Gun A Nail Extra is a high strength, solvent based, gap filling adhesive providing extra bond strength and a quick cure in external applications. Ideal for bonding two non-porous materials together.



Brick / Stone / Concrete / Timber

Gun A Nail Standard
Solvent Free Adhesive

			MERCHANT INFORMATION	
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GANN3	290ML	WHITE	25	5029347000110

Gun A Nail Standard is a high strength, gap filling multi-purpose building adhesive based on a tackified solvent free system for use in a wide variety of building and home improvement applications. Gun A Nail Standard can be used where at least one of the substrates to be bonded is porous. Ideal for fixing skirting boards, wall panels, cladding, framework and floorboards.



Brick / Stone / Timber / Concrete

Multi Stick

Hybrid Polymer Adhesive



TRUSTED

EXCELLENT BOND STRENGTH

ANTI-SLIP BONDING

BONDS VIRTUALLY ANYTHING

APPLY TO POROUS AND
NON-POROUS SURFACES
IN THE WET OR DRY!

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMULTISWE	350ML	WHITE	12	5055492701725

Multi Stick is a superior grab adhesive with the ability to bond virtually anything to everything in both wet and dry conditions, even underwater or in the rain.

With incredible initial grab, high bonding strength, and almost limitless applications, no tradesman should be without a tube of this next generation adhesive. Think of any bonding application and it is virtually certain Multi-Stick will handle it with ease.



Metal / Brick / Timber / Plastic / Concrete




Clear Fix

Crystal Clear Hybrid Polymer Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CLEARFIX3	290ML	CLEAR	12	5029347612931

A clear hybrid polymer grab adhesive that has the ability to bond just about everything in both interior and exterior applications. With added UV stabilisers, Clear Fix is the ideal choice for applications where you may see the colour of the product. Clear Fix is a versatile product which can be used in almost every application imaginable – even when immersed under water! Even more, Clear Fix comes in a completely Clear cartridge to illustrate the clarity of the product.



Metal / Glass / Brick / Timber / PVCu



Mirror Mate

Mirror Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
MIRROR	290ML	WHITE	12	5029347112004

Mirror Mate is a one component adhesive based on Hybrid Polymer technology that is specially formulated for bonding mirrors to most common surfaces. The totally neutral curing system will not attack the mirror backing. Excellent primerless adhesion to most surfaces including metals, most plastics, concrete, plaster, plasterboard, polyester, perspex, glass, wood, enamel, painted surfaces etc.



Mirrors / Metal / Plaster / Perspex / Plastic



Maximum Torque

High Strength Hybrid Polymer Grab Adhesive

**TRUSTED**

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MAXTQWE	290ML	WHITE	12	5029347610814

Maximum Torque, based on next generation hybrid polymer technology is the ultimate high grab adhesive, providing a level of immediate grab strength not previously possible with cartridge packed adhesives.

The unique polymer blend gives incredible initial grab, typically double that of most grab adhesives on the market today, eliminating the need for temporary support in most applications. Maximum Torque has the ability to bond basically everything to anything in virtually all conditions.




Brick / Metal / Glass / Timber / PVCu

DOUBLE THE GRAB STRENGTH OF MOST ADHESIVES

CAN BE APPLIED TO WET OR DAMP SURFACES

INCREDIBLE INITIAL GRAB

**Pinkgrip Dry Fix FR**

Plasterboard Adhesive Foam

TRUSTED

SIGNIFICANT TIME SAVING OVER CONVENTIONAL DRY WALL ADHESIVES

SUITABLE FOR PLASTERING IN JUST 1 HOUR

BOARDS ONLY NEED HOLDING FOR 1 MINUTE

NO MIXING, NO MESS




CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
DRYFIX7	750ML	PINK	12	5029347606282

Pinkgrip Dry Fix FR is a revolutionary type of fast curing, adhesive foam that has been specially developed for the rapid installation of Plasterboard, Insulation Boards and other sheet materials such as Roof Decking and Floorboards.

The Dual Flow system means that it can be applied using the nozzle provided or attached to the Dry Fix Applicator Gun. Pinkgrip Dry Fix FR provides significant labour saving and convenience benefits when compared to traditional dry wall adhesives. It will bond to most common building substrates; can be applied horizontally or vertically to the board, wall or battens/beams.

Dry Fix FR conforms to the requirement of EN13501-1 Class E for fire rating.



Brick / Stone / Concrete / Timber / Plasterboard

Pinkgrip Dry Fix Applicator Gun

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
DRYGUN	-	-	1	5029347606466

Pinkgrip Dry Fix Applicator Gun - for use with Pinkgrip Dry Fix Fast Cure Dry Wall Adhesive.



Gator Glue

PU Wood Adhesive



TRUSTED

HIGH STRENGTH - FORMS AN INCREDIBLY STRONG BOND

FAST DRYING - SETS IN 30 MINUTES

STICKS TO MOST COMMON SUBSTRATES

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
GATOR01	150ML	BROWN	12	5029347610104
GATOR02	250ML	BROWN	9	5029347610111
GATOR05	500ML	BROWN	6	5029347610128

Gator Glue is the adhesive with real bite.

Once applied, It penetrates and expands slightly on cure, really "sinking its teeth" into both substrates to form an incredibly strong bond. Gator Glue sticks to most common substrates, will set hard in about 30 minutes and even sticks to wet surfaces!



Wood / Metal / Brick / Concrete / Stone



D4

Wood Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
D41	1LTR	WHITE	12	5029347602703
D425	25LTR	WHITE	1	5029247611545

A solvent free industrial grade wood adhesive based upon hybrid resin technology. Can be used internally or externally, gives a high strength, totally waterproof, impact and temperature resistant bond. Dries clear, sets in 10 minutes. Ideal for all general woodworking and joinery uses, assembly line work, RF/HF Cure systems, wood on wood laminating, furniture assembly and household DIY use. **Conforms to EN 204, D4 Strength and WATT91.**



5 Minute Polyurethane

Wood Adhesive Gel

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
5MINPU3	310ML	TRANS	12	5029347809034

Lumberjack 5 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in just 5 minutes. This product gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which in turn increases the bond strength. Particularly suitable for equipment manufacture and production line applications where rapid handling is required. **Conforms to EN 204, D4 Strength.**



Wood / Metal / Brick / Concrete / Stone




502 All Purpose Weatherproof

Wood Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WOODBOT125	125ML	-	12	5029347005276
WOODBOT250	250ML	-	12	5029347005238
WOOD005	500ML	-	20	5029347005207
WOOD1	1L	-	12	5029347005214
WOOD5	5L	-	4	5029347005252
WOODA25	25L	-	1	5029347052492

All Purpose Weatherproof Wood Adhesive is a high quality, resin based wood adhesive for all wood bonding. It can be used internally and externally and provides a high strength, impact resistant bond that is usually stronger than the wood itself. Ideal for all general woodworking and joinery uses, furniture assembly and household DIY use. Dries clear. Fast cure, initial set in just 10 minutes. **Conforms to the international standard EN 204 (D3) and EN 14256 for resistance to static load.**



5 Minute Polyurethane

Wood Adhesive Liquid

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
5MINPU7	750GR	BROWN	6	5029347601133

Lumberjack 5 minute polyurethane wood adhesive liquid is brown in colour and is ideal for larger applications, or in the workshop where greater economy is required. Sets hard in 5 minutes. The liquid is 100% waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204, D4 Strength.**




Wood / Metal / Brick / Concrete / Stone



30 Minute Polyurethane Wood Adhesive Gel

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
30MINPU3	310ML	TRANS	12	5029347809010

Lumberjack 30 Minute Polyurethane Wood Adhesive Gel is a thixotropic, transparent, gap filling gel which sets hard in 30 minutes. This one part, moisture curing gel gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**




Wood / Metal / Brick / Concrete / Stone

45 Minute Polyurethane Wood Adhesive Liquid

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
45MINPU7	750GRM	BROWN	6	5029347610258

Lumberjack 45 Minute is a one part moisture curing wood adhesive which sets hard in 45 minutes. Supplied as a liquid which is waterproof, gives exceptionally high bond strength and is resistant to most chemicals. The product foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

30 Minute Polyurethane Wood Adhesive Liquid

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
30MINPU7	750GR	BROWN	6	5029347809027

Lumberjack 30 Minute Polyurethane Wood Adhesive Liquid is brown in colour and ideal for larger, horizontal applications where greater economy is required. Sets hard in 30 minutes. This liquid gives exceptionally high bond strength and is resistant to most chemicals. It foams slightly on application to fill small gaps, which increases bond strength. **Conforms to EN 204. D4 Strength.**



Wood / Metal / Brick / Concrete / Stone

Our Wood Filler Range are perfect for professional preparation


See page 108 in the
Fillers & Decorating
Sundries section



Stick 2 Instant Contact Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CON125	125ML	BEIGE	10	5029347006518
CON250	250ML	BEIGE	12	5029347065027
CON750	750ML	BEIGE	12	5029347065058
CONA5	5L	BEIGE	4	5029347006556

Stick 2 All Purpose Contact Adhesive is a premium grade rubber based contact adhesive suitable for use with a wide variety of materials for both professional and DIY use. The product may be used for bonding decorative laminates, all types of wood, rigid PVC, ABS, leather, cork, linoleum, rubber, stone, metals and dense fabrics.




Laminates / Timber / Cork / Rubber / Metal

Stick 2 Instant Spray Contact Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CONSPRAY5	500ML	-	12	5029347060855


A sprayable glue which bonds to most common materials including wood, concrete, stone, tiles, rubber, foam, metals, rigid plastics, polyethylene, canvas fabrics, cardboard, paper and cork. Ideal for securing most carpets/floor coverings. Suitable for internal and external use. Time saving spray – easier and quicker to apply than most trowel/spreader applied adhesives. Repositionable.



Stick 2 Carpet Fix Spray Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CARPSPRAY5	500ML	-	12	5029347603212

Sprayable medium duty glue which fixes P.U. and foam backed carpets, carpet tiles, underlay, paper felt and cork to most common substrates. Economical and time saving – quicker and easier than spreader applied adhesives. Foaming formula gives low soak into substrates.



Stick 2
Industrial Superglue GP

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CYN20	20GRM	CLEAR	25	5029347900069
CYN50	50GRM	CLEAR	20	5029347602345

Medium viscosity formula fills gaps to 0.1mm. For use on perfect fit surfaces where fast set is required. Bonds nonporous surfaces eg. most plastics, metals, glass, PVCu, rubber and EPDM. Viscosity at 25°C - 100cPs. Set time 5 to 15 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal

Stick 2
Superglue De-bonder

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
DEBONDER	20ML	CLEAR	10	5029347601096

For de-bonding cured cyanoacrylate adhesive from most common surfaces e.g. steel, plastic, wood, glass and rubber. Can also be used on skin when applied as per instructions.




Metal

Stick 2
Industrial Superglue HV

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
HV20	20GRM	CLEAR	25	5029347601072
HV50	50GRM	CLEAR	20	5029347601089

High viscosity formula for porous and non porous substrates where a slightly delayed set is required. For use on MDF, rubber, metals, PVCu and plastics. Viscosity at 25°C - 1500 cPs. Set time range 10 to 30 seconds. Packed in self merchandising display boxes.



PVCu / Plastic / Glass / Metal

Stick 2
Thread Lock GP Blue

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
THREADLOCK10	10GRM	BLUE	10	5029347601720

Medium strength anaerobic, allows for disassembly, thixotropic non-drip formula For nuts, bolts, screws and threads. Can be used on oil contaminated parts.

**PVCu Acti-Spray**
Aerosol Activator

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PVCACT	200ML	CLEAR	12	5029347602765

PVCu Acti-spray is an aerosol applied activator for use with Everbuild Industrial Superglue GP and HV, setting superglue in 10 seconds. Guaranteed not to stain PVCu. Acti-spray is ideal for use on all PVCu and plastics, and works on all common building surfaces.



PVCu / Plastic / Glass / Metal

Mitre Fast
Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MITREADH5	50GRM	CLEAR	10	5029347603434

Mitre Fast Adhesive as supplied in bonding kit.




Timber / Plastics / Metal

Mitre Fast
Kit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MITRE1	STD	CLEAR	6	5029347601119
MITRE1IND	STD	CLEAR	24	5029347611637
MITRE2	LRGE	CLEAR	6	5029347601126

Mitre Fast Bonding Kit is a two part instant adhesive system comprising a cyanoacrylate adhesive and aerosol activator. Mitre Fast is mainly used in the furniture, timber, kitchen and plastics industries where its instant bonding properties dramatically reduce assembly times for mitre joints.




Timber / Plastics / Metal

Mitre Fast
Activator

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ACTIV2	200ML	CLEAR	12	5029347000615

Mitre Fast Activator as supplied in bonding kit.




Timber / Plastics / Metal

Stick 2 Instant Bond Contact Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2CONADH	30ML	BEIGE	10	5029347601607

Stick 2 Contact Adhesive is a premium grade rubber contact adhesive suitable for internal and external use with laminate, trim, wood, rigid PVC, ABS, leather, cork and metals. Instant bond.




Laminates / Timber / Cork / Metal

Stick 2 Hard Plastic Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2HARD	30ML	CLEAR	10	5029347601638

Stick 2 Hard Plastic Adhesive is a strong, clear, quick drying adhesive suitable for bonding most types of hard plastic such as rigid PVC, acrylic, polycarbonate and ABS. Ideal for use on non-pressure pipework, and numerous household applications.



Plastics / Acrylics / ABS / Rigid PVC

Stick 2 Instant Bond Textile Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2TEXTADH	30ML	WHITE	10	5029347605988


Stick 2 Textile Adhesive is a quick setting adhesive for bonding a variety of textiles and fabrics including cloth, canvas, fabric, leather, foam, paper, sponge, cardboard and stone. It will also bond non porous surfaces such as plastic, uPVC and metals.



Stick 2 Epoxy Putty Quick Repair Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2EPOXPUTTY	50GM	-	12	5029347605995

Stick 2 Epoxy Putty is a two component epoxy based putty for repairing, bonding, sealing and rebuilding virtually any material. Will adhere to wet surfaces, totally waterproof once dried and is easy to mix.




Stone / Concrete / Metal / Bricks

Stick 2 Rapid Epoxy Tube Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2RAPEXTUBE	12ML X 2	-	16	5029347605964

Stick 2 Rapid Epoxy Tube is an industrial strength, two part clear adhesive system which sets hard in just 4 minutes. Ideal for bonding most materials and once cured can be drilled, sanded and painted.



Metal / Glass / Wood / Ceramics

Stick 2 Epoxy Putty Aqua Underwater Repair Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2EPOXAQUA	50GM	-	12	5029347609566


Epoxy Putty Aqua is a two component putty that has been specially formulated for permanent repairs to damp, wet areas and underwater substrates such as tanks, drums, pipes and castings. It can be applied underwater in both fresh or salt water.



Stick 2 Rapid Epoxy Syringe Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2RAPEX24	24ML	-	12	5029347601645

Stick 2 Rapid Epoxy Syringe is an industrial strength two part clear adhesive which sets hard in 10 minutes. Will bond most common materials and once cured may be drilled, sanded or painted. For industry and home.




Metal / Glass / Wood / Ceramics

Stick 2 Rapid Epoxy Metal Syringe Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2RAPEXMETAL	24ML	-	12	5029347609573

A two part adhesive which sets hard in just 5-10 minutes and is ideal for bonding of metal and metal alloys as well as glass, ceramic and wood. It finishes to a grey metal like appearance gives an exceptionally high bond and repair strength – can be drilled, sanded, machined & painted once fully cured.



Metal / Glass / Wood / Ceramics

Stick 2 Superglue Gel Formula

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2GEL3	3GM	-	12	5029347605926

Stick 2 Superglue Gel will bond most common materials. The high viscosity formula is ideal for nondrip, vertical, porous or small gap filling applications. Superglue Gel is ideal for bonding wood, plastics, metals, paper, porcelain, rubber & more.



PVCu / Plastic / Glass / Metal

Stick 2 All Purpose Superglue Tube & Bottle

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2SUP03	3GM	-	12	5029347600013

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2SUPBOT05	5GM	-	6	5029347605933

Stick 2 All Purpose Superglue fills gaps up to 0.1mm and bonds non-porous surfaces such as plastics, metals, PVCu, rubber, ceramics and much more. 1 minute instant bond, perfect where a fast set is required. Re-sealable cap.




PVCu / Plastic / Glass / Metal

Stick 2 Touch Up Enamel

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
S2ENAMEL	25ML	-	10	5029347609580


A high quality gloss enamel that provides superior rust protection and dries to a mirror like finish. It is ideal for touching up scratches and chips or enamel and lacquer damages on bathroom fixtures, kitchen appliances and ceramics. It provides excellent colour and gloss retention, even after repeated cleaning.



Smart Tack Handy Aerosol

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTHANDY	500ML	BLUE	12	5029347601188

Standard aerosol for smaller jobs. Offers all benefits with lower pressure application. 500ML aerosol will cover 2.5-3.5m² of laminate when applied to both surfaces.




Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTBULKCL	17KG	CLEAR	1	5029347601171

For large scale use, delivers adhesive via a flexible hose to the gun. Bulk Tank will cover ca. 128m² per 17kg of laminate when applied to both surfaces.



Laminates / Timber / Cork / Rubber / Metal

Smart Tack Bulk Tank Gun

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTBULKGUN	-	-	1	NO BARCODE

For use with Smart Tack bulk tank and hose.



Smart Tack Bulk Tank Hose

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SMARTBULKHOSE	-	-	1	NO BARCODE


For use with Smart Tack bulk tank and gun. Hose length: 3.66 metres.



Lumberjack 160
Woodbond

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJACK16010	10LTR	BUFF	1	5029347609665

Lumberjack 160 is a high specification, trowel applied adhesive, based on resins in solvent and is specifically designed for fixing all types of wooden floors directly onto porous substrates.

**Lumberjack 550**
Floor Adhesive


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJACK5503	300ML	BUFF	12	5029347603151
LJACK5506	600ML	BUFF	12	5029347603168

Lumberjack 550 is a high specification, hybrid polymer, cartridge or foil pack applied adhesive specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 550 is 100% active and water free, and will not cause warpage of wood.

Lumberjack 650
Floor Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LJACK65014	14KG	BUFF	1	5029347603175

Lumberjack 650 is a standard setting, hybrid polymer, trowel applied adhesive, specially designed for fixing all types of wooden floors directly on to all common substrates. Lumberjack 650 is 100% active, and will not cause warpage of wood.

**Floor in need of
some preparation?**

Floor levelling
compounds available
on pages 64-65 within
the Building section



BUILDING PRODUCTS

Trusted products are tried & tested by leading tradespeople on the most demanding of projects


TRUSTED

PVA & SBR Bonding Agents	50
Building Admixtures	52
Surface Treatments	56
Waterproofing	61
Concrete Repair	61
Technical Mortars	62
Floor Levelling Compounds	64
Epoxy Repairs	66
Putties	67
Chemical Anchors	68
Paints	70
Survey & Line Markers	70

501
PVA Bond

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PVA05L	500ML	-	20	5029347005108
PVA1L	1L	-	12	5029347005115
PVA2	2.5L	-	6	5029347005122
PVA5L	5L	-	4	5029347005153
PVAB25L	25L	-	1	5029347005160
PVAB1000	1000KG	-	1	-

PVA Bond is a multi-purpose bonding agent, primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. **Fully conforms to BS 5270.**

503
S.B.R Bond

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SBR2L	2.5L	-	6	5029347613624
SBR5L	5L	-	4	5029347005351
SBRB25	25L	-	1	5029347005368
SBRB0200	200L	-	1	-

503 S.B.R Bond is a latex based, water resistant bonding agent and admixture for use in areas subject to humidity and dampness contact. Improves water resistance of cement mixtures by forming a reinforcing polymer that increases long term durability and flexibility of the mix on renderings.

506
Contractors PVA


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CONPVA5	5KG	-	4	5029347602680
CONPVAB25	25KG	-	1	5029347613372

Contractors PVA is a multi-purpose primer, sealer, cement and plaster admixture that adheres to most common building and DIY materials. Ideal for priming and dust sealing on flaking surfaces and as an adhesive on wood, cork etc.

505
Plasterers Gripcoat


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
GRIPCT10	10LTR	BLUE	1	5029347611538

Plasterers Gripcoat is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage; now, with new improved colour.

507 Rendagrip
Render Bonding Agent

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RENDGP10	10L	RED	1	5029347612610

Rendagrip is an extra grip render bonding agent that contains a fine aggregate to provide an improved key before applying render on external surfaces e.g. concrete, lightweight blockwork, brick etc. The fine aggregates are suspended in a unique waterproof polymer to ensure easy application and an even spread of aggregate avoiding any weak spots in the key coat and preventing the aggregate particles coming loose during application.



Get perfect joints
with EuroScrim


See page 123
within the Tapes section



201 Mortar Admix

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
AD5L	5L	-	4	5029347002152
ADM25L	25L	-	1	5029347002169


Mortar Admix is an air entraining plasticiser that replaces lime in the mix to provide an easy to work 'butter like' consistency to the mortar and to prevent shrinkage, cracking and crazing during the setting process. CE Marked. **Tested to BSEN934-Part 3 (2009)+A1(2012).**



202 Integral Liquid Waterproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ILW5L	5L	-	4	5029347002251
ILWA25	25L	-	1	5029347002268

Integral Liquid Waterproof is a liquid additive that provides long term water protection to mortar, concrete and rendering. Reduces water permeability and is suitable for all applications where resistance to water absorption is necessary. CE Marked. **Tested to EN934-3 (2009)+A1(2012).**



206 Strike Release Oil

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
STRIKES	5L	-	4	5029347002657


Strike Release Oil is a highly effective release agent to enable concrete shuttering to be removed easily, leaving the edge of the concrete structure clean and well formed. Suitable for most types of form work, not affected by rain after application.



207 Zeromix C.F.F

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ZEROS	5L	-	4	5029347002756
ZEROM25	25L	-	1	5029347002763


Zeromix CFF is a double action frostproof and air entraining mortar admixture for use throughout the winter period. Improves workability of mortar and increases resistance to frost in both wet and hardened state. Chloride free, can be used with steel reinforced concrete structures. CE Marked. **Tested to EN934-3 (2009)+A1(2012).**



203 Accelerator & Frostproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ACC5L	5L	-	4	5029347002350
ACC25L	25L	-	1	5029347002367


Accelerator & Frostproof is a liquid additive formulated to accelerate setting and hardening times of mortar, concretes, screeds and rendering to provide frost protection during the setting period. Effective even in sub-zero temperatures. CE Marked. **Tested to EN934-2 (2009)+A1(2012).**



204 Evermix 3 In 1

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EMIX5	5L	-	4	5029347600006
EMIX25	25L	-	1	5029347070533


Evermix 3 in 1 triple action admixture waterproofs, plasticises and retards to assist workability, reduce water penetration and allow larger areas to be covered in one application. Evermix 3 in 1 is particularly formulated for use in renders, dry dash and pebble-dashing. CE Marked. **Tested to EN934-3 (2009)+A1(2012).**



208 Powder Mortar Tone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PMTBK1	1KG	BLACK	6	5029347002817
PMTBN1	1KG	BROWN	6	5029347002831
PMTBUFF1	1KG	BUFF	6	5029347002855
PMTMA1	1KG	MARIGOLD	6	5029347002848
PMTRD1	1KG	RED	6	5029347002824

Powder Mortar Tone is formulated from best quality oxide pigments for permanently colouring all types of mortars. The pigments disperse easily into the mix to give a uniform shade for each mix batch, shading can be adjusted to provide a wider variety of colour depths. CE Marked. **Tested to EN12878.**



209 Liquid Mortar Tone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LMTBK1	1L	BLACK	12	5029347002916
LMTBK5	5L	BLACK	4	5029347002954

Liquid Mortar Tone is formulated to provide a permanent colour to all types of mortars, rendering, concrete and pointing. The liquid disperses evenly throughout the mix to give uniform shade for each mix batch. Shading can be adjusted to provide a wide variety of colour depths. CE Marked. **Tested to EN12878.**



Opti-Mix Mortar Plasticizer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTIMIX1	1LTR	-	12	5029347609870


The world's first 1:25 plasticiser is just Pure Admix, smells and works like the best traditional Admix. Controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. CE Marked. **Tested to EN934 (2009) +A1 (2012).**



Opti-Mix Integral Waterproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTIPROOF1	1LTR	-	12	5029347609894


Opti-Mix Integral Waterproof is a plasticiser, waterproofing agent and salt inhibitor, all in one. Waterproofs, plasticises, controlled dosage, consistent mix design, easy to use, no waste. 1 litre is equivalent to 25 litres of standard product. CE Marked. **Tested to EN934-3 (2009) +A1 (2012).**



Opti-Mix 3-In-1 Render Additive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTIREND1	1LTR	-	12	5029347609917

Opti-Mix 3-in-1 render designed specifically for use with renders, giving increased retarding properties with additional waterproofing, plasticising and salt inhibiting capability. Controlled dosage for a consistent mix in an easy to use design with zero waste. 1 litre is equivalent to 25 litres of standard product. **Tested to EN934-3 (2009) + A1 (2012).**



Opti-Tone Cement Colourant Black

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
OPTITONEBK1	1LTR	-	12	5029347609924

Opti-Mix Cement Colourant is a cement colourant that enables accurate colour matching and consistency between different batches of mortar. Fast colouring formulation, controlled dosage, consistent mix design, easy to use and no waste. 1 litre is equivalent to 5 litres of standard product. CE Marked. **Tested to EN12878.**



409 Block-Guard

Block Paving Seal & Joint Sand Stabiliser


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BLOCKGUARD5	5L	-	4	5029347603083
BLOCKGUARD25	25L	-	1	5029347605780

Block Guard is a block paving seal & joint sand stabiliser based on a clear solvent based acrylic coating to bind jointing sand and form a durable seal over block paving and other mineral pavers/flags. It penetrates deeply into pavers and jointing sand and then cures by solvent evaporation.

**TRUSTED**

HIGH WATER AND RAIN RESISTANCE

INHIBITS WEED GROWTH



NON SLIP FINISH



CREATES A PERMANENT SEAL

404

Fungicidal Wash

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FUN1	1L	-	12	5029347004415
FUN5	5L	-	4	5029347004453

Fungicidal Wash is a powerful, fungicidal wash for the removal of lichens, fungi and algae on all mineral surfaces such as walls, paths, roofs, drives etc.



Patio Wizard kills algae, green growth, mould and fungi on patios, paths, driveways and all hard surfaces. It is so easy to use, just apply and leave to dry, no need for any washing off, scrubbing or pressure washing. Supplied as a concentrate that dilutes with water at 1:10 i.e. 5L makes 50L and 1L makes 10L.

Explore the
Resiblock range.


See page 163



402 Water Seal Water Repellent

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WAT5	5L	-	4	5029347004255
WAT25	25L	-	1	5029347004262

A high performance transparent water repellent specially formulated to prevent water penetration on all mineral substrates such as brick, stone, masonry, pebble dashed and rendering. Water Seal is water based and not harmful to the user or the environment, and it's non-flammable.



405 Path & Patio Seal Water Repellent

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PAT5	5L	-	4	5029347000653
PAT25	25L	-	1	5029347000660


Path & Patio Seal is an acrylic coating used to seal and protect patios, paths, natural stone, concrete and block paving from the effects of water, petrol and fungal/green growth. The milky solution dries to a clear hard-wearing, water repellent film giving a low sheen slip resistant finish.



408 Super Seal High Performance Water Repellent

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WALLSEAL5	5L	-	4	5029347606817


Super Seal is a solvent based transparent water repellent, formulated to prevent attack by water penetration on brick, stone, masonry, plaster, rendering etc. Super Seal penetrates deep into the treated area to provide effective repellency for many years. Dries clear. Can be applied by spray, brush or roller.



401 Brick & Patio Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BC1L	1L	-	12	5029347004118
BC5L	5L	-	4	5029347004156


Brick & Patio Cleaner is a fast acting acid based formula (9.5% strength) that dissolves mortar and cement stains and ingrained dirt and paint on most mineral surfaces such as brick, concrete, paving flags and earthenware.



Oil Away Oil Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
OIL1	1L	-	12	5029347611187

Oil-Away is a ready to use high performance cleaner for drives, paths and patios. Oil-Away is the quick and easy solution for removing oil, petrol, diesel and grease stains from driveways, garage floors and car parks. It works on most common surface types including concrete, stone, tarmac and most common paving materials. Oil-Away can also be used as a general cleaner to revive the look of pathway and patio areas.



Salt Away Salt Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SALT5	5L	-	4	5029347611200
SALT1	1L	-	12	5029347611194


Salt-Away removes salt and unsightly white efflorescence from bricks and concrete. It is a biodegradable formula, works on walls, paths and patios and can be poured, sprayed or brushed on.



Cemstrip Cement Stain Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CEM1	1L	-	12	5029347611019
CEM5	5L	-	4	5029347611026
CEMSPRAY1	1L	-	12	5029347611033


Everbuild Cemstrip is a new type of cement, concrete and mortar stain remover that provides a more environmentally friendly alternative to conventional hydrochloric acid based cement removers. Cemstrip will also remove salts and efflorescence from the surface of mineral substrates and is a very effective general cleaner for removing ingrained dirt, grease and stains from paths and patios as well as being safe for use on metal surfaces such as tools and cement mixers. Cemstrip is a highly concentrated formula that can be diluted by up to 10 times with water to suit a variety of applications.



Tarmac Restorer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
TARR5	5LTR	BLACK	4	5029347612856


Tarmac Restorer is a high performance surface coating specially formulated to make tired old tarmac look just like new. Tarmac Restorer provides a tough, durable, low sheen finish which protects from weathering, oil and petrol spills and unsightly plant and weed growth. Tarmac restorer is easy to apply, provides long term protection, reduces further tarmac repair needs and restores the deep, black finish of your tarmac. As it is quick drying, driveways can be used after only 4 hours of the product being applied.



403 Concrete Hardener & Dustproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CHDSL	5L	-	4	5029347004354
CHDU25	25L	-	1	5029347004361


Concrete Hardener & Dustproof is formulated from high quality silicate resins to both harden and dustproof new and old concrete floors for both internal and external use. It reacts chemically with the lime content of concrete to form a hard-wearing surface. CE Marked. **Tested to BSEN1504-2.**



406 Stabilising Solution

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
STAB5	5L	-	4	5029347601508


Stabilising Solution is a microscopically fine polymer emulsion which penetrates dusty/chalky and badly weathered surfaces to leave a stable sound base for decoration with paint, wallpaper, tiling etc. Suitable for both interior and exterior use.



407 Mortar Stain Remover

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MORSTAIN5	5L	-	4	5029347040758
MORSTAIN25	25L	-	1	5029347040734

Mortar Stain Remover is a highly concentrated fast acting acid based formula (18% strength) which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.



Febtank Super Waterproof Coating

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBTANKSGY	25KG	GREY	1	5029347607807
FBTANKTUBG	20KG	GREY	1	5029347609856


Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. CE Marked. **BBA approved. Tested to BSEN 1504-3.**



Febset 45 Rapid High Strength Repair Mortar

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBSET45	25KG	GREY	1	5029347607630


Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required. CE Marked.



Febgrout Flowable Anchoring Grout

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FBGRTFLO25	25KG	GREY	1	5055492703156

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.



Rapid Repair Cement

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
JETCEM3	3KG	GREY	4	5010618043103
JETCEM6	6KG	GREY	2	5010618044100

Ideal for rapid patching or when a fast repair job is needed. Sets in approximately 30 minutes. Sets in the cold and wet.



Deep Rapid Repair Sand & Cement

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
JETMIX2	2KG	GREY	6	5010618047101
JETMIX6	6KG	GREY	2	5010618048108

Strong and easy to use rapid setting repair compound. Internal and external repairs to gaps and cracks on walls, floors, steps and kerbstones. Repairs deep holes in concrete, stone and brick.



Waterproof Rapid Repair Cement

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
JETWAT3	3KG	-	4	5029347610166

Fast, strong and easy to use waterproof repair compound. Internal and external repairs to cracks and holes in structures subject to permanent water immersion. Ideal for patch repairs to tanking and water retaining structures including ponds. Suitable for use on concrete, stone and brick.



Plaster Rapid Repair

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
JETPATCH6	6KG	-	2	5029347610173


Fast, strong and easy to use repair compound for patching plaster. Internal repairs for plasterboard, brick wood and stone. With added PVA powder to increase strength and reduce cracking and shrinkage.



One-Coat GPR General Purpose Render

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FACGPRGY25	25KG	Grey	1	5055492703194

One-Coat General Purpose Render used to render over prepared masonry to provide a weather resistant, breathable rendered finish. Applied to a thickness of up to 15mm which cures to an overpaintable finish and perfect for use on brickwork, blockwork and concrete substrates. Dries to a grey surface finish that complies to W2 water capillary resistance.



WEATHER RESISTANT

FOR INTERNAL AND EXTERNAL USE

SUITABLE FOR MASONRY AND CONCRETE WALLS

TRUSTED



Quick Mac Instant Tarmacadam Repair Compound

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
QMAC25	25KG	BLACK	1	5029347603144
QMACCOLD	750ML	BLACK	12	5029347603489

Quick Mac is a high specification Tarmacadam repair compound designed to repair roads, drives and footpaths. May also be used for repairs around roadside ironwork. Ready to use cold lay product, maximum 6MM chip size for permanent compaction and instantly trafficable.



Pro Point Gun Kit

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PROPOINT	-	-	1	5029347603410

Mortar Pointing Gun Kit complete with nozzles for both mortar and tile grout and mixing paddle. Designed to apply mortar deep into joints for maximum protection and strength. Comes complete with two plastic nozzles, a metal ended nozzle and a mixing paddle packed in a high impact printed box.



708 Febflor Universal Self Levelling Compound



TRUSTED

FOR USE ON INTERNAL UNEVEN RIGID FLOORS


SUITABLE FOR UNDERFLOOR HEATING APPLICATIONS BENEATH HEATING SYSTEMS



MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SEL20	20KG	-	1	5029347003012

Perfect for most applications. Levelling floors prior to laying ceramic or thermoplastic tiles, lino, wood block flooring or carpet. Use on internal uneven rigid floors and underfloor heating applications beneath heating systems.

Cement based, free flowing, sets in 2-4 hours and can be overlaid after only 8 hours at 20°C. Mix with Febflor 709 to add moisture resistance, additional flexibility and durability.




MIX WITH 709 FEBFLOR LATEX PLUS LIQUID ADDITIVE TO ADD MOISTURE RESISTANCE, ADDITIONAL FLEXIBILITY AND DURABILITY

709 Febflor Latex Plus Liquid Additive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
LAT5	5L	-	4	5029347003029


To increase flexibility and durability by adding to flooring compounds and tile adhesives. Ideal for use on timber flooring substrates to allow for a limited amount of movement. Rubber based latex liquid. 5 litres mixes with a 20kg bag of 708 Febflor Universal Self Levelling Compound.



710 Febflor Flexiplus Self Levelling Compound

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SLPLUS20	20KG	-	1	5029347071028

For increased flexibility. Use to level out uneven floors where there may be a small level of movement. Self-smoothing with added latex powder for improved flexibility, resilience and adhesion. Suitable for use on internal uneven rigid floors, underfloor heating applications beneath heating systems.




EpoxySet 105

Heavy Duty Epoxy Mortar Kit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EPOX1054	4KG	-	1	5029347010515
EPOX10514	14KG	-	1	5029347010522

Epoxyset 105 is a three part general purpose repair mortar based on epoxy technology. Formulated to withstand chemicals, impact and abrasion and can be used to repair concrete, screeds, stone, brick and steel in even the most demanding domestic and industrial situations. Pack includes finishing solvent and gloves. CE Marked.




Brick / Stone / Concrete

EpoxySet NF

Epoxy Adhesive & Bedding Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EPOXNF3	3KG	-	2	5029347607609
EPOXNF10	10KG	-	1	5029347607616

Epoxyset NF is a two-part epoxy resin mortar for use as an adhesive in industrial and domestic bonding and bedding applications. Ideal for bedding stone and concrete lintels, stone mullions, ceramic and stone tiles. Pack includes finishing solvent and gloves. CE Marked.



Brick / Stone / Concrete / Metal

101 Multi Purpose

Linseed Oil Putty

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MPBN05	0.5KG	BROWN	12	5029347001179
MPBN1	1KG	BROWN	12	5029347001186
MPN05	0.5KG	NATURAL	12	5029347001100
MPN1	1KG	NATURAL	12	5029347001117
MPN2	2KG	NATURAL	6	5029347001124
MPN5	5KG	NATURAL	1	5029347001155

Multi-Purpose Linseed Oil Putty is specially formulated using only the best grade linseed oil, for glazing single glass into metal, softwood and hardwood window frames.

**103 Premium**

Trowel Mastic

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TROWRD	3KG	RED	4	5029347600532
TROWST	3KG	STONE	4	5029347600525
TROW6ST	6KG	STONE	2	5029347606794

Trowel Mastic is a premium oil based mastic for perimeter pointing around wood and metal window and door frames.



Why Chemical Anchors?

Chemical Anchors, also often referred to as ‘Resin Bonded’ anchors, are being increasingly used where a critical or heavy weight loading needs fastening.

Unlike intrusive mechanical expansion anchors or plastic plugs, chemical anchors make the fixing an integral part of the substrate as the load is spread throughout the entire fixing area, removing the stress caused within the substrate when mechanical anchors or plastic plugs are “tightened” up.

This Key difference is particularly relevant on lightweight substrates, and poor and friable substrates, cracked concrete, sandstone and masonry as well for fixings close to the edge.

How are they used?

The hole is drilled to the required diameter dependent upon the threaded bar to be used, and the loading it has to take. Full tables of relevant hole diameter sizes and loading strengths can usually be found on all packs and technical data, but for example for an M8 fixing a 10mm diameter hole would normally be used in concrete.

Where are they used?


In addition to the more critical structural applications Chemical Anchors also provide a more robust fixing solution in many day to day building applications such as:

- Satellite Dishes • Railings • Heavy Pipes • Gates • Sanitary Fixings • Wall Ties • Fire Surrounds • Lamps • Steel Structures
- Kitchen Wall Cupboards • Towel Holders

Anchorset Green 150 Styrene Free Anchor Fixing Resin

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ANCHGREEN150	150ML	-	12	5029347606503

Anchorset Green 150 is a styrene free anchor fixing resin packed using a twin bag system for application with a standard sealant gun. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Ideal for a multitude of uses including fixing railings, satellite dishes, brackets etc. which require heavy loads.



Anchorset Green 300 Styrene Free Anchor Fixing Resin

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ANCHGREEN	300ML	-	12	5029347606046


A styrene free chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



Anchorset Red 300 Styrene Based Anchor Fixing Resin

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ANCHRED	300ML	-	12	5029347606039

A styrene based chemical anchor in a new easy to use twin bag system operated by a standard sealant gun, therefore easy to use by a general builder. Applied in one single action, this general purpose resin will produce a strong, chemical resistant fixing. Perfect for satellite dish mountings, gate hinges, balcony rails etc. Complete with a mixer nozzle.



Anchorset Nozzle

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
METONQZ4	-	-	25	NO BARCODE

Nozzle No. 4 - Standard mixer nozzle, 215MM length for use with Anchorset 150 and 300.



Floor Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FLOORGYNEW	5L	GREY	4	5029347602826

Floor Paint is a solvent-based polyurethane formula designed to provide a clean hard wearing finish to concrete, stone and wooden floors subject to light to medium traffic. Ideal for use on garage floors, workshops, storerooms, walkways etc, Floor Paint gives enhanced durability, abrasion resistance and a good resistance to dilute acids/alkalis and oils.

Surveyline
Marking Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SURVEYBK	700ML	BLACK	12	5029347601591
SURVEYBLUE	700ML	BLUE	12	5029347601560
SURVEYGREEN	700ML	GREEN	12	5029347601584
SURVEYOG	700ML	ORANGE	12	5029347608415
SURVEYRED	700ML	RED	12	5029347601577
SURVEYWE	700ML	WHITE	12	5029347000943
SURVEYYELL	700ML	YELLOW	12	5029347601553

A spray applied marking paint for contractors/surveyors spot marking. Colour coded for electric, gas, water and cable company use. Semi permanent formula lasts at least 3 months after application. Survey Line is available in seven different colours: White (General Marker), Red (Electricity), Yellow (General Marker, Gas), Blue (Water), Orange (General Marking), Green (Cable Work) and Black (Covering Old Lines).

Trafficline
Marking Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
TRAFFICRED	700ML	RED	12	5029347603014
TRAFFICWE	700ML	WHITE	12	5029347602987
TRAFFICYELL	700ML	YELLOW	12	5029347602994

A spray applied marking paint for permanent line marking. Heavy duty latex formulation for use over concrete, asphalt and most other surfaces. Ideal for car parks, warehouses, tennis courts, playgrounds etc. Trafficable in 1 hour at normal temperatures. Designed to be used with applicator or by hand. Available in three colours: White (General Marking), Yellow (Caution/Hazard), Red (Danger/Prohibited).

Check out our
Wonder Wipes range

See page 126 - 127 in the
Cleaning Products section



BITUMEN & ROOFING

Roof Repair	74
Flashing	77
Bitumen	78

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Evercryn One Coat
Roof Repair Compound



TRUSTED

CAN BE USED IN THE WET

NO PRIMER NEEDED



ONE COAT APPLICATION


APPLY WITH A BRUSH

Evercryn is a resin based, fibre re-enforced* roof repair compound which is effective on all common roofing surfaces, giving instant roof repairs even in the wet and on wet surfaces. May also be applied in frosty conditions down to -5°C.

Evercryn is instantly waterproof when applied, there is no fear of wash off so emergency leaks can be tackled immediately as there is no need to wait for the rain to stop. Evercryn is brush applied and dries to a smooth seamless flexible membrane which resists algae and fungal growth. Because of the high level of fibre reinforcement, Evercryn will bridge small cracks and requires only a one coat brush application to give instant and total water protection, even in areas subject to ponding. Evercryn requires no primer on sound non-porous surfaces. Specifically designed for the following applications: general sealing, maintenance, repair and waterproofing of most common roofs in wet or dry conditions – for use on concrete, fibre/cement, roofing felt, mastic asphalt, existing bituminous roof coatings, rigid PVCu, corrugated iron, metals, slates, brickwork, tiles, lead, copper and zinc.

*Excludes translucent.

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EVCBK02	2.5KG	BLACK	6	5029347600969
EVCBK5	5KG	BLACK	4	5029347600976
EVCCLO1	1KG	TRANS	12	5029347612658
EVCCLS	5KG	TRANS	4	5029347612665
EVCGY01	1KG	GREY	12	5029347609658
EVCGY02	2.5KG	GREY	6	5029347600709
EVCRYL5GY	5KG	GREY	4	5029347600716
EVCGY20	20KG	GREY	1	5029347600723
EVCWE5	5KG	WHITE	4	5029347600686



Evercryn
Emergency Roof Repair Cartridge

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
EVCGYCART	C3	GREY	12	5029347612368
EVCCLCART	C3	TRANS	12	5029347612375


Evercryn Emergency Roof Repair is an emergency repair aid for use on external roofing applications. The Evercryn formula has been gelled up to allow it to be cartridge applied while still containing the top quality fibres that you expect with Evercryn. The product is applied through a special 'duck bill' shaped nozzle ideal for emergency repairs to gaps, cracks and holes in roofs, gutters, flashing, upstands and felt. It even works in wet conditions so there is no need to wait for the rain to stop.



Leadmate
Patination Oil

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PATOILO5	500ML	-	10	5029347608927
PATOIL1	1LTR	-	10	5029347608873

Specially formulated to provide a protective coating for newly installed leadwork, that helps to prevent the white carbonate staining that affects new lead and surrounding tiles, brickwork, stonework etc. Just one coat of Patination Oil helps to provide a uniform attractive appearance to newly installed lead and helps the ageing process whilst the natural patina of the lead is being formed.



Lead Mate Sealant
provides the
perfect finish

See page 13 within
the Sealant section

Liquid Roof

All Weather Roofing System



TRUSTED

PU WATERPROOFING LIQUID MEMBRANE
FOR FLAT AND PITCHED ROOFS

FAST CURING - RAIN
RESISTANT IN 10 MINUTES

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQLIQRFGY7	7KG	SLATE GREY	4	5029347614164
AQLIQRFGY21	21KG	SLATE GREY	1	5029347614171
SKLASFLE120150	1M X 50M	-	1	7612894436402

An easy to use, all weather roofing system ideal for waterproofing flat or pitched roofs.

Everbuild Liquid Roof is a one-component, fast curing, polyurethane based waterproofing system for flat and pitched roofs.

Applied in two coats by brush or roller, Everbuild Liquid Roof creates a solid, seamless, waterproof membrane that remains permanently flexible, making it the ideal solution for new installations, the refurbishment of old or to overlay most common roofing substrates.

Everbuild Liquid Roof comes ready to use and is cold applied by brush or roller, using moisture in the air to cure meaning no additional catalyst is required. And what's more, it will cure in many weather conditions becoming completely rain resistant in just 10 minutes, even if a pool of water forms on top of it.

Suitable for use on a variety of substrates, Everbuild Liquid Roof is compatible with concrete, mortar, stone, fibre cement, roof tiles and metals. Not only that but it can also be applied to wood, asphalt, roofing felt and bituminous coatings with the use of full reinforcement in the form of Sikalastic Fleece-120.



MOISTURE CURING TECHNOLOGY
- NO CATALYST REQUIRED

FOR NEW ROOFS AND
REFURBISHING OLD ROOFS



STEP ONE

Ensure all surfaces are sound, clean and free from dust and loose friable material



STEP TWO

Apply the first coat of Everbuild Liquid Roof liberally at a thickness of 1mm, by brush or solvent-resistant roller.



STEP THREE

If required, apply Sikalastic Fleece-120 on top of the first coat whilst still wet, overlapping the edges.



STEP FOUR

Apply a second coat at a similar thickness to the first, immediately after laying the fleece.

For full application instructions, please refer to latest Product Data Sheet or contact the Everbuild Technical Services Department.




Black Jack

Flashing Tape Trade

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FLAS075	75MM	LEAD LOOK	8	5029347099015
FLAS100	100MM	LEAD LOOK	6	5029347099022
FLAS150	150MM	LEAD LOOK	4	5029347099039
FLAS225	225MM	LEAD LOOK	2	5029347099046
FLAS300	300MM	LEAD LOOK	2	5029347099053
FLAS450	450MM	LEAD LOOK	1	5029347099060

Black Jack Self adhesive flashing with natural lead-look finish. All available in 10mtr long rolls.



Black Jack

Flashing Tape DIY

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FLDIY100	100MM	LEAD LOOK	6	5029347099084
FLDIY150	150MM	LEAD LOOK	4	5029347099091
FLDIY225	225MM	LEAD LOOK	2	5029347099107


Black Jack Self adhesive flashing with natural lead-look finish. Each roll contains a 250ml tin of primer. All available in 3mtr long rolls.



901 Black Bitumen Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90101	1LTR	BLACK	12	5029347009113
90102	2.5LTR	BLACK	6	5029347009120
90105	5LTR	BLACK	4	5029347009151
90125	25LTR	BLACK	1	5029347009137


Black Bitumen Paint is a solvent based, full bodied black bituminous paint. When dry, the product forms an odourless and taint free black film suitable for metal protection, and overcoating felt.



902 Bitumen & Flashing Primer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90201	1LTR	BLACK	12	5029347009212
90205	5LTR	BLACK	4	5029347009250


Bitumen and Flashing Primer is a thin black primer used to give a key prior to applying bitumen paints, roof coatings and flashing.



905 All Weather Roof Coating

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90505	5LTR	BLACK	4	5029347009557
90525	25LTR	BLACK	1	5029347009533

A solvent based, full bodied black brushable bitumen compound with added fibres for reinforcement. It is an effective general purpose roof coating that is resistant to wash off by rain almost immediately. The product is specifically designed for general waterproofing in all roofing applications.



906 Bitumen Roofing Emulsion

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90605	5LTR	BLACK	4	5029347009656


Bitumen Roofing Emulsion is a stable bitumen/water emulsion of medium brushing consistency which dries to a black, flexible coating. The product is specially designed for general waterproofing of roofs and provides protection against corrosion of pipes and structural steelwork.



903 Bitumen Trowel Mastic

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90301	1LTR	BLACK	12	5029347009311
90302	2.5LTR	BLACK	6	5029347009328
90305	5LTR	BLACK	4	5029347009359


A trowel applied, black, heavily filled bituminous compound with added fibres for reinforcement. The product forms a surface skin, but the mass below remains soft to allow for moderate movement. Suitable for sealing and filling holes in mastic asphalt, roofing felt, corrugated iron, metal guttering and downpipes.



904 Roof Felt Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90401	1LTR	BLACK	12	5029347009410
90402	2.5LTR	BLACK	6	5029347009427
90405	5LTR	BLACK	4	5029347009458
90425	25LTR	BLACK	1	5029347009434


Roof Felt Adhesive is a cold applied, oxidised bitumen based adhesive used to bond roofing felt to most surfaces. Specifically designed for bonding all types of roofing felt to metal and concrete, sealing felt laps and as a cold gritting solution for bonding mineral chippings.



907 Solar Reflective Paint

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90705	5LTR	SILVER	4	5029347009755
90725	25LTR	SILVER	1	5029347601027


Solar Reflective Paint is a thin bituminous based aluminium protective paint of brushable consistency which dries to a silvery finish. The product is specifically designed for application over primed metal walls and roofs to reduce heat absorption.



908 D.P.M

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
90805	5LTR	BLACK	4	5029347009854
90825	25LTR	BLACK	1	5029347009830

DPM is an odourless rubber enriched bitumen emulsion which provides a highly effective sandwich damp proof membrane for floors. Acts as a waterproofer for walls, above ground structures and foundations. DPM is also suitable as an adhesive for wood block and mosaic panels, insulation boards etc.



WOOD CARE


Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Wood Preserver

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJCR01	1L	CLEAR	10	5029347802011
LJCR05	5L	CLEAR	4	5029347802035
LJCR25	25L	CLEAR	1	5029347802042
LJDO05	5L	DARK OAK	4	5029347802073
LJGC05	5L	GOLDEN CHESTNUT	4	5029347802110
LJRC05	5L	RED CEDAR	4	5029347802158
LJFG05	5L	FIR GREEN	4	5029347803032


Wood Preserver is a solvent free, low odour solution that effectively penetrates wood to give long lasting protection. Can be used on most interior and exterior wood and joinery and contains micro fine actives which penetrate deep into the wood. Wood Preserver is quick drying, available in light fast colours and provides an even colour distribution.



Triple Action Wood Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJUN01	1L	CLEAR	10	5029347801014
LJUN02	2.5L	CLEAR	6	5029347801021
LJUN05	5L	CLEAR	4	5029347801038
LJUN25	25L	CLEAR	1	5029347801045


Triple Action takes care of remedial wood treatment and preservation in one can. Deeply penetrates all wood and joinery to give lasting protection from damage caused by wet rot, dry rot, fungi and wood boring insects/larvae. Kills, protects, preserves. Micro fine actives penetrate deep into the wood.



Woodworm Killer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJWORM05	5L	CLEAR	4	5029347610975

Woodworm Killer is a ready to use treatment for the eradication of all types and life stages of wood boring insects and their larvae, specifically woodworm. The added insecticide also aids to actively kill the woodworm and protect against re-infestation Solvent free and low odour with micro fine actives that penetrate deep into the wood.



Don't forget your patio, paths, stone and surface care treatments

See page 57



Masonry Dry Rot Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LJROT05	5L	CLEAR	4	5029347610982

Masonry Dry Rot Treatment is a ready to use treatment for the eradication of dry rot in masonry and brickwork. The added biocide helps to protect against re-infestation. Low solvent, low odour and low VOC.



Creocote

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
CREODKBN4	4LTR	DARK BROWN	4	5029347610401
CREOLTBN4	4LTR	LIGHT BROWN	4	5029347610388

Creocote is an oil based wood treatment, effective when applied to exterior timbers such as garden sheds, fences and trellis work. The oil based properties provide excellent surface water repellence and restricts weather damage. The product improves grain definition and exhibits the characteristic odour familiar to traditional Creosote users.



Shed & Fence Mate Water Repellent Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FENCEB05	5LTR	BURNT OAK	1	5029347805036
FENCEC05	5LTR	COUNTRY OAK	1	5029347805050
FENCEE05	5LTR	EBONY BLACK	1	5029347805098
FENCEH05	5LTR	HOLLY GREEN	1	5029347805012
FENCERR5	5LTR	RUSTIC RED	1	5029347805074

Shed & Fence Mate is an easy to use, solvent free shed and fence treatment specifically designed to provide a safe alternative to creosote. Penetrates and protects wood to give a durable, water repellent finish. Uses advance colour pigmentation, carefully selected UV resistant pigments and water repellent waxes that will make the colour last up to six times longer than creosote. Designed for use on all rough sawn and garden timber including sheds, fences, gates, hutches, kennels, cold frames and trellises. Totally harmless to plants and animals. Easy to use, solvent free, water repellent, no VOC's.



Wood Stain



TRUSTED

HIGH RESISTANCE TO UV LIGHT

WEATHERPROOF PROTECTION

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WSTAINNO02	250ML	NATURAL OAK	6	5029347612177
WSTAINSPN02	250ML	ANTIQUE PINE	6	5029347612184
WSTAINMAH02	250ML	MAHOGANY	6	5029347612191
WSTAINSWAL02	250ML	WALNUT	6	5029347612214
WSTAINRW02	250ML	ROSEWOOD	6	5029347612221
WSTAINSDO02	250ML	DARK OAK	6	5029347612238
WSTAINSTK02	250ML	TEAK	6	5029347612207
WSTAINNO07	750ML	NATURAL OAK	6	5029347611330
WSTAINSPN07	750ML	ANTIQUE PINE	6	5029347611347
WSTAINMAH07	750ML	MAHOGANY	6	5029347611354
WSTAINSWAL07	750ML	WALNUT	6	5029347611378
WSTAINRW07	750ML	ROSEWOOD	6	5029347611385
WSTAINSDO07	750ML	DARK OAK	6	5029347611392
WSTAINSTK07	750ML	TEAK	6	5029347611361
WSTAINNO2	2.5L	NATURAL OAK	2	5029347611408
WSTAINSPN2	2.5L	ANTIQUE PINE	2	5029347611415
WSTAINMAH2	2.5L	MAHOGANY	2	5029347611422
WSTAINWAL2	2.5L	WALNUT	2	5029347611446
WSTAINRW2	2.5L	ROSEWOOD	2	5029347611453
WSTAINSDO2	2.5L	DARK OAK	2	5029347611460
WSTAINSTK2	2.5L	TEAK	2	5029347611439
WSTAINCLR07	750ML	CLEAR	6	5029347611514
WSTAINCLR2	2.5L	CLEAR	2	5029347611521

A professional, wood stain that enhances the natural qualities of wood, and provides long lasting protection, with a satin finish.

The weatherproof protection provided also gives a crack and peel resistant finish and excellent resistance to ultra violet light degradation. Ideal for use on smooth planed exterior and interior timber, such as doors, window frames, architectural timbers, conservatories, cladding & garden furniture etc. Under normal weathering conditions it can be expected to provide protection for up to 5 Years. Maintenance Clear Coat is a clear wood stain maintenance coat that protects and enhances without colouring or darkening.

TOUCH DRY IN 30 MINS,
OVERCOAT AFTER 4 HOURS

ANTIQUE PINE DARK OAK MAHOGANY TEAK



NATURAL OAK ROSEWOOD WALNUT CLEAR COAT

These swatch colours may not be a true representation, please obtain a sample from your local stockist.

Clear Varnish

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WVARCLS02	250ML	CLEAR	6	5029347611477
WVARCLS07	750ML	CLEAR	6	5029347611484
WVARCLS2	2.5LTR	CLEAR	2	5029347612047
WVARCLG02	250ML	CLEAR	6	5029347611491
WVARCLG07	750ML	CLEAR	6	5029347611507
WVARCLG2	2.5LTR	CLEAR	2	5029347612030
WVARCLM02	250ML	CLEAR	6	5029347612979
WVARCLM07	750ML	CLEAR	6	5029347612986
WVARCLM2	2.5LTR	CLEAR	2	5029347612993


Quick Drying Clear Varnish is a professional, low solvent varnish that enhances the natural qualities of wood, and provides long lasting protection. It has been developed specifically to give an ultra hard, scratch resistant and heatproof, non-yellowing finish. It is ideal for use on interior wood such as tables, chairs, doors, skirtings, furniture etc.



Floor Varnish

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FLOORVGL07	750ML	CLEAR	6	5029347612580
FLOORVGL2	2.5L	CLEAR	2	5029347612597

Everbuild Ultra Hard Floor Varnish is a clear quick drying varnish ideal for use on most common types of wooden floors including hardwood, softwood, hardboard, chipboard and composite wooden boards. Floor Varnish has been specifically developed to provide an ultra-hard scratch resistant natural finish to most interior wooden floors. Suitable for use in kitchens, bathrooms, lounge, dining areas or where heavy foot traffic would be expected. It provides superior protection for wooden floors and has a hammer hard, tough finish to protect wood against scratches and spills and is touch dry in 30 mins.



TILE ADHESIVES

Wet Room System	88
Ready Mix	90
Powder	91
Grouts	91

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Aquaseal Wet Room System Kit

TRUSTED

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQWRSKIT	LARGE	-	1	5029347611149
AQWRSDTKIT	STD	-	1	5029347611262

The Aquaseal Wet Room System Kit gives you everything you need to waterproof both walls and floors prior to tiling showers, wet rooms, wet zones and other areas susceptible to water and excessive moisture. Ideal for use on Plasterboard, Plaster, MDF, Plywood, Cementitious Boards, Block work, Concrete and Specialist Wet Room Boards.

The Aquaseal Tanking Kit is available in two sizes; Standard – everything you need to waterproof 4.5m² and Large – everything you need to waterproof 7.5m².

Both kits come complete with:

- Waterproof Tanking Primer (1L)
- Waterproof Tanking Membrane (3LTR – Standard, 5LTR – Large)
- Waterproof Tanking Tape (10MTR)
- Waterproof Tanking Drain Mat
- Aquaseal Wet Room System instruction leaflet

**SIMPLE & EASY TO APPLY
3 PART SYSTEM**

**COMES COMPLETE WITH ROLLER,
BRUSH AND DRAIN MAT.**

**SUITABLE FOR USE WITH
UNDERFLOOR HEATING**



1 Tanking Primer
Apply primer to surfaces that are to be waterproofed.



2 Tanking Tape & Mat
Apply self-adhesive tape across all joints, corners and pipe penetrations.
Next, apply the self-adhesive drain mat around the drain outlet.



3 Tanking Membrane
The ready-to-use membrane is applied by brush in a 2 coat system at right angles to each other.

Aquaseal Waterproof Tanking Membrane

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQWRMEM5	SLTR	BLUE	1	5029347611163

Aquaseal Waterproof Tanking Membrane is the ideal product for use when waterproofing before tiling. It forms a permanently flexible watertight membrane, is non hazardous and solvent free. Aquaseal Tanking Membrane is easy to apply by brush, is quick drying and can be tiled after 12 hours.



Aquaseal Wet Room System Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
AQWRSTAPE10	10MTR	-	1	NO BARCODE

Aquaseal Waterproof Tanking Tape is a self adhesive joint and corner tape ideal for use when waterproofing showers, wet rooms and wet zones in bathrooms before tiling. A permanently flexible butyl backed fleece with cross directional stability. Waterproof Tanking Tape can be used on all board joints, corners and pipe entries. Can be tiled directly or overcoated with Aquaseal Waterproof Tanking Membrane for full wet zones and is easy to apply with a pre-cut release liner.



701 Acrylic Non Slip Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
NS02	3.75KG	OFF WHITE	1	5029347070120
NS05	7.5KG	OFF WHITE	1	5029347070137
NS10	14KG	OFF WHITE	1	5029347070144


Acrylic Non Slip Tile Adhesive is an acrylic based formula for extra slip resistance and grab. Designed for general use in bathroom and kitchen areas. May be used in domestic showers when used in conjunction with Everbuild Powdered Wall Tile Grout. CE Marked. **Tested to EN 12004 type D1T.**



702 Water Resistant Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RES05	7.5KG	OFF WHITE	1	5029347070250
RES10	16KG	OFF WHITE	1	5029347070205


Water Resistant Tile Adhesive is a premium grade adhesive that can be used in areas subject to prolonged/permanent wet conditions and in areas of high humidity and condensation. CE Marked. **Tested to EN 12004 type D2T.**



703 Fix And Grout Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FIX005	750G	WHITE	12	5029347600426
FIX01	1.5KG	WHITE	12	5029347070311
FIX02	3.75KG	WHITE	1	5029347070328
FIX05	7.5KG	WHITE	1	5029347070359


Fix & Grout Tile Adhesive is a premium grade adhesive, formulated to be used as both an adhesive and grout. Contains a fungicide to prevent mould growth and dries to a brilliant white finish. CE Marked. **Tested to EN 12004 type D2T.**



705 Rapid Set Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RAPID20	20KG	GREY	1	5029347070526


Rapid Set Tile Mortar is a fast-setting thick or thin bed adhesive for bonding ceramic tiles to floors and most walls, where same day fixing and grouting is required. Can be used internally and externally and bonds to most building substrates such as concrete, cement screeds and render etc. CE Marked. **Tested to EN 12004 C1 FT.**



711 Rapid Set Flexiplus Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RSPLUS10	10KG	GREY	1	5029347601546
RSPLUS	20KG	GREY	1	5029347071110

Rapid Set Flexiplus is a quick setting floor and wall tile mortar with added latex powder for improved flexibility. Can be used on prepared wooden floors, interior and exterior use where same day fixing and grouting is required. Fully water resistant. CE Marked. **Tested to EN 12004 C2 FTES1.**



714 White Set Flexiplus Tile Adhesive & Grout

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WSPLUS20	20KG	OFF WHITE	1	5029347602055

White one part flexible adhesive for bonding ceramic tiles to most walls. Bonds to most building substrates, fully water resistant and suitable for continuous immersion may also be used as a white grout for floor tiles. CE Marked. **Tested to EN 12004 C2 TE S1.**



Forever White Powder Wall Tile Grout

WITH ADDED PVA TO
PROMOTE ADHESION

PREVENTS MOULD GROWTH
IN HIGH HUMIDITY AREAS

SIMPLE & EASY
TO MIX, JUST
ADD WATER

PURE WHITE
FINISH




TRUSTED

MERCHANT INFO				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FWPOWGROUT1	1.2KG	ARCTIC WHITE	8	5029347606145
FWPOWGROUT3	3KG	ARCTIC WHITE	1	5029347606367

Forever White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion and water repellents to shed water.

Simply mix with water to give a pure white paste. Can be used on wall joints up to 3mm.



704 Super White Powder Wall Tile Grout

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GROUT1	1KG	WHITE	10	5029347070410
GROUT3	3KG	WHITE	1	5029347070427

Super White Powder Wall Tile Grout is a cement based powdered grouting compound with added PVA to promote adhesion. Simply mix with water to give a pure white paste. Suitable for use in kitchens, bathrooms and shower areas. May be used internally and externally.



Forever White Grout Reviver

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FWREVIVE	200ML	ARCTIC WHITE	12	5029347606152

Forever White Grout Reviver is the easy way to restore discoloured and dirty grout to a bright white finish.

Simply apply to grout lines using the easy to use applicator, allow to dry and remove any excess residue with a damp cloth. Depending upon size of tile, will cover approx 20m² of tiles.



Enhance your project with Forever White Sealant

See page 6 within the
Sealants section



730 Universal Flexible Hygienic Wall & Floor Tile Grout

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
UNIFLEXSWE	5KG	WHITE	1	5029347612283
UNIFLEXSANTH	5KG	ANTHRACITE	1	5029347612337
UNIFLEXSIV	5KG	IVORY	1	5029347612306
UNIFLEXSGV	5KG	GREY	1	5029347612290

730 Universal Flexible Grout is a hygienic cementitious grout designed specifically for wall and floor tile applications for joints up to 15mm wide. The added powder polymer provides flexibility and water resistance to provide a durable, water repellent finish. Suitable for most common tiles including ceramic, natural stone and porcelain. Contains Mould Shield® for long lasting anti-fungal protection against black mould*.

*Simulated ageing.



EXPANDING FOAMS

Professional & DIY	96
Foam Ancillaries	98
Fire Protection	99

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED




Fix & Fill Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVFF5	500ML	-	12	5029347000080
EVFF7	750ML	-	12	5029347000097

ADDITIONAL NOZZLES				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FOAMNOZZLE	-	-	1	NO BARCODE

Fix & Fill Expanding Foam is a quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Exact Gap Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVEXACT5	500ML	-	12	5029347609405
EVEXACT7	750ML	-	12	5029347609337

Formulated to provide a more precise foam product that only expands by between 5-10% from the bead extruded on application. The controlled application significantly reduces the amount of cured excess foam that has to be cut back, reducing the danger of wet foam falling onto the floor and surrounding substrates, and the damage and staining this can cause.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

No Waste Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
NOWASTEHH	750ML	-	12	5029347602383

ADDITIONAL NOZZLES				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
NOWNOZZ	-	-	1	NO BARCODE

Using new foam technology, No Waste Expanding Foam is the first Hand Held Foam that allows part used cans to be saved and used again and has a shelf life of 24 months, compared with 12 months for conventional foams. Its unique safety valve will not clog or leak.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Professional Gun Grade Expanding Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVGF7	750ML	-	12	5029347000103

A quick setting polyurethane based foam which expands greatly on application and yields up to 50 times original can contents. Can be cut, sawn, plastered and sealed over after approximately one hour. Fills irregular gaps, fixes framework, insulates and sound deadens.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Thermofoam

Insulating & Acoustic Expanding Foam



TRUSTED

ACOUSTIC RATED UP TO 64 DB TO EN ISO 717-1

CERTIFIED AIR PERMEABILITY: A<0,1 M³ TO EN 12114:2000

TEMPERATURE RESISTANT -40 TO +80°C (SHORT TERM EXPOSURE TO +100°C)

FIRE RATED TO ISO 13501 (CLASS E)

AIRTIGHT


ENERGY SAVING

ADHERES TO ALL COMMON BUILDING MATERIALS



MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVTHERM7	750ML	-	12	5029347613587

Specially formulated, highly flexible PU foam that absorbs component movement thereby giving an air tight seal to reduce heat loss and improve energy efficiency in buildings.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber

Constructa-Pro Adhesive Foam

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
CONPRO07	750ML	-	12	5029347615024

A high strength adhesive foam designed for use in a multitude of building applications. Adheres well to most common building materials. Once cured, it's rot-proof, and moisture and temperature resistant from -40°C to +80°C. Suitable for a wide range of applications, e.g. as an adhesive for fixing plasterboard, insulation board, fixing skirting boards or a mortar substitute for building rough garden walls, planters etc.



Brick / Stone / Concrete / Metal / Timber

P45 Medium Duty Metal Gun

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GFAPP35	P45	-	1	5029347603526

P45 Foam Gun gives the user more control to apply the foam precisely in hard to reach places, saving unnecessary wastage.



P65 Heavy Duty Metal Gun

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GFAPP65	P65	-	1	5029347123000

A gun for heavy duty applications, now with unique 'Easy Clean Tip' for cleaning of the valve and gun nozzle. For use with all gun grade foams.




Now with an
EASY CLEAN TIP

Dual Purpose Foam Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GFSC5	500ML	-	12	5029347126001


Dual Purpose Foam Cleaner is used to remove wet/uncured foam. Attaches to Gun Foam Applicator for purging through; also includes spray nozzle for use without applicator to remove wet foam from outside of the gun and from most building substrates. The unique threaded collar fits most gun foam applicators, including the above Everbuild foam applicators guns.



Firefoam B1 Handheld

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
EVFIRE	750ML	PINK	12	5029347125004

Firefoam B1 Handheld is a quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents and meets the test criteria BS476 Part 20. Fire rated up to 4 hours in certain joint configurations. Once cured, the foam can be cut, sawn or plastered over after approx one hour.




PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



Firefoam B2 Handheld

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
B2FIREHAND	750ML	PINK	12	5029347600471

Firefoam B2 Handheld is a quick setting fire rated, one part polyurethane foam in a ready to use hand held canister. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber




Firefoam B1 Gun Grade

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
B1FIREGUN	750ML	PINK	12	5029347611729

A quick-setting fire rated, one part polyurethane foam. It expands on application to yield up to 50 times the can contents. Fire rated up to 4 hours in certain joint configurations, meets requirements of the test criteria DIN 4102 Part 1 for Construction Materials, Class B1 and BS 476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber




Firefoam B2 Gun Grade

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
B2FIREGUN	750ML	PINK	12	5029347600464

Firefoam B2 Gun Grade is a quick setting fire rated, one part polyurethane foam for application by a foam applicator gun. Fire resistant for up to 2 hours in certain joint configurations. It expands on application to up to 50 times the can contents and meets the requirements of the test criteria for BS476 Part 20.

For professional use only.



PVCu / Plastic / Brick / Stone / Concrete / Metal / Timber



FILLERS & DECORATING SUNDRIES

Surface Protectors	102
Decorating Fillers	104
Wood Fillers	108
Dust Sheets & Tarpaulins	110
Decorating Sundries	111

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED



Roll & Stroll Premium Carpet Protector



TRUSTED

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLL20	25MTR	YELLOW	6	5029347605636
ROLL75	75MTR	YELLOW	1	5029347605643

Roll & Stroll Premium Carpet Protector is the ultimate self adhesive floor protection for carpets.

With the adhesive coating on the outside, Roll & Stroll is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors.



**TOTALLY
WATERPROOF -
PROTECTS AGAINST
SPILLAGES**

WON'T TEAR OR RIP

**CAN BE USED ON
FLAT SURFACES
AND STAIRCASES**



Roll & Stroll Textured Non-Slip Carpet Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLTEXT75	75MTR	YELLOW	1	5029347610265

Roll & Stroll Textured Non-Slip Carpet Protector is the ultimate self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof and textured to make it non-slip.



Roll & Stroll Contract Carpet Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLCON50	50MTR	CLEAR	1	5029347606206
ROLLCON100	100MTR	CLEAR	1	5029347606213

Roll & Stroll Contract Carpet Protector is the ultimate clear self adhesive carpet protection system. With the adhesive coating on the outside, it is easy to unwind, safer than dust sheets and has a multitude of uses across all trade sectors. Totally waterproof, it protects against spillage, and won't tear or rip.



Roll & Stroll Hard Surface Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLHARD20	25MTR	CLEAR	6	5029347606077
ROLLHARD75	75MTR	CLEAR	1	5029347606084

Roll & Stroll Hard Surface Protector is the ultimate self adhesive floor protection, works on all hard surfaces such as timber, ceramic tiles, laminate, vinyl, metal and stone. It is also suitable for use on worktops, window sills, doors and kitchen units. With the adhesive coating on the outside it is easy to unwind, safer than dust sheets and has a multitude of uses, protects against spillage and won't tear or rip.



Glass Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ROLLGLASS25	25MTR	RED	15	5029347611248

Glass Protector is the ultimate self adhesive protector ideal to protect glass against the mess, dirt, staining, spillages and soiling that occurs during general building and decorating work. It also reduces the risk of costly scratches to glass. With the adhesive coating on the outside it is also easy to apply.



Fill Once
Ready Mixed Filler



TRUSTED

MINIMAL SANDING

WON'T SHRINK

QUICK DRYING

APPLY ONCE - JOB DONE

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FILONCE03	325ML	WHITE	12	5029347602147
FILONCE06	650ML	WHITE	12	5029347602154

The best filler you will ever use – Fill Once is a revolutionary ready mixed filler ideal for filling large or small holes in one application.

Provides a smooth, fine finish that won't shrink and only requires minimal sanding. Sets hard and will support nails or screws. Apply once – job done.



Brick / Stone / Concrete / Plaster



All Purpose
Ready Mixed Filler

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
RMFILL06	600GM	WHITE	12	5029347000899
RMFILL1	1KG	WHITE	12	5029347000882

All Purpose Filler is an easy to use ready mixed filler which is suitable for both interior and exterior use. Fills holes up to 9mm deep. Dries to a smooth but tough crack resistant sandable finish which may be painted, papered or stained. Designed for repairs to plaster, plasterboard, brick, render, wood, stone and most other building materials.



Fine Surface
Ready Mixed Filler

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
RMFINE	600GM	WHITE	12	5029347000998

Fine Surface Filler is an easy to use ready mixed filler for filling small holes up to 4mm deep, and surface imperfections in most porous surfaces such as plaster and wood. Dries to a very smooth finish that can be painted or papered.



Deep Gap
Ready Mixed Filler

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
RMDEEP1	1LTR	LIGHT GREY	6	5029347609368

Deep Gap Filler is a revolutionary filler, formulated to fill most holes and cracks; especially deep holes up to 50mm, in just one quick application. It will not shrink, sag or crack and finishes smooth, requiring little or no sanding. Ready to paint or wallpaper in just 30 minutes.



Keep it simple with
Caulk Once

See page 7



One Strike
Ready Mixed Filler



TRUSTED

IT WON'T SLUMP
(EVEN OVERHEAD)

IT WON'T SHRINK OR CRACK


IT WON'T NEED LAYERS TO FILL

IT WON'T NEED SANDING

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
ONE025	250ML	WHITE	18	5029347300029
ONE05	450ML	WHITE	12	5029347300050
ONE1	1LTR	WHITE	6	5029347300012
ONE2	2.5LTR	WHITE	1	5029347603458
ONE55	5LTR	WHITE	1	5029347300500
ONEC3	300ML	WHITE	12	5029347609450

One Strike is a revolutionary filler, formulated using lightweight polymer bubbles that fill most holes and cracks; even deep holes.

For use in plaster, wood, brick, stone and rendering. Ideal for overhead applications as One Strike will not slump out of cracks. One Strike finishes smooth, requiring little or no sanding and is ready to paint or wallpaper over in just 30 minutes.



Brick / Stone / Concrete / Plaster



IT WON'T TAKE LONG
TO DRY (30 MIN)

IT WON'T BREAK THE BANK

All Purpose
Powder Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FILL450	450GM	WHITE	16	5029347600570
FILL15	1.5KG	WHITE	10	5029347600587
FILL5	5KG	WHITE	1	5029347611873

All Purpose Powder Filler for both interior and exterior use, with added PVA for extra strength. Fills holes up to 40mm deep. For repairs to plaster, brick, stone, wood, can be nailed or screwed when dry. Quick setting, non-shrink.



Fill & Skim
Ready Mixed Plaster

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FILLKIM5	5LTR	WHITE	1	5029347603229

Fill and Skim is a ready mixed lightweight plaster for both patching jobs and covering larger areas. Fill and skim is ideal for covering over old textured surfaces. Ideal for trade and DIY use.



Brick / Stone / Concrete / Plaster



All Purpose
Ready Mixed Filler Easi Squeeze

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
READYINST	330GRM	WHITE	12	5029347600389

Fast drying ready mixed filler in an easy to use squeeze tube, can be used for a multitude of filling applications both internally and externally. Fills holes up to 5mm deep.



Filler Coat
Thick Base Coat

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FILLCOAT5	5LTR	WHITE	1	5029347610067

Filler Coat is a thick base coat for use on imperfect surfaces prior to painting. It hides and obliterates areas that have been filled, as well as covering and preventing the reappearance of hairline cracks. Working like a roll on filler, the thick formula completely covers strong colours. Ideal for use on walls and ceilings.



Brick / Stone / Concrete / Plaster



Multi Purpose Joinery Grade Wood Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
MPWOODASILT1	100ML	LIGHT STAINABLE	6	5029347603335
MPWOODLT2	250ML	LIGHT STAINABLE	6	5029347603359
MPWOODMED2	250ML	MEDIUM STAINABLE	6	5029347603366
MPWOODPINE2	250ML	PINE	6	5029347608286
MPWOODMAH2	250ML	MAHOGANY	6	5029347608323
MPWOODLTOAK2	250ML	LIGHT OAK	6	5029347608309
MPWOODDKOAK2	250ML	DARK OAK	6	5029347608316
MPWOODTEAK2	250ML	TEAK	6	5029347613921
MPWOODWE2	250ML	WHITE	6	5029347608293

Multi-Purpose Wood Filler fills nail holes, cracks, gaps and minor imperfections in wood. It is easy to sand, can be stained, varnished and painted and is solvent free.



Wood / Brick / Stone / Concrete / Plaster



Pro-Fill High Performance Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PROFILLS	500GR	LIGHT GREY	6	5029347608781

Pro-Fill 2 Part High Performance filler, for joinery, decorating and building applications, suitable for repairing most building materials including concrete, metal, wood and GRP. Rapid cure non-tack surface that's easy to sand.



Wood / Brick / Stone / Concrete / Plaster



Wood Filler Hardener / Catalyst

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WFCATALYST	40GRM	-	25	NO BARCODE


Spare catalyst/hardener tubes for use with all 2 part wood fillers.



2 Part High Performance Wood Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PLITE05	500GR	LIGHT STAINABLE	6	5029347608194
2PLITE14	1.4KG	LIGHT STAINABLE	6	5029347608262
2PMAH05	500GR	MAHOGANY	6	5029347608156
2PMAH14	1.4KG	MAHOGANY	6	5029347608248
2PMED05	500GR	MEDIUM STAINABLE	6	5029347608200
2PMED14	1.4KG	MEDIUM STAINABLE	6	5029347608279
2POAK05	500GR	OAK	6	5029347608132
2POAK14	1.4KG	OAK	6	5029347608217
2PPINE05	500GR	PINE	6	5029347608170
2PPINE14	1.4KG	PINE	6	5029347608330
2PRED05	500GR	REDWOOD	6	5029347608187
2PRED14	1.4KG	REDWOOD	6	5029347608347
2PWHITE05	500GR	WHITE	6	5029347608149
2PWHITE14	1.4KG	WHITE	6	5029347608231

2 Part High Performance Wood Filler, is a fast drying, interior and exterior wood filler. The 2 Part Wood Filler is easy to mix and apply and is completely weatherproof. Once mixed, the filler sets hard to a shatterproof finish in approximately 30 mins and may be drilled, carved or planed once dry.




Wood / Brick / Stone / Concrete / Plaster



Wet Rot Wood Hardener

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
WOODHARD2	250ML	-	6	5029347807016

Wet Rot Wood Hardener is a highly penetrative solution of selected resins in solvent which soaks deep into the fibres of decaying wood and dries to leave the wood hard and resistant to further moisture penetration. The resin modified wood then becomes an ideal base for repair with Everbuild 2 part wood fillers.



Time of the essence?
Use our 5 minute
Polyurethane Wood Adhesive


See page 37



Cotton
Dust Sheets


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
DUST	3.7M x 2.7M (12' x 9')	-	10	5029347604127

Genuine cotton twill, protect from spills, splashes and dust. Strong hardwearing cotton resists wear from tools, stepladders and feet. Reversible, machine washable.

Laminated Cotton
Dust Sheets


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
LAMDUST	3.7M x 2.7M (12' x 9')	-	10	5029347602574

Top quality cotton twill with polythene inter-laminate, stops paints and liquids passing through.

Polythene
Dust Sheets

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
POLYDUST	3.7M x 2.7M (12' x 9')	CLEAR	20	5029347602253

Heavy duty, perfect for painting. Protects from paint spills, splashes, dirt and dust.




Tarpaulins

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
1TARP9	3.7M x 2.7M (12' x 9')	BLUE	25	5029347605612
1TARP18	3.7M x 5.5M (12' x 18')	BLUE	8	5029347605629

Heavy duty tarpaulin. 100% waterproof and tear proof. Reinforced eyelets and corners.


Comes in two sizes:
Standard: 12ft x 9ft - 90gm
Heavy Duty: 12ft x 18ft - 120gm



Brush Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BRUSHCL	500ML	-	12	5029347601812


A thin solvent based liquid which removes wet paint quickly from brushes, rollers and pads. Works on emulsion, spirit based paints, varnish and is water washable. Conditions to prolong brush/roller life.



Brush Restorer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
BRUSHREST	500ML	-	12	5029347601829


A thin solvent based liquid which removes paint from gummed up and old hardened brushes. Works on most paint types and is water washable.



Sugar Soap Powder

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SOAPPow	430GR	-	12	5029347601911

A silicate free powder which when diluted with water effectively removes grease and grime from painted surfaces to improve adhesion and gives a better final finish. Sugar Soap Powder is also the ideal choice as a general household cleaner.

Sugar Soap
Liquid & Spray

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SOAPLIQ	500ML	-	12	5029347601904
SOAPSPray	500ML	-	6	5029347610883

A concentrated solution which when diluted with water effectively removes grease, grime and nicotine from painted surfaces to ensure improved adhesion. Also ideal as a general household cleaner. Also available in ready to use spray.



Stain Block

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
STAINSTP	400ML	-	12	5029347602017


Stain Block is a spray applied, heavily pigmented white paint which permanently prevents existing stains from water, mould, rust, nicotine, grease, soot, crayon showing through subsequent coatings. Quick drying, overcoat in 15 mins, easy to apply.



White Spirit

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WS7	750ML	-	12	5029347602000
WS2	2LTR	-	8	5029347601997
WS4	4LTR	-	4	5029347602215


White spirit is a solvent designed for thinning paints and varnishes, cleaning brushes and general household degreasing and cleaning.



Methylated Spirit

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
M55	500ML	-	6	5029347605872


Mineralised Methylated Spirits is an alcohol prepared for industrial use. Suitable for use as a solvent for patent knotting, some varnishes, some spirit based paints and French polish. Can also be used as a cleaner/degreaser for paint work, glassware, for wiping resinous matter from knots prior to knotting and as a fuel.



Turps Substitute

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
TS7	750ML	-	12	5029347601942
TS2	2LTR	-	8	5029347601935

A solvent designed for cleaning paint off brushes and rollers to prolong their life and as a general household cleaner/degreaser.



Safer Spirit

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SAFERSP07	750ML	-	12	5029347611774

Safer Spirit is a revolutionary water based alternative to White Spirit. Safer Spirit can be used for many of the same applications as White Spirit. It is not only low in VOC's and has a solvent content of below 8%, but it is also virtually odourless, non-toxic, non-flammable and non-corrosive. Safer Spirit also contains a conditioning agent, leaving paint brushes soft and supple.



Wallpaper Stripper


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WALLSTP	500ML	-	12	5029347601980

A highly concentrated solution of surfactants designed to strip wallpaper fast. Dilute to make up to 18 litres. Water washable.

All Purpose
Wallpaper Adhesive


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PASTE5	5ROLL	-	25	5029347601874
PASTE10	10ROLL	-	12	5029347601850
PASTE20	30ROLL	-	10	5029347601867

A powdered adhesive which when mixed with water is suitable for hanging all common wallcoverings including sculptured, blown and textured vinyl, washable and heavy embossed. Also suitable for fixing polystyrene tiles. High tack combines with excellent adjustability. Contains a powerful fungicide.

Ready Mixed
Wallcovering Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WALLREADY4	4.5KG	-	2	5029347601973

A ready mixed paste suitable for hanging all common papers including vinyls and heavy embossed. High tack, excellent adjustability. Contains a powerful fungicide.



Raw Linseed Oil

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
RAWLIN	500ML	-	12	5029347601898

A traditional wood treatment for use on cricket bats, oak beams etc and as a lubricant in the French polishing industry. Nourishes and revives wood.

Overlap and Border
Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BORD2	250GR	-	12	5029347601799
BORD5	500GR	-	12	5029347601805

A high strength, ready mixed paste suitable for all types of borders (inc. vinyl). May be used for adhering overlaps and repairs to damaged paper sections. Will stick all common papers as well as to gloss and emulsion paint. High tack excellent adjustability. Contains a powerful fungicide.



Boiled Linseed Oil

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
BOILLIN	500ML	-	12	5029347601775

A traditional wood treatment used to replace the natural sheen in aged/ tired wood. Quicker drying than raw linseed oil. May also be mixed with mastic sand to make trowel grade pointing mastic.



Teak Oil

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
TEAK	500ML	-	12	5029347601928

A traditional wood treatment used to replace the natural oils lost through ageing or weathering and brings out the natural colour of wood. Suitable for interior or exterior use on unpolished timbers.





TAPES

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Building	116
Repair	119
Masking	120
Safety	121
Packaging	121
Double Sided	122
Flooring Adhesive	122
Plasterboard	123

Mammoth Powerful Grip Tape

Extra Strong Double Sided Tape



TRUSTED

ULTIMATE GRIP STRENGTH

BONDS ALMOST ANYTHING

OUTDOOR & INDOOR USE



WATCH THE VIDEO:

everbuild.co.uk/videos/mammoth-powerful-grip-tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2POWERGRIP12	2.5MTR	CLEAR	48	5029347605896
2POWERGRIP25	2.5MTR	CLEAR	24	5029347605773
2POWERGRIP50	2.5MTR	CLEAR	12	5029347605766

Mammoth Powerful Grip Tape is a double sided tape that breaks the rules, with an incredible immediate bond strength that has to be seen to be believed. It will bond to virtually any material, indoors or outdoors including ceramics, brickwork, wood, metal, plastics and PVC.

It is moisture resistant and will not degrade with U.V light. Ideal for use in the home, industry, construction and office. Can be used in many applications to replace drilling, plugging and unsightly screws.



American Duct Tape



TRUSTED

100% WATERPROOF

50MM WIDTH

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
USDUCTOG25	25MTR	ORANGE	12	5029347610326
USDUCTSV25	25MTR	SILVER	12	5029347613228

American Duct Tape is a remarkable tape which is not only thick, strong and 100% waterproof; it also has the most amazing adhesive quality.

DOUBLE STRENGTH ADHESIVE

STRONG WEAVE FABRIC

EASY TEAR



Mammoth
Mega All Purpose Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2MEGBK50	50MTR	BLACK	24	5029347600549
2MEGBL50	50MTR	BLUE	24	5029347604226
2MEGRD50	50MTR	RED	24	5029347602611
2MEGSV50	50MTR	SILVER	24	5029347602628
2MEGW50	50MTR	WHITE	24	5029347602635
2MEGYW50	50MTR	YELLOW	24	5029347604233

The ultimate all purpose duct tape, top quality cloth with aggressive natural rubber adhesive. Tough, durable and waterproof, for thousands of applications on site, in the home and industry, in the widest possible range of colours.

**Mammoth**
Gaffa Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2VGAFFBK45	45MTR	BLACK	12	5029347611743
2VGAFFSV45	45MTR	SILVER	12	5029347611736

Gaffa Tape is a strong, tough and durable utility grade cloth tape for use in repairs in construction, industry, home and garden.

**Mammoth**
Clear Weatherproof Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2CLEAR10	10MTR	CLEAR	36	5029347610494

Strong Weatherproof Tape with aggressive adhesive, ideal for jointing and repairing all PVC and polythene Sheets and many other uses in construction, industry and the home. Also ideal for repairing cracks in glass and acrylic without obscuring vision/light.

**Silweld**
Silicone Self Fusing Repair Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2SILWELD3BK	3MTR	BLACK	6	5029347611279

Silweld is the incredible silicone self fusing tape that can be used to repair almost anything from an emergency repair to a water hose or air pipe to insulating electrical wires or connections.

It creates an air tight, watertight seal in seconds without the need for any adhesive and even works underwater. Excellent electrical insulator up to 8,000 volts, withstands extreme temperatures -65°C to 260°C and even withstands pressure to 700psi. Silweld also resists petrol, oil, acids, solvents, salt water and UV rays.

**Mammoth**
Builders PVC Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2BUILDBK50	33MTR	BLACK	24	5029347604646
2BUILDBK75	33MTR	BLACK	16	5029347604653

Strong PVC tape with versatile adhesive, ideal for jointing all PVC and polythene sheets and membranes. Perfect for contamination barrier fastening, dust sealing of sheets and many other uses in construction and industry.

**Mammoth**
Aluminium Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2ALUM50	45MTR	SILVER	24	5029347604509
2ALUM75	45MTR	SILVER	16	5029347604516
2ALUM100	45MTR	SILVER	12	5029347604523

Heat and light reflective aluminium foil tape, heat resistant to 180°C, flame retardant to Class O. Excellent moisture resistance, ideal for use as a vapour barrier between foil faced insulation panels in roof and wall applications, duct sealing on all types of air conditioning and ventilation and protecting wires and pipes from heat.

Check out our
Wonder Wipes range

See page 126 – 127 in the
Cleaning Products section



Mammoth
Labelled Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2MASKLAB19	50MTR	OFF WHITE	64	5029347604325
2MASKLAB25	50MTR	OFF WHITE	48	5029347604332
2MASKLAB38	50MTR	OFF WHITE	32	5029347604349
2MASKLAB50	50MTR	OFF WHITE	24	5029347604356
2MASKLAB75	50MTR	OFF WHITE	16	5029347604363

General Purpose, trade quality Masking Tape, suitable for many uses. Easily removable within 3 days. Rolls individually film wrapped and labelled with separate barcode per size.

**Mammoth**
Value GP Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2MASKVAL19	50MTR	OFF WHITE	64	NO BARCODE
2MASKVAL25	50MTR	OFF WHITE	48	NO BARCODE
2MASKVAL38	50MTR	OFF WHITE	32	NO BARCODE
2MASKVAL50	50MTR	OFF WHITE	24	NO BARCODE
2MASKVAL75	50MTR	OFF WHITE	16	NO BARCODE

General Purpose Trade Quality Masking Tape for conventional paint masking, can be left on for up to 3 days without leaving a residue. Loose packed rolls without individual film wrap or barcode.

**Mammoth**
PVC Hazard Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2HAZRD	33MTR	RED/WHITE	24	5029347604400
2HAZYW	33MTR	BLACK/YELLOW	24	5029347604394

A strong and durable self adhesive PVC hazard tape for all hazard marking, ideal for marking floors, walls and overhead. Abrasion resistant, damp tolerant, can be used internally and externally.

**Mammoth**
Barrier Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2BARRD500	500MTR	RED/WHITE	8	5029347604424

Super strength non adhesive polythene barrier tape supplied in an individual box.

**Mammoth**
Low Tack Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2LOWMASK25	25MTR	OFF WHITE	60	5029347604622
2LOWMASK50	25MTR	OFF WHITE	30	5029347604639

The Professionals choice for application to more delicate surfaces and wallpaper, where conventional Masking Tapes could damage the surface. Can be left on for up to 7 days, without a residue being left on the surface.

**Mammoth**
Pro Blue Masking Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PRO25	33MTR	BLUE	48	5029347604530
2PRO50	33MTR	BLUE	40	5029347604547

Professional Long Stay Masking Tape that can be left on for up to 14 days without leaving a residue or damage to the surface.

**Mammoth**
Retail / Labelled Packaging Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PACKLABBN	50MTR	BROWN	36	5029347610432
2PACKLABCL	50MTR	CLEAR	36	5029347610456

Low noise, quality packaging tape, individually wrapped and labelled. Ideal for all packing applications.

**Mammoth**
Value Packaging Tape

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
2PACKBN	50MTR	BROWN	36	5029347604387
2PACKCL	50MTR	CLEAR	36	5029347604370

Quality Packaging Tape, available packed in towers, labelled and barcoded per tower.



Mammoth Multi-Purpose Double Sided Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2DOUBLE25	25MTR	CLEAR	48	5029347604707
2DOUBLE50	25MTR	CLEAR	24	5029347604714
2DOUBLE50	5MTR	CLEAR	30	5029347610623


High tack multi-purpose double sided tape, ideal for securing many items to smooth surfaces, vertically and horizontally.



Mammoth Spray Adhesive

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2SPRAY05	500ML	-	12	5029347611323

A ready to use solvent based flooring adhesive designed for fixing carpet grippers and trims, stair nosings and plastic and wooden skirting. Adheres to most common surfaces including wood, carpet, metal, stone, concrete, PVCu and much more.



Mammoth Heavy Duty Double Sided Tape

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2HDDOUBLE50	5MTR	CLEAR	36	5029347610609

A premium quality, heavy duty, Double Sided Tape with a strong, thick cloth membrane and an aggressive rubber resin adhesive. Ideal for fixing floor coverings and other heavy duty applications.



Improve application with our 505 Plasterers Gripcoat

See page 51



EuroScrim Self Adhesive Scrim Tape



FLEXIBLE, WILL NOT
BUBBLE OR BLISTER

FOR DRYWALL, PLASTER
WALLS & CEILINGS

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
2EURO48	90MTR	WHITE	24	5029347611750
2EURO100	90MTR	WHITE	12	5029347612627

EuroScrim is a premium quality, quick and easy to apply, self-adhesive scrim tape that is made in Europe to perform!

EuroScrim has a quality high tack adhesive and an open mesh that will not blister or bubble, creating perfect joints every time.



TRUSTED

QUICK & EASY TO APPLY

SELF ADHESIVE -
ELIMINATES NEED FOR
PRE-PLASTERING



CLEANING

Wipes	126
Glazing Cleaners	128
Cleaners & Lubricants	129

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Wonder Wipes
Multi-Use

TRUSTED

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WIPE80	100	-	6	5029347601522
GIANTWIPE	300	-	1	5029347604172
MONSTERW	500	-	1	5029347614379

Multi-Use Wonder Wipes are specially formulated to clean hands, tools and surfaces from wet and semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone.

Useful when there is no water on site. Wonder Wipes contain a powerful anti-bacterial additive that is tested by an independent laboratory to BSEN 1276:2009.

INTERIOR AND
EXTERIOR
USE

**COMPACT
TUB**

**LESS
PLASTIC**



**ROBUST AND EXTRA
ABSORBENT TRIPLE LAYER
WIPE THAT TRAPS DIRT
AND ABSORBS MOISTURE**

**ANTIBACTERIAL ADDITIVE
TO PROVIDE PROTECTION**

**CONTAINS VITAMIN E
AND ALOE VERA TO
NOURISH HANDS**

Wonder Wipes
Heavy Duty

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WIPEHD75	75	-	6	5029347609467

Heavy Duty Wonder Wipes are textured wipes which are specially formulated for the building, engineering and allied trades to clean ingrained dirt from hands, tools and surfaces.

INTERIOR AND
EXTERIOR
USEWonder Wipes
Multi-Use Spray

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
WIPESPRAY	1LTR	-	12	5029347613952


Multi-Use Wonder Wipes is available in a hand spray. Wonder Wipes Spray is the ideal solution for cleaning large surface areas by using the spray with Everbuild Paper Wipe Rolls or refreshing a Wipe to make it go that extra mile. Wonder Wipes Spray is also the perfect way to keep the PVC door and window frames looking good as new.

INTERIOR AND
EXTERIOR
USE

Glass Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GLACL	1L	-	12	5029347900014


Glass Cleaner is a powerful glass cleaning agent containing a high level of detergents and solvents for rapid drying to a smear and static free finish. May also be used on tiling, VDUs, TV screens, chrome etc.



PVCu Solvent Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PVCS1	1L	-	12	5029347900045


PVCu Solvent Cleaner is a solvent based product formulated to remove ingrained dirt from PVCu and most plastics. Also suitable to restore an "as new" look to old windows and plastic garden furniture. Fast drying.



PVCu Cream Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PVCC1	1L	-	12	5029347900052

PVCu Cream Cleaner is a solvent free formulation designed to remove ingrained dirt, stains and pollution from PVCu window frames without scratching. Buffs to a deep sheen.



Paper Glass Wipe Rolls

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PAPCENTRE	150MTR	-	6	5029347603427
PAPRL	280MTR	-	2	5029347119003

Paper Glass Wipe Rolls are made of an extra strong, soft 2-ply paper for effective glass industrial and home cleaning.

All Purpose XT44
Maintenance Spray


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
MULTI	400ML	-	12	5029347600044

All Purpose Maintenance Spray has 100s of uses around the home, garage, workshop and in industry. Penetrates rusted parts and fastenings to assist dismantling, lubricates locks, hinges and tools. Can be used to protect metals and tools from rusting. Displaces water and can be used to assist starting wet petrol engines and damp ignition systems. Lubricates just about any moving part.

All Purpose
Silicone Spray

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SILSPRAY	400ML	-	12	5029347600648

All Purpose Silicone Spray is a dry silicone lubricant and mould release agent for the easing of friction between two surfaces. Ideal for use in mould making/release industries, to ease installation of rubber and EPDM gaskets to window and door frames and has 100's of uses around the home, garage, workshop and industry. Silicone Spray will also enhance the appearance of vinyl and hard surfaces such as car dashboards etc, where the dry-bright finish will eliminate the need for polish.



Graffiti Remover

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
GRAFF	400ML	-	12	5029347601683


Graffiti Remover is a powerful non-drip gel formula, works on vertical and horizontal surfaces to remove paint, felt tip marker pen and most other forms of casual graffiti. Water washable, effective on all substrates. Graffiti Remover is aided by its slow evaporation rate, penetrating deeply into graffiti and after a few minutes, marks are easily and safely removed by rinsing with water.

Heavy Duty
Citrus Hand Cleaner

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HDHAND1	1LTR	YELLOW	12	5029347613105
HDHAND4	4.5LTR	YELLOW	4	5029347613112

PUMP FOR 4.5L HAND CLEANER				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
HDPUMP	-	-	1	-

A heavy duty hand gel cleaner. Made from biodegradable natural ingredients it removes wet/semi-cured paints, sealants, adhesives, grease, oil, bitumens etc.



FIRE CEMENTS & COMPOUNDS

Fire, Stove & Flue Cements
Fire & Stove Sundries

132
134

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

KOS
Fire Cement

TRUSTED
ASBESTOS FREE
**RESISTANT TO EXTREME
TEMPERATURES**
**AVAILABLE IN BUFF
OR BLACK**

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCKOSFIRE05	500G	BUFF	18	5010618001110
PCKOSFIRE1	1KG	BUFF	12	5010618002117
PCKOSFIRE2	2KG	BUFF	6	5010618003114
PCKOSFIRE6	6KG	BUFF	2	5010618005118
PCKOSFIRE12	12.5KG	BUFF	1	5010618006115
PCKOSFIRE25	25KG	BUFF	1	5029347606657
PCKOSBKFIRE05	500G	BLACK	18	5029347606619
PCKOSBKFIRE1	1KG	BLACK	12	5029347606626
PCKOSBKFIRE2	2KG	BLACK	6	5029347606633
PCKOSBKFIRE12	12.5KG	BLACK	1	5029347606640

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C.

Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.


KOS
Fire Cement Cartridge


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCKOSFIREC3	300ML	BUFF	12	5010618070161
PCKOSBKFIREC3	300ML	BLACK	12	5029347606886

KOS Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.


Flue Jointing Compound


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCFJC05	500GM	-	12	5010618050019
PCFJC1	1KG	-	12	5010618050217

Flue Jointing Compound is a finely dispersed asbestos free material with a stiff consistency. It will not harden completely and small movements can be accommodated without cracking. Flue Jointing Compound is nonflammable and, therefore, there is no risk of fire.


KOS
Flue Cement

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCKOSFLUE3	300ML	-	12	5010618016169

KOS Flue Cement is a high temperature (to 1250°C) ready mixed fireproof mortar paste, designed for the safe installation/jointing of Type A1 (BSEN1857) concrete flue liners for use with domestic fires and stoves e.g. coal, wood burning or gas (including flame effect).


XL
Fire Cement

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCXLFIRE05	500G	BUFF	18	5010404120056
PCXLFIRE1	1KG	BUFF	12	5010404120100
PCXLFIRE2	2KG	BUFF	6	5010404120209
PCXLFIRE5	5KG	BUFF	2	501040412054

XL Fire Cement is a ready mixed blend of thermo setting resins and inorganic fillers that cures when exposed to heat, resulting in a mortar which is resistant to temperatures up to 1250°C. Can be used for domestic and commercial applications. Excellent adhesion to fire bricks, blockwork, stone and clayware.



Heat Resistant Matt Black Paint Tin

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCHEATPNT1	125ML	BLACK	12	5029347609306

Heat Resistant Paint is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.



Heat Resistant Matt Black Paint Aerosol

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCHEATPNT4	400ML	BLACK	12	5029347609313

Heat Resistant Paint in an aerosol is a protective and decorative paint which is heat stable for temperatures up to 600°C. It is suitable for use on domestic stoves, furnace chimneys, industrial ovens and exhausts. It can be used as a single coat, or two coats on bare ferrous metal surfaces.




Complete the
job with Fire
Protection Sealants
on page 14 and Fire
Rated Foams on
page 99

Heat Resistant Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PHEATSIL	310ML	BLACK	12	5029347609290


Heat Resistant Silicone is a high temperature resistant, fast cure, silicone, heat stable up to 300°C, which is permanent flexibility - high modulus sealant. It is ideal for joints and assemblies in ducting, metal chimneys, industrial/domestic ovens, heating appliances. Excellent adhesion to most non-porous surfaces.



Heatproof Screed

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCKO5SCREED20	20KG	-	1	5029347606862


Heatproof Screed is a cement like material which provides a protective rendering for brick, stone and other vulnerable materials which can be damaged by exposure to heat. It is a fully blended composition and will mix with water to a trowellable consistency. Maximum service temperature of 1300°C.



Heat Resistant Plaster

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
PCPLAST12	12.5KG	-	1	5029347607098
PCPLAST20	20KG	-	1	5029347606879

Heat Resistant Plaster is ideal for plastering areas where temperatures are too high for gypsum plaster to stay on the wall. It is a fully blended fine powdered material which is mixed with water to a trowellable/floating consistency. For use on walls & chimney breasts. Protection up to 500°C.





PLUMBING

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Central Heating Treatments
Plumbers' Range

138
138

Plumbers Gold Sealant & Adhesive



TRUSTED

CAN BE APPLIED
TO WET SURFACES

WILL EVEN WORK
UNDERWATER

containing
Mould Shield

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PLUMBGCCL	290ML	CLEAR	12	5029347607081
PLUMBCWE	290ML	WHITE	12	5029347607074

Specially formulated for the plumbing professional, Plumbers Gold is a sealant and adhesive based on hybrid polymer technology that offers outstanding adhesion to all sanitary, bathroom, wetroom, kitchen and plumbing materials.



Brick / Timber / Metal / PVCu / Glass

P11 Central Heating System Cleanser

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
P11CLEAN1	1LTR	-	12	5010618213100

This will remove commissioning and flux residue from new systems and restore circulation to old systems which suffer from sludge. P11 System Cleanser should also be used when components are replaced or existing systems are extended.



P14 Central Heating System Inhibitor

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
P14INHIB1	1LTR	-	12	5010618214107


P14 System Inhibitor is a multi purpose treatment specially designed to protect the entire central heating system from scale, sludge and corrosion. BuildCert Performance Standard.



P16 Plumbers PVC Pipe Cement

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
P16PIPE	250ML	-	12	5029347607029

PVC Pipe Cement is a non-drip, thixotropic solvent based pipe cement for bonding nonpressure PVC and ABS thermoplastic pipes and conduits to themselves and each other. CE Marked. **Conforms to BSEN14814 and BSEN14680.**





PVC / PVCu / ABS

113 Plumbers Putty

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
PLUMB7	750GR	BEIGE	12	5029347600655


Plumbers Putty is a ready mixed, waterproof, non-setting putty designed for sealing and bedding w/c soil pipes, joints in sanitary wear, sinks and waste water fittings. Plumbers Putty will seal ceramics, vitreous enamels, metals and PVC. Remains permanently flexible to allow for joint movement.



P18 Plumbers Gas Leak Detector

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
P18GASLEAK	400ML	-	12	5010618216101

Gas Leak Detector is a specially formulated foam designed specifically to identify even the smallest positive pressure, gaseous leak. It is suitable for use with most common gases and is compatible with paintwork, metals, wood and most plastics.



P20 Plumbers Flux Soldering Paste

		MERCHANT INFORMATION		
CODE	SIZE	COLOUR	BOX QTY	BARCODE
P20FLUX140	140GM	WHITE	12	5029347613068

Plumbers Flux is a soft paste which is applied to joint areas prior to soldering. It is suitable for use with most metal types. It is self cleaning and can be used with potable water.





WATERPROOFING

Waterproofing & Damp Proofing	142
Bitumens & Roofing	147

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Sika®-1 Waterproofer
Liquid Waterproofing Additive



TRUSTED

PROVEN TRACK RECORD FOR OVER 100 YEARS

EXCELLENT RESISTANCE TO BACKWATER PRESSURE

WATERPROOF RENDERS TO RESIST MOISTURE ABOVE GROUND

CONSUMPTION: 0.75LTR PER 25KG CEMENT



CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SK1WAT5	5LTR	YELLOW	4	5055047200024
SK1WAT25	25LTR	YELLOW	1	5055047200123

A liquid waterproofing additive for mortar and concrete.

The colloidal silicates in the additive swell and block the capillaries and pores in the applied sand/cement renders, screeds and mortar to provide an effective barrier against the transmission of liquid water.




Sika -1 Pre-Bagged Structural Waterproofing System
How it works

Now available with new & improved formulations and with Sika-1 Waterproofer pre-mixed into the bags, the Sika-1 Structural Waterproofing System is easier to use than ever!

The Sika -1 Pre-Bagged Structural Waterproofing System consists of a render system for use on walls and overhead surfaces, and a screed system for use on the floor.

The system mortars (pages 144-145) are pre-bagged kiln dried blends of specially graded aggregates and cements, packaged in 4 grades at the appropriate mix ratios for optimum application, performance and durability. When mixed with water they provide the multicoat components for the structural waterproofing system.

If BBA certification is required, please request the old formulations which will still be available for a limited time – see everbuild.co.uk for more details and availability.



Sika®-1 Screed 3-Coat System



1

SIKA®-1 PRE-BAGGED SPRITZ & BONDING COAT MORTAR

2

SIKA®-1 PRE-BAGGED SCREED MORTAR

Sika®-1 Render 3-Coat System



1

SIKA®-1 PRE-BAGGED SPRITZ & BONDING COAT MORTAR

2

SIKA®-1 PRE-BAGGED RENDER MORTAR

3


SIKA®-1 PRE-BAGGED FINISHING MORTAR

Sika®-1 Pre-bagged Spritz & Bonding Coat Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKIPBSPRITZ	25KG	-	1	7612895405179

New formulation; A factory proportioned, pre-bagged powder component for mixing with water. This product produces the first bonding coat of the Sika®-1 Structural Waterproofing System.

Old version available for a limited time - see everbuild.co.uk to check availability.



Sika®-1 Pre-bagged Screed Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKIPBSCREED	25KG	-	1	7612895405148

New formulation; A pre-batched, multi-purpose screed mortar. Sika®-1 Screed Mortar contains specially graded aggregates sand cement and additives to produce waterproof floor screeds that resist water pressure above ground level. For use with the Sika®-1 Structural Waterproofing System.

Old version available for a limited time - see everbuild.co.uk to check availability.




Sika®-1 Pre-bagged Render Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKIPBREND	25KG	-	1	7612895405162

New formulation; A factory proportioned, pre-bagged powder component used with water to produce the intermediate or 'body' coat of the Sika®-1 Structural Waterproofing System.

Old version available for a limited time - see everbuild.co.uk to check availability.



Sika®-1 Pre-bagged Finishing Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKIPBFINISH	25KG	-	1	7612895405155

New formulation; The third layer of the Sika®-1 Structural Waterproofing System. Sika®-1 Finishing Mortar is a factory proportioned, pre-bagged powder component used with water to produce the top coat of the Sika®-1 Waterproofing System.


Old version available for a limited time - see everbuild.co.uk to check availability.



Sika®-2
Water Plug


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK2PLUG5	5LTR	RED	4	5055047200048

A ready to use, rapid setting, leak stopping liquid which is mixed with ordinary portland cement to produce a paste for immediate leak sealing against high water pressure infiltration. Suitable to seal severe water leaks and to be applied on surfaces with running surface water.

Sika®-4a
Water Stop


MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK4A5	5LTR	CLEAR	4	5055047200109

A ready to use, quick setting, liquid which is mixed with water and ordinary portland cement to produce a paste for leak stopping. Sika®-4a Water Stop is suitable for use against high or moderate water pressure infiltrations.

Sika®-4
Rapid Setting

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SK4RAP5	5LTR	BROWN	4	5055047200086


A ready to use liquid for accelerating the set time of mortars and renders where low water pressure or slow water movement exists. Sika®-4 Rapid Setting Provides excellent resistance to backwater pressure and prevents cement wash out.



Sikalastic®-1K

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKLAS1K20	20KG	GREY	1	5055492701305


A one-component, highly flexible, cementitious, fibre-reinforced mortar for the waterproofing of concrete structures. It can be used for the outside waterproofing and protection of basement walls as well as on hydraulic structures, such as swimming pools. CE Marked.



Sika® Damp Proofing Slurry

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKDPSLUR20	20KG	GREY	1	5055492700704
SKDPSLUR25	25KG	GREY	1	5055047201021


A high-quality, thin layer, waterproof slurry coating that contains special cements and admixtures that provides a finish that prevents dampness and water penetration. Easy to mix and apply as well as being overpaintable with vapour permeable coatings. CE Marked.



Sika® MultiSeal

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMULTI100	10MTR	GREY	3	5055492700285
SKMULTI150	10MTR	GREY	2	5055492700292
SKMULTI225	10MTR	GREY	2	5055492700308
SKMULTI300	10MTR	GREY	1	5055492700315

A self-adhesive, bituminous tape that is suitable for sealing cracks and joints in common domestic and commercial situations.



ADMIXTURES & BUILDING CHEMICALS

PVA & SBR	150
Admixtures	151
Concentrated Chemicals	153
Repair Mortars	154
Fixing & Anchoring	157

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

SikaBond®
PVA+

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SIKAPVA1	1LTR	WHITE	12	5055492700568
SIKAPVA2	2.5LTR	WHITE	6	5055492700575
SIKAPVA5	5LTR	WHITE	4	5055492700469
SIKAPVA25	25LTR	WHITE	1	5055492700520

A medium viscosity general purpose adhesive, sealer and mortar admixture. It is easy to use, has excellent adhesion and reduces surface dusting. **SikaBond® PVA + Conforms to B55270.**

	10-15L 50KG
PRIMER & SEALER	DOSAGE
ADMIXTURE	WATER-BASED/ CLEAN UP
NEAT	
4M ²	
APPROX COVERAGE	



SikaBond®
Waterproof PVA

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDWATPA5	5LTR	WHITE	4	5055047209867

A water resistant, vinyl acetate polymer, specifically formulated for exterior use as an adhesive and sealer. Suitable for brickwork, mortar render, screed and plaster. Easy to use and, unlike normal PVA, will not re-emulsify when wet.

PRIMER & SEALER	WATERPROOF
ADMIXTURE	WATER-BASED/ CLEAN UP
INTERIOR AND EXTERIOR	



SikaBond®
Contractors PVA

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDCONPVA10	10KG	WHITE	1	5055492701688

A multi-purpose, economic adhesive, sealer and mortar admixture. SikaBond® Contractors PVA Adheres to most common building materials, making it ideal for priming unsound surfaces prior to plastering or painting. Also suitable for use as an adhesive, general dust sealer and cement admixture.

	10-15L 50KG
PRIMER & SEALER	DOSAGE
ADMIXTURE	WATER-BASED/ CLEAN UP
NEAT	
4M ²	
APPROX COVERAGE	



SikaBond®
SBR+

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SIKASBR25	25LTR	WHITE	1	5055492700537
SIKASBR5	5LTR	WHITE	4	5055492700476

A one-component, water-based, general purpose bonding agent and mortar admixture. As an admixture diluted with water, it produces a gauging solution for improving adhesion, workability and water resistance of mortars and cementitious mixes. Suitable for improving resistance to abrasion, chemicals and oils.

	10-15L 50KG
PRIMER & SEALER	DOSAGE
	NEAT
WATERPROOF	4M ²
	APPROX COVERAGE
WATER-BASED/ CLEAN UP	



SikaMix® Plus
Mortar Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SIKAMIXP5	5LTR	-	4	5055492700483
SIKAMIXP25	25LTR	-	1	5055492700544

A general purpose, liquid mortar plasticiser for brick and blockwork mortars. SikaMix® Plus Increases the workability and improves the quality of mortars, renders and plasters. Also, improves the frost resistance of hardened mortar. CE Marked.

	125-250ML 50KG
AIR ENTRAINING PLASTICISER	DOSAGE
	H ₂ O
CHLORIDE FREE	WATER REDUCING
WATER-BASED/ CLEAN UP	



Sika® Accelerator
Rapid Hardening Admixture

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKACC5	5LTR	CLEAR	4	5055047200550

Cold weather and rapid hardening admixture for mortars, screeds and renders. Provides frost protection in the wet mortar during the settling period even in sub-zero temperatures, as well as allowing faster finishing times in the cold weather. CE Marked.

	2.5-5L 50KG
WATER-BASED/ CLEAN UP	DOSAGE
CHLORIDE FREE	FROST- PROOFER



Sika® Rendermix
Water Resisting Plasticiser

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKREND5	5LTR	YELLOW	4	5055047200529

A water resisting plasticiser and air entraining agent for improving renders and screeds. Can also be used as an admixture for pebble dashing or roughcast finishes. CE Marked.

	0.5-1L 50KG
WATERPROOF	DOSAGE
	H ₂ O
AIR ENTRAINING PLASTICISER	WATER REDUCING
CHLORIDE FREE	



Sika® Proof
Liquid Waterproof

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPROOF5	5LTR	WHITE	4	5055047200635

General purpose, economic waterproofing admixture for mortars and concretes. Ideal for use on swimming pools, water tanks, ponds, below ground applications and more.

0.5L 50KG	
DOSAGE	WATERPROOF



Sika® Release Oil

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKRELEASE5	5LTR	-	4	5055047200604

A ready to use, formwork release agent that is suitable for mould and shuttering. Sika® Release Oil is suitable for use prior to casting concrete in order to achieve a clean release after removal of formwork.



Sika® Wintermix

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKWINTS	5LTR	AMBER	4	5055047200864

A chloride free admixture for concrete that is suitable for use with steel reinforcement. Sika® Wintermix allows mortars and concretes to be used in sub-zero temperatures, eliminating the need for a separate frostproof. CE Marked.



SikaCim® No Crack Concrete

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCIMNOCK	75G	-	20	5055047209027

A fibre admixture that is suitable for minimising cracking and enhancing the strength of concrete. Sika® No Crack Concrete reduces shrinkage and cracking of concrete. Ideal for use on internal floor slabs, garages or shed bases, driveways and many more.



Finish and protect it perfectly with our range of Resiblock patio and driveway sealers


See page 163



Sika® MaxMix Waterproofer

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMAXMWAT1	1LTR	YELLOW	6	7612894695649


A highly concentrated waterproofing and air entraining admixture for sand and cement mortars, renders and screeds. Sika® MaxMix® Waterproofer improves the workability of mortar/render and helps prevent shrinkage, cracking, crazing and mild frost damage. CE Marked.



Sika® MaxMix Frostproof & Accelerator

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMAXMACC1	1LTR	STRAW	6	7612894695724

A highly concentrated air entraining admixture which is designed specifically for cold weather by eliminating the requirement for a second frostproofing admix. Sika® MaxMix® Frostproof & Accelerator reduces the setting time of sand and cement based mortars, renders, screeds etc. CE Marked.



Sika® MaxMix Cement Colour

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMAXMCOBK02	250ML	BLACK	8	5055047210634
SKMAXMCOBK1	1LTR	BLACK	6	7612894695823
SKMAXMCOBNO2	250ML	BROWN	8	5055047210641
SKMAXMCOBNO1	1LTR	BROWN	6	7612894695861
SKMAXMCOBDO2	250ML	RED	8	5055047210658
SKMAXMCOBDO1	1LTR	RED	6	7612894695908
SKMAXMCOBYW1	1LTR	YELLOW	6	7612894695946

A concentrated, one-shot cement colourant that provides a permanent and uniform shade of colour to cement mortars, renders, concrete and pointing. CE Marked.



Sika® MaxMix Mortar Plasticiser

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMAXMPLAS1	1LTR	BROWN	6	7612894694888

A highly-concentrated, air entraining liquid plasticising admixture that is twenty five times the strength of conventional products. Forms extremely stable air bubbles in mortar mixes that improves the consistency and workability of mortar. Sika® MaxMix® Mortar Plasticiser helps to prevent shrinkage, cracking, crazing and mild frost damage.



SikaGrout®
111 GP

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKGROUT111	25KG	GREY	1	5055492702098

A one part, general purpose, high precision, shrinkage compensated cementitious grout. SikaGrout® 111 GP is easy to mix and apply; it is perfect for a multitude of jobs, such as filling voids, machine and base plates. CE Marked.



INTERIOR AND EXTERIOR	HIGH WATER & RAIN RESISTANCE

Sika MonoTop®
115 GP

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
7SPSKMT115GP	25KG	GREY	1	7612895387659

Cementitious General Purpose Concrete Repair Mortar Sika MonoTop®-115 GP is a 1-component cement based polymer modified general purpose repair and reprofiling mortar, meeting the requirements of Class R3 of BS EN 1504-3. Used for repairing all types of structures not exposed to water submersion, including overhead and vertical repairs; hand applied repairs; spray applied repairs; for exterior and interior use; in place of R1 and R2 mortars. CE Marked.



INTERIOR AND EXTERIOR	HIGH WATER & RAIN RESISTANCE
CHLORIDE FREE	

Sika MonoTop®
615

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMONT61525	25KG	GREY	1	7612894426977

R3 Cementitious High Build Concrete Repair Mortar Sika MonoTop®-615 is a 1-component cement based polymer modified high build repair and reprofiling mortar, meeting the requirements of Class R3 of BS EN1504-3. Used: for repairing all types of structures, including overhead and vertical repairs; hand applied repairs; spray applied repairs; for exterior and interior use; in place of R1 and R2 mortars. CE Marked.



INTERIOR AND EXTERIOR	HIGH WATER & RAIN RESISTANCE
CHLORIDE FREE	

Sika MonoTop®
620

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMONT62025	25KG	GREY	1	7612894501346

Cementitious Smoothing Coat/Levelling Mortar and Pore Sealer Sika MonoTop®-620 is a 1-component cementitious polymer modified mortar, for exterior and interior use. Used: as a concrete pore sealer/levelling mortar/smoothing coat, repairing minor defects, as a thin layer render, repairing pores and honeycombed concrete.



INTERIOR AND EXTERIOR	HIGH WATER & RAIN RESISTANCE
THICKNESS	CHLORIDE FREE

Sika MonoTop®
610

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKMONT61025	25KG	GREY	1	7612894426960

Cementitious Steel Reinforcement Primer and Bonding Bridge Sika MonoTop®-610 is a 1-component cementitious, polymer modified primer for reinforcement protection, and also a bonding bridge for MonoTop® concrete repair mortars. Used for bonding MonoTop® concrete repair mortars to existing cementitious or steel substrates and providing additional corrosion protection to reinforcement in MonoTop® concrete repair mortars, especially in areas of low concrete cover and in the presence of chlorides. CE Marked.



INTERIOR AND EXTERIOR	HIGH WATER & RAIN RESISTANCE
HIGH BONDING STRENGTH	CHLORIDE FREE

Sika MonoTop®
614F

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
7SPSKMT614F	25KG	GREY	1	7612895363448

R4 Flowable Cementitious Repair Mortar Sika MonoTop®-614F is a cement based, 1-component flowable repair mortar (High Flow), containing shrinkage compensators and high range water-reducing agents, meeting the requirements of Class R4 of BS EN 1504-3. Used for horizontal or vertical repairs; bridges; marine structures; tunnels; buildings; fire damaged structures; for exterior and interior use; in place of R1, R2 and R3 mortars. CE Marked.



INTERIOR AND EXTERIOR	ANTI-SLUMP
WATER-BASED/CLEAN UP	CHLORIDE FREE

Sikadur®
Epoxy Repair Kit

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKDUREPOXKT	2KG	GREY	1	5055047210573

A quick setting, two part epoxy mortar which can deliver overnight repairs to concrete. Sikadur® Epoxy Repair Kit bonds to concrete, masonry and steel to allow for a hard durable repair to be made without delay. CE Marked.



INTERIOR AND EXTERIOR	QUICK CURING/DRYING
HARD WEARING	RESISTANT TO CHEMICALS

Sikadur®
31 EF Normal

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKDUR31NM1	1.2KG	GREY	8	8428868015646

A two-component, solvent-free, cold cure, thixotropic epoxy adhesive that is suitable for damp and dry substrates. Sikadur® 31 EF contains a combination of epoxy resins and special fillers that make it ideal for use at temperatures between +10 °C and +30 °C. This product is also available as rapid. CE Marked.



RESISTANT TO CHEMICALS	ANTI-SLUMP
HARD WEARING	

Sika MonoTop®
630 Rapid


TRUSTED


PRE-BAGGED FOR QUALITY,
JUST ADD WATER

HIGH EARLY STRENGTH
WITH RAPID SETTING



		MERCHANT INFORMATION	
CODE	SIZE	BOX QTY	BARCODE
SKMON0630	25KG	1	7612895485065

A fast setting, read to use, cementitious repair mortar for repairing all types of structures, including horizontal and vertical repairs, hand applied repairs, floor slabs and car park decks. CE Marked.



CAN BE OVERCOATED


NON CORROSIVE TO STEEL

CONTAINS NO CHLORIDE ADMIXTURES

Sika®
AnchorFix-1


		MERCHANT INFORMATION	
CODE	SIZE	BOX QTY	BARCODE
SKANCH13	300ML	6	5055492700742

A two-component, fast curing, solvent and styrene free, polyester based chemical anchoring adhesive. Sika® AnchorFix®-1 is recommended for standard applications with low to medium loads. CE Marked.


Sikadur® 33
Structural Epoxy Adhesive


		MERCHANT INFORMATION	
CODE	SIZE	BOX QTY	BARCODE
SKDUR33	250ML	12	7612894403688

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive. Sikadur® 33 is supplied in a cartridge with an in-line mixer nozzle. CE Marked.


Sika® Concrete Crack Repair

		MERCHANT INFORMATION	
CODE	SIZE	BOX QTY	BARCODE
SKCONCFIX	250ML	12	5055047209980

A two-component, solvent-free, cold cure, thixotropic epoxy resin, structural adhesive and repair product. Sika® Concrete Crack Repair is ideal for use when a high strength repair to concrete is necessary. This product's non-sagging and excellent adhesion properties makes it ideal for use on horizontal, vertical and overhead repairs. CE Marked.



LANDSCAPING & SURFACE TREATMENTS

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Sika® FastFix All Weather Paving Jointing Compound



TRUSTED

FOR USE ON JOINTS FROM
JUST 20MM DEEP

EASY TO APPLY - FAST TO SET



ACTS AS A NATURAL BARRIER
FOR WEED GROWTH

NO WASTE - STORE AND REUSE
ONCE OPENED


CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKFFIXDKBF15	15KG	DARK BUFF	1	5055492703644
SKFFIXDPGY14	14KG	DEEP GREY	1	5055492703637
SKFFIXCHRL16	15KG	CHARCOAL*	1	5055492703125
SKFFIXFLT16	15KG	FLINT*	1	5055492703118
SKFFIXSTN16	15KG	STONE*	1	5055492703101

A self-setting paving jointing compound that provides the ideal solution to perfect pointing on paving, paths and patios. Containing a unique formula, Active Resin Technology for advanced durability, Sika® FastFix All Weather is ready to use with no mixing required.

Suitable for use in all weather conditions; even in the rain. This product will not shrink or crack over time. Now available in 5 colours.



New colours will be available Q2 2021. Colour swatches are a guide only and may vary.




WATCH THE VIDEO:
everbuild.co.uk/videos/sika-fastfix-weather

SikaCeram® -62 FlowFix Bonding Primer

CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCMPRIM20	20kg	-	1	5055492703286

A high performance porcelain paving installation system, consisting of a bonding primer and jointing compound, specifically designed to provide an exceptional bond between porcelain paving and the bedding mortar.

Mixed solely with water, SikaCeram® -62 FlowFix Bonding Primer is applied with a brush or roller to the rear of the paving when laying, to prevent the paving system breaking away from the mortar bed.




SikaCeram® -621 FlowFix Jointing Compound

CODE	SIZE	COLOUR	BOX QTY	BARCODE
SKCMJOINTIV	20kg	IVORY	1	5055492703279
SKCMJOINTLTGY	20kg	LIGHT GREY	1	5055492703255
SKCMJOINTDKGY	20kg	DARK GREY	1	5055492703613
SKCMJOINTBUF	20kg	BUFF	1	5055492703620

A controlled, cementitious flowable jointing grout which is applied by mixing with water on site, poured over joints with ease and worked into other exposed joints by squeegee. The surplus is simply washed off after 30 minutes. SikaCeram® -621 FlowFix Jointing Compound is a highly workable product that is non-permeable once cured. Suitable for joints between 3-10mm wide and 20mm in depth, SikaCeram® -621 FlowFix Jointing Compound cures in 60 minutes to a non-permeable finish.



New colours will be available Q2 2021. Colour swatches are a guide only and may vary.



Sika® Setting Sand
Narrow Paving Joint Filler

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSANDBF20	20KG	BUFF	1	5055492700223

A easy to use, moisture curing jointing compound for narrow joints. Sika® Setting Sand can be simply poured or swept into joints before being saturated with water. Provides perfect pointing for all types of block paving; once cured, it will not wash out, shrink or crack over time.



HARD WEARING	GAP FILLING

Sika® Patio Seal
Clear Paving Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPAT5	5LTR	CLEAR	4	5055047206354

A low-odour, water-based, acrylic coating that is ideal for sealing and protecting patios, paths, natural stone, concrete and block paving. Sika® Patio Seal protects against the effects of water, petrol and organic growth. The product dries to a hard-wearing, water repellent film which gives a slip-resistant finish.



HIGH WATER & RAIN RESISTANCE	WATER-BASED/ CLEAN UP
QUICK CURING/ DRYING	APPROX COVERAGE
HARD WEARING	

Sika® Stone Protector
Water Based Protector & Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSTONES	5LTR	CLEAR	4	5055047210993

A water-based sealer which is suitable for all forms of porous stone. Once applied to a surface, Sika® Stone Protector resists stains without changing the aesthetic look of the surface it is applied to.



HIGH WATER & RAIN RESISTANCE	INTERIOR AND EXTERIOR
SOLVENT FREE	APPROX COVERAGE

Sika® Block Paving Seal
Clear Driveway Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBLOCKS5	5LTR	CLEAR	4	5055047206330
SKBLOCKS25	25LTR	CLEAR	1	5055047206347

A clear, low-odour resin solution that impregnates, enhances and seals block paving to improve the overall appearance by leaving a protective finish. Sika® Block Paving Seal is ideal for use on vehicle and pedestrian areas as well as new and existing drives.



WEATHER PROOF	APPROX COVERAGE
SOLVENT BASED	

Resiblock Indian Sandstone Sealer
Invisible

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBINDINV5	5LTR	INVISIBLE	4	5036143000039

A urethane based, low-viscosity, surface sealer that provides long-term resistance against staining and algae growth for paths, patios and driveways. Resiblock Indian Sandstone Sealer Invisible lasts up to five years and can be applied in one simple coat.



WEATHER PROOF	APPROX COVERAGE
SOLVENT BASED	

Resiblock Indian Sandstone Sealer
Colour Enhancer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBINDENH5	5LTR	COL.ENHANCER	4	5036143000237

A urethane based, low-viscosity surface sealer and colour enhancer. Resiblock Indian Sandstone Colour Enhancer incorporates a completely unique moisture curing system to enhance Indian Sandstone or coloured concrete products.



WEATHER PROOF	APPROX COVERAGE
SOLVENT BASED	

Resiblock Superior
Block Paving Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBORIGGL5	5LTR	GLOSS	4	5036143000015
RBORIGGL25	25LTR	GLOSS	1	5036143000022
RBORIGNAT5	5LTR	NATURAL	4	50361430000312
RBORIGNAT25	25LTR	NATURAL	1	50361430000244

A urethane based, low-viscosity, paving sealer and jointing sand stabiliser that protects the paver face from oil and water infiltration.



WEATHER PROOF	APPROX COVERAGE
SOLVENT BASED	APPROX COVERAGE

Resiblock Trade
All Purpose Paving Sealer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
RBTRADD5	5LTR	-	4	5036143000503
RBTRAD25	25LTR	-	1	5036143000510

A solvent free, all purpose sealer that is suitable for concrete and clay paving as well as most forms of natural stone. Resiblock Trade is ideal for binding jointing sand, sealing the surface of concrete block paving.




SOLVENT FREE	APPROX COVERAGE

Sika® Water Seal

Waterproofer & Protector

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKWATSEAL5	5LTR	-	4	5055047210580


A solvent based water sealer for masonry. Protects structures against rain and damp. Upon application, Sika® Water Seal penetrates up to a depth of 5mm. This product is designed to have minimal affect on appearance or breathability of the surface it product is applied to.



Sikagard®-112 Mortar and Brick Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGD112CLN5	5LTR	-	4	5055492703347

Sikagard®-112 Mortar and Brick Cleaner is a highly concentrated, fast acting acid based formula which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, render and concrete.




Sika® Mould Buster

Mould & Algae Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKMBUST5	5LTR	-	4	5055047209096


A powerful, fast acting solution which is effective on most surfaces. Sika® Mould Buster removes algae, mould and green growth without the need for scrubbing or pressure washing.



Sika® Brick & Patio Cleaner

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBC5	5LTR	-	4	5055047200581

A fast acting, acid based cleaning solution for brickwork, concrete and paving. Sika® Brick & Patio Cleaner contains a powerful formula that dissolves mortar and cement stains, ingrained dirt, efflorescence on mineral surfaces.




Sika® Dustproofer

Concrete Surface Hardener

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKDUST5	5LTR	-	4	5055047200611

A economic, ready to use dustproofer and concrete surface hardener for concrete floors, paths and driveways. Sika® Dustproofer is suitable for hardening and dustproofing both old and new concrete. CE Marked.



FLOORING & WALL FINISHING

Wood Floor Adhesives	168
Primers & DPMS	170
Levelling Compounds	172
Floor Coatings	173
Ready Mixed Tile Adhesives	174
Powdered Tile Adhesives	175


Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

SikaBond®-52 Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKBD52	600ML	BEIGE	20	7612894887525


A one-component, solvent-free, fast-curing, elastic wood flooring adhesive for professional use. SikaBond®-52 Wood Floor is suitable for use on most common types of wood floors, even problematic woods such as beech, maple and bamboo using liquid batten. Suitable for use with underfloor heating when used with the Sika® AcouBond System.



SikaBond®-54 Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBD54WF6	600ML	BEIGE	20	7612894887525
SKBD5407	700ML	BEIGE	12	7612894885484
SKBD5413	13KG	BEIGE	1	7612894907285


A one-component, solvent-free and elastic wood flooring adhesive that is for professional use. SikaBond®-54 Wood Floor is a full stick down adhesive for use on both solid and engineered wood floors. This product is also suitable for use with underfloor heating systems.



SikaBond®-151 Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBD15117	17KG	PARQUET BROWN	1	7612895512556


A one-part, solvent-free wood floor adhesive which is suitable for use on all types of wood flooring and most common types of floor substrates. SikaBond®-151 is an elastic adhesive that is easy to spread, whilst maintaining stable trowel peaks.



SikaBond® MS Wood Floor Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBMSFL14	14KG	PARQUET BROWN	1	5055492700902


A high quality, trowel applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. SikaBond® MS Wood Floor utilises a formulation that is completely water free, thereby reducing the likelihood of wooden boards cupping or crowning. With an extended open time of 40 minutes, this product is ideal for larger application areas.



SikaBond® MS Wood Floor Gun Grade Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKBDMSFL6	600ML	PARQUET BROWN	12	5055492700933

A high quality, Gun applied MS adhesive which is specifically designed for bonding wooden floors to all common substrates. Suitable for use with the AcouBond System.



SikaBond® Wood Floor Installation Kit

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBDWOODKIT	-	-	1	5055047209805


A complete wood floor bonding kit to easily and quickly fit up to 20M² of wood flooring. This kit contains ten 600ml SikaBond® MS Wood Floor adhesive foils, one bulk gun and two reusable pre-cut nozzles.



SikaBond® 5500 S

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBD5500S18	16KG	BEIGE	1	5055047210177

A one-part, solvent based, rigid adhesive for bonding wood block parquet and engineered boards onto porous substrates. SikaBond®-5500 S provides a high strength bond that is suitable for use with underfloor heating. This product is suitable for use with all types of wood.



Sika® Silent Layer Mat

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSILENT0312	12.5MTR	-	1	5055047210276
SKSILENT0316	16.66M	-	1	5055047210252
SKSILENT0513	13.33MTR	-	1	5055047210269

A high quality, polyethylene foam mat that is specifically designed to reduce the sound of footfall. Ideal for use in conjunction with SikaBond® MS Wood Floor gun grade or SikaBond® 52. Sika® Silent Layer Mat is pressure resistant and dimensionally stable.



SikaBond®
Rapid DPM


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKBORAPDPM5	5LTR	BROWN	4	5055047210603

A solvent-free, single-part, moisture curing polyurethane primer and damp proof membrane, ideal for use on cement based substrates. SikaBond® Rapid DPM can be used for priming, consolidating and sealing in various applications. This product is particularly ideal to use on absorbent and non-absorbent subfloors, consolidating weak cement screeds and isolating old adhesive residue. Can be used as DPM on subfloors under hydrostatic pressure.

**Sika® Primer**
MB


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPRIMEMB5	5KG	BLUE	1	7612894379990
SKPRIMEMB10	10KG	BLUE	1	7612894354652

A low viscosity, solvent-free, two-component epoxy resin based primer and moisture barrier for wooden floors. Suitable for use in conjunction with SikaBond® elastic adhesives on critical substrates.

**Sika® Level-01**
Acrylic Primer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV01P25	25KG	WHITE	1	7612894547856

A one-part, acrylic resin polymer which is ideal for priming and sealing concrete. This product actively seals concrete surfaces, thereby preventing the substrate from absorbing water, bubbles forming in the screed as well as improving the bond between the substrate and mortar.

**Sikafloor® EpoCem®**
Module Primer


CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKEPPM4	4KG	CLEAR	1	7611237126321

A two-component, water based, epoxy primer that is easy to use and reduces both permeability and dusting. This product is suitable for use with Sikafloor® EpoCem® mortars; when used, it improves adhesion and decreases consumption.

**Sikafloor®-81 EpoCem®**

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKFL81E23	23KG	LIGHT GREY	1	7611237126406

A three-part, epoxy modified, cementitious, fine textured mortar for use as a temporary damp proof membrane prior to the application of SikaBond® Primer MB. This product can be applied onto green concrete, flood damaged concrete or when a physical membrane does not exist. CE Marked.

**Sika®**
Tramex Hygrometer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKTRAMHYGRO	-	-	1	NO BARCODE

A pocket sized, digital hygrometer which provides a fast and accurate measurement of relative humidity, ambient temperature and dew point of the environment.

**Sika®**
Tramex Moisture Meter

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKTRAMMOIST	-	-	1	7612894067217

A hand-held, moisture meter that is designed to instantly and accurately measure moisture content in concrete/ cement screed prior to laying wood flooring.



Sikafloor®-122 Level Self Levelling Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV2025	25KG	GREY	1	5055047206316

A one-part, multi-purpose, cement based self-leveller for smoothing and levelling uneven internal rigid floors prior to applying a final wearing covering. Suitable for underfloor heating applications beneath heating systems this product is highly fluid and easy to apply.

2-4 HRS	FEATHER EDGE 6MM
TRAFFICABLE WITHIN	THICKNESS
DEPTH OF 3MM	8 HRS
5M ²	FLOOR COVERINGS
APPROX COVERAGE	
EN 13813	
CT-C30-F7	
EN CLASSIFICATION	



Sikafloor®-125 Level Latex Self Levelling Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV25LAT25	25KG	GREY	1	5055047206323

A one-part, latex modified smoothing and levelling compound with added polymer powder for improved flexibility and resilience. This product is suitable for smoothing and levelling rigid internal floors prior to applying final wearing coverings. Suitable for underfloor heating applications beneath heating systems.

2-4 HRS	FEATHER EDGE 6MM
TRAFFICABLE WITHIN	THICKNESS
DEPTH OF 3MM	8 HRS
5M ²	FLOOR COVERINGS
APPROX COVERAGE	
EN 13813	
CT-C30-F6	
EN CLASSIFICATION	



Sikafloor®-440 Level Fibre Reinforced Self Levelling Compound

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV440FB20	20KG	GREY	1	5055492702944

A one-part, fibre and polymer re-enforced, flexible, high strength heat resistant cement based levelling compound. Designed specifically for the embedment of underfloor heating elements and for use on timber floors. SikaFloor® 440 Level Fibre Reinforced can be left as a final wearing surface or may be overlaid with floor coverings.

SUITABLE FOR USE WITH	DEPTH OF 5MM		
UNDERFLOOR HEATING	2.4M ²	FINAL WEARING SURFACE	INTERIOR AND EXTERIOR
3 HRS	4-5 HRS	EN 13813	2-30mm
TRAFFICABLE WITHIN	FLOOR COVERINGS	CT-C30-F7 -AR0.5	THICKNESS
		EN CLASSIFICATION	



Sikafloor®-245 Level Deep Fill Ultra

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV245DP25	25KG	GREY	1	5055492702951

A one-part, thick bed, smoothing and resurfacing compound for levelling out highly uneven floors and screeds down to the depth of 50mm in just one coat. This product is known for its extremely low shrinkage properties and is suitable for use on internal and external floors.

3-50mm	4 HRS
THICKNESS	FLOOR COVERINGS
DEPTH OF 3MM	4 HRS
3.1M ²	TRAFFICABLE WITHIN
APPROX COVERAGE	INTERIOR AND EXTERIOR



Sikafloor®-131 Level Latex Ultra

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKLEV30ULT25	25KG	GREY	1	5055047210726

A one-part, latex modified, high-strength self leveller for smoothing and levelling uneven rigid floors. SikaFloor® 131 Level Latex Ultra may be overlaid with common floor coverings or may be left as a final wearing surface. A rapid setting heavy duty product which is suitable for both internal and external floors, this product is also strong enough to withstand vehicular traffic.

FINAL WEARING SURFACE	3 HRS
	FLOOR COVERINGS
DEPTH OF 3MM	2 HRS
5M ²	2-10mm
APPROX COVERAGE	THICKNESS



SikaCeram® Non-Slip Showerproof Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCMNS15	15KG	OFF WHITE	1	5055047209447

A ready-mixed, acrylic based paste which is suitable for use as a thin-bed ceramic tile adhesive. This product contains a blend of limestone fillers, clay, and acrylic polymers to provide advanced slip resistance and a high strength grab to ensure ceramic wall tiles and mosaics are secure. CE Marked.

	1.6kg/M ²
CREEP RESISTANT	APPROX COVERAGE



SikaCeram® Waterproof Wall Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCMWAT15	15KG	OFF WHITE	1	5055047209539

A ready-mixed, thin-bed waterproof wall tile adhesive that contains a powerful anti-fungal component, making it ideal for use in kitchens and bathrooms. SikaCeram® Waterproof Wall Tile Adhesive contains a blend of limestone fillers, clays and styrene acrylate polymers to provide a high strength and slip resistant finish. CE Marked.

		1.6kg/M ²
WATERPROOF	CREEP RESISTANT	APPROX COVERAGE



SikaCeram® Waterproof Fix & Grout Wall Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCMFIX3	3.5KG	BRILLIANT WHITE	1	5055492702005

A premium grade, waterproofing, 2-in-1 wall tile adhesive and grout. Contains a powerful, anti-mould additive to retain the whiteness. Ideal for securing ceramic wall tiles and mosaics to most interior wall surfaces. CE Marked.

		
ANTI-FUNGAL MOULD	INTERIOR USE	HIGH WATER & RAIN RESISTANCE



SikaCeram® Flexible Rapid Set Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCMRSFLEXGY20	20KG	GREY	1	5055492701060
SKCMRSFLEXWE20	20KG	WHITE	1	5055492700018

A single-part, powdered tile adhesive that is fast setting and flexible, thereby making it ideal for use with underfloor heating and in locations where some movement or vibration is expected. SikaCeram® Flexible Rapid Set Tile Adhesive is suitable for large format and porcelain tiles as well as thick or thin bed applications. CE Marked.

			0.3M ²
QUICK CURING/ DRYING	HIGH WATER & RAIN RESISTANCE	WATERPROOF	APPROX COVERAGE



SikaCeram® Rapid Set Tile Adhesive

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKCMRS20	20KG	GREY	1	5055047209652

A fast setting, cement based, water resistant, ceramic tile adhesive which is ideal when a fast setting thick or thin fixing is required. Can be grouted in just 3 hours and suitable for internal and external locations; such as bathrooms, kitchens and domestic shower areas. CE Marked.

			0.3M ²
QUICK CURING/ DRYING	HIGH WATER & RAIN RESISTANCE	WATERPROOF	APPROX COVERAGE



ADHESIVES & SEALANTS

Adhesive & Sealant Hybrid	178
Adhesives	179
Sealants	180
Specialist Sealants	181

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED




Sikaflex® EBT+

Polyurethane Adhesive, Sealant & Filler

**TRUSTED**3-IN-1 ADHESIVE,
SEALANT & FILLERPERMANENTLY
FLEXIBLE AND ELASTICWATERPROOF AND
WEATHERPROOFHIGH-GRAB,
NON-SAGPOWERED BY I-CURE
TECHNOLOGY

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKFLEXEBTWE	300ML	WHITE	12	7612894368475
SKFLEXEBTCR	300ML	CLEAR	12	5055492700780
SKFLEXEBTBG	300ML	BEIGE	12	7612894370546
SKFLEXEBTBK	300ML	BLACK	12	7612894368437
SKFLEXEBTBN	300ML	BROWN	12	7612894370560
SKFLEXEBTCY	300ML	GREY	12	7612894368451


A multi-purpose, permanently- elastic, one-part, polyurethane adhesive and sealant. Sikaflex® EBT+ bonds to all common building materials; it's excellent grab and gap filling properties makes it ideal for use in a wide range of building and maintenance applications. CE Marked.

**SikaBond®**

AT Universal

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKBDATUCY	600ML	GREY	20	7612894454291

A multi-purpose adhesive that is based on hybrid polymer Advanced Technology (AT); this product utilises a combination of polyurethane and modified silicone to provide an extra elastic bond. Provides good adhesion to both porous and non-porous surfaces.

QUICK CURING/
DRYINGHIGH WATER &
RAIN RESISTANCE


GAP FILLING

HIGH BONDING
STRENGTHINTERIOR AND
EXTERIOR

Sika® Sanisil Sanitary Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSANISILCL	300ML	CLEAR	12	3240240006050
SKSANISILWE	300ML	WHITE	12	3240240006043

A high quality, acetoxycuring, sanitary silicone containing a powerful anti-fungal compound for resistance to fungus and mildew. Sika® Sanisil is the ideal choice for sealing around baths, showers, sinks, kitchens and areas subject to high humidity levels. It can also be used for cap sealing to metal, timber, PVCu window frames. CE Marked.



Sika® Plastix-48N Contractors Grade Silicone

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPLAS48NTR	300ML	TRANSLUCENT	12	5055492701572
SKPLAS48NWE	300ML	WHITE	12	5055492701565

A contractors grade, neutral curing, silicone sealant which is suitable for many construction applications; particularly suited for façade and roofline applications. Sika® Plastix-48N Contractors is ideal for perimeter pointing of window and door frames. CE Marked.



Sika® Plastix-22A Premium LMN Silicone

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
SKPLAS22AANTH	300ML	ANTHRACITE	12	5055492701480
SKPLAS22ABK	300ML	BLACK	12	5055492701503
SKPLAS22ACHGN	300ML	CHARTWELL GREEN	12	5055492701541
SKPLAS22ACML	300ML	CARAMEL	12	5055492701527
SKPLAS22ATK	300ML	TEAK	12	5055492701466
SKPLAS22ATR	300ML	TRANSLUCENT	12	5055492701442
SKPLAS22AWE	300ML	BRILLIANT WHITE	12	5055492701428
SKPLAS22AIOA	300ML	IRISH OAK	12	5055492701800
SKPLAS22ACRM	300ML	CREAM	12	5055492701794


A premium grade, low-modulus, neutral curing silicone sealant that is ideal for glazing and roofline applications, along with other construction and industrial uses. This product's low dirt pick up makes it ideal for use with PVCu and plastics. Certified for facade, glazing, cold climate and sanitary applications. CE Marked.



Sikaflex® PRO-3 Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKPRO3BK6	600ML	BLACK	20	7612894878387
FPSKPRO3GY6	600ML	GREY	20	7612894878349
FPSKPRO3WE6	600ML	WHITE	20	7612894878400

A one-part, moisture curing, elastic joint sealant with high mechanical and chemical resistance. Sikaflex® PRO-3 is designed for use in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas. CE Marked.



Sikaflex® PRO-3 Self Levelling Polyurethane Floor Sealant

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
FPSKFLEXP3SLCCY	600ML	CONCRETE GREY	20	7612894826821


A one-component, moisture curing, self-levelling, elastic joint sealant which is based on polyurethane. Sikaflex® PRO-3 Self-Levelling is designed for horizontal applications in movement and connection joints in floors, pedestrian and traffic areas, as well as warehouses and production areas. This product is certified for use in food contact areas. CE Marked.



SikaHyflex®-250 Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
FPSKHV250FCBGY	600ML	BASALT GREY	20	7612894991093
FPSKHV250FCGGY	600ML	CONCRETE GREY	20	7612894945478
FPSKHV250FCDBGY	600ML	DARK GREY	20	7612894946819
FPSKHV250FCIV	600ML	IVORY	20	7612894991079
FPSKHV250FCWE	600ML	WHITE	20	7612894949094

A high performance, one-part, moisture curing, low-modulus sealant. SikaHyflex®-250 is designed to provide an elastic and waterproof seal on movement and connection joints in commercial building envelopes. This product possesses excellent weathering and ageing resistance along with good adhesion to many substrates. CE Marked.



Sikaflex® Floor Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKFLEXFL6	600ML	GREY	20	7612894830590

A one-component, moisture curing, elastic joint sealant with high mechanical resistance. Sikaflex® Floor is designed for connection joints in floors, joints for crack control in industrial floors and floor joints between pre-cast concrete elements. CE Marked.



Sikaflex® Construction+ Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFO	
			BOX QTY	BARCODE
FPSKFLEXCONCGY	600ML	CONCRETE GREY	20	7612894961690

A one-component, moisture curing, flexible joint sealant. Sikaflex® Construction+ is designed for movement and connection joints in concrete and masonry facades. CE Marked.



Sikaflex® Tank N Polyurethane Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
FPSKFLEXTKGY6	600ML	CONCRETE GREY	20	7612894633962


A one-component, moisture curing, elastic joint sealant based on polyurethane. Sikaflex® Tank N is designed for use in areas for the storage, handling and filling of water polluting liquids. CE Marked.



Sikasil® Pool Silicone Sealant

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSILPOOLGY	300ML	GREY	12	7612894590906
SKSILPOOLWE	300ML	WHITE	12	7612894609400

A one-component, neutral curing silicone sealant for joints located in and around swimming pools and areas under permanent water immersion.



Sika® Primer 3N

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKPRIME3N1	1LTR	TRANSPARENT (SLIGHTLY YELLOW)	1	7612894543216

A one-component, solvent based primer and adhesion promoter; designed for use on porous substrates and metals. Evaporates quickly.



Sika® Seal-415 Industrial Wipes

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKSEALWIPE100	100	-	6	5055492703514

Specially formulated to clean wet and semi-cured paint, silicone, adhesive, polyurethane, bitumen, expanding foams, epoxies, oil, grease and much more from hands, tools and surfaces. The anti-bacterial, no rinse formula makes them ideal for use on site, while the inclusion of aloe vera within the solution makes for a kinder-to-hands clean leaving skin feel conditioned and nourished.





WOOD PRESERVATIVES

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Sikagard® Universal 5 Star Wood Treatment

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGDUNIS	SLTR	CLEAR	4	5055047210344

An all-in-one, deeply penetrating, solvent-free wood treatment and preservation solution with micro-fine active technology. Contains fungicides, algacides and permethrin to actively kill and protect against all known wood rot, decay, fungi and wood boring insects.



Sikagard® Wood Preserver

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGDWPCL5	SLTR	CLEAR	4	5055047210436


A solvent-free, low-odour solution based on micro-fine active technology. Sikagard® Wood Preserver contains fungicides and algacides that are finely dispersed ensuring deep penetration and long term protection.



Sikagard® Woodworm Killer

CODE	SIZE	COLOUR	MERCHANT INFORMATION	
			BOX QTY	BARCODE
SKGDWORM5	SLTR	CLEAR	4	5055047210368

A low-solvent, low-odour solution based on micro-fine active technology with added insecticide to penetrate deep into the wood to actively and effectively kill all life stages of wood boring insects and protect against re-infestation.



For perfect pointing
on paving, paths
and patios

See page 160





FEB

Trusted products are tried & tested by leading tradespeople on the most demanding of projects

TRUSTED

Admixtures & Building Chemicals	188
Bonding Agents	190
Structural Waterproofing	191
Surface Protectors	191
Concrete Repair & Speciality Mortars	191

Febmix Admix

Air Entraining Plasticiser

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBMIX5	5LTR	DARK BROWN	4	5029347607203
FBMIX25	25LTR	DARK BROWN	1	5029347607210
FBSWMIX5	5LTR	DARK BROWN	4	5029347610791
FBSWMIX25	25LTR	DARK BROWN	1	5029347610807

Febmix Admix is an original air entraining plasticiser that replaces lime in the mix to provide an easy to work "butter like" consistency and to prevent shrinkage, cracking and crazing during the setting process. For use in brick laying and plastering mortars. Provides a degree of frost resistance and long term resistance to freeze-thaw cycles when set. There is also a South West formula specially designed for South Wales and the West Country. CE Marked. **Conforms fully with the requirements of EN 934-3:(2009) +A1 (2012).**



Febmix Plus

Air Entraining Plasticiser

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBMIXPLUS5	5LTR	RED	4	5029347607180
FBMIXPLUS25	25LTR	RED	1	5029347607197

Febmix Plus is a liquid ultra stable synthetic air entraining mortar plasticiser designed to enhance the workability and freeze thaw resistance of brick and block laying mortars. It may be used to replace or supplement the use of lime, and is designed to maintain efficiency with variations in cement and aggregate sources. CE Marked. **Conforms to EN 934-3:(2009) +A1 (2012).**




Febmix DH

Powder Mortar Plasticiser

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBMIXDH	250	BROWN POWDER	1	5029347607227

Febmix DH is a powder mortar plasticiser in a hand sachet pack form for use as an alternative to lime or as a supplement to lime to aid mortar workability in both brick laying and rendering applications. Improves frost resistance and reduces efflorescence. Use 1 sachet per 25KG bag of cement. CE Marked. **Complies with EN934-3: 2009.**




Febproof Plus

Waterproofing & Plasticiser

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBPROOFPS5	5LTR	AMBER	4	5029347607319
FBPROOFPS25	25LTR	AMBER	1	5029347607326

Febproof Plus is a waterproofing and plasticiser that provides water protection to mortar and non-structural concrete and improves workability. Suitable for use in rendering finishes and pointing mortars. Reduces the incidence of efflorescence. CE Marked. **Conforms to EN 934-3:(2009) +A1 (2012).**




Rendamix

Retarder & Plasticiser

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBRENDAS	5LTR	AMBER	4	5029347607234

Feb Rendamix is a water resisting, retarding and plasticising admixture for use in sand: cement rendering mortars. The product also acts as an inhibitor for efflorescence. CE Marked. **Conforms to EN 934-3:(2009) for air entraining properties.**




Febspeed

Accelerator & Frostproof

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBSPPEEDS	5LTR	CLEAR	4	5029347607333

Feb speed is a chlorine free liquid admixture formulated to accelerate the setting time of cement based mortar, non-reinforced concrete, renders and screeds. Also provides frost protection in the wet mortar during the setting period; even in sub-zero temperature and can also be used neat with cement as a plugging aid. CE Marked. **Tested to the requirements of EN 934-2: 2009 +A1 (2012).**




Wintamix

Accelerator & Frostproof

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBWINTAS	5LTR	CLEAR	4	5029347607258

Feb Wintamix is a chloride free, double action liquid frostproof and air entraining mortar admixture for use throughout the winter period, and also in sub-zero temperatures. Suitable for steel reinforced concrete, improves workability of mortar and increases resistance to frost in both wet and hardened state. CE Marked. **Conforms to EN934-3:2009.**




Brickclean

Cleaner & Degreasing Solution

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBBRICKCL5	5LTR	CLEAR	4	5029347607852

Feb Brickclean is a fast acting acid based cleaner and degreasing solution which dissolves mortar and cement stains, ingrained dirt and most paints on mineral surfaces such as brick, concrete, paving slabs and earthenware.



Febond
PVA

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBBONDPA1	1LTR	WHITE	12	5029347607449
FBBONDPA2	2.5LTR	WHITE	6	5029347607456
FBBONDPA5	5LTR	WHITE	4	5029347607463
FBBONDPA25	25LTR	WHITE	1	5029347607470

Febond PVA is the Original multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and construction markets. Ideal primer and sealer for concrete and plaster. **Conforms to the requirements of BS 5270-1:1989.**

 PRIMER & SEALER	 APPROX. COVERAGE
 OVER-PAINTABLE	 WATER-BASED/ CLEAN UP
 ADMIXTURE	



General Purpose PVA

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBGPPVA5	5KG	WHITE	4	5029347607487

Feb General Purpose PVA is a multi purpose quick drying PVA adhesive, sealer and bonding agent and cement admixture which has many applications in the building and DIY markets. Bonds a wide variety of building materials including wood, plaster, concrete and ceramics.

 PRIMER & SEALER	 APPROX. COVERAGE
 DOSAGE	 WATER-BASED/ CLEAN UP
 ADMIXTURE	

Febond
SBR

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBBONDSBR5	5LTR	WHITE	4	5029347607357
FBBONDSBR25	25LTR	WHITE	1	5029347607364

Febond SBR is a styrene-butadiene co-polymer latex specifically designed for use with cementitious mixes and as a reliable water resistant bonding agent. Ideal for concrete strengthening and repair, floor screeds and toppings, waterproofing and tanking.

 WATERPROOF	 APPROX. COVERAGE
 PRIMER & SEALER	 WATER-BASED/ CLEAN UP
 ADMIXTURE	

Febond Blue Grit
Plaster Bonding Agent

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBBLUE5	5LTR	BLUE	1	5029347608910
FBBLUE10	10LTR	BLUE	1	5029347608880

Febond Blue Grit is a high performance, plasterers grip coat bonding agent specifically designed to provide an improved key to smooth surfaces. Containing a fine aggregate, it provides a mechanical key to backgrounds such as plaster, concrete, painted surfaces, textured surfaces and ceramic tiles. One coat application, coloured blue to indicate coverage.

 PRIMER & SEALER	 APPROX. COVERAGE
 WATER-BASED/ CLEAN UP	

Febset 45 Rapid
High Strength Repair Mortar

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBSET45	25KG	GREY	1	5029347607630

Febset 45 is a specially formulated repair mortar, based on magnesia-phosphate cement pre-mixed with selected aggregates, which gives controlled, extremely high early strengths in temperatures ranging from -20°C up to over 30°C. Trafficable after 45 minutes. High bond strength, no primers required. CE Marked.

 INTERIOR AND EXTERIOR	 QUICK CURING/ DRYING
 HARD WEARING	 HIGH WATER & RAIN RESISTANCE

Febgrout Flowable
Anchoring Grout

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBGRTFLO25	25KG	GREY	1	5055492703156

Febgrout Flowable is a structural fluid precision grout, specifically formulated to give high strength, shrinkage compensation and vibration resistance. It's suitable for grouting equipment and machinery, bearing pads, bridge bearings, rails and stanchion base plates. It can also be used to fill cavities, voids, gaps, recesses, and sealing around penetrations. Fills gaps in concrete 10mm to 150mm wide.

 GAP FILLING	 HARD WEARING
 HIGH WATER & RAIN RESISTANCE	

Febtank Super
Waterproof Coating

MERCHANT INFORMATION				
CODE	SIZE	COLOUR	BOX QTY	BARCODE
FBTANKSGY	25KG	GREY	1	5029347607807
FBTANKTUBG	20KG	GREY	1	5029347609856

Febtank Super, when mixed with clean water, forms an extremely durable waterproof coating for concrete and masonry which is easily applied by a stiff hand brush, broom or spray. Ideal permanent waterproofing system for basements, cellars, pools, reservoirs and below ground level applications. Resists both negative and positive water pressure. CE Marked. **BBA approved. Tested to BSEN 1504-3.**

 INTERIOR AND EXTERIOR	 APPROX. COVERAGE
 HIGH WATER & RAIN RESISTANCE	 WATERPROOF



1. INTERPRETATION

In these Terms and Conditions the following expressions will have the following meanings unless inconsistent with the context:

"Bespoke Goods"

means any Goods which are made to measure, bespoke, or otherwise manufactured to a unique specification.

"Brexit"

means the United Kingdom ceasing to be a member state of the European Union.

"Buyer"

the person(s), firm or company whose order for the Goods or Services is accepted by the Company in accordance with these Terms and Conditions.

"Company"

Everbuild Building Products Limited (Company number: 02890352) whose registered office is located at Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds LS9 0SW

"Confidential Information"

means all information in respect of the business of the Company including, but not limited to, know-how, prices or other matters connected with the Goods or Services (which shall include any instructions or procedures, instruction manuals, user guides and other information which is supplied by the Company with the Goods or Services) and any other information of whatever nature which, if disclosed, will be liable to cause harm to the Company.

"Contract"

any contract between the Company and the Buyer for the sale and purchase of the Goods or Services formed in accordance with Condition 2.

"Delivery Point"

the place where delivery of the Goods is agreed to take place, as set out in the Company's written acknowledgement of order.

"Final Inspection Certificate"

A Certificate issued for the benefit of a third party at the completion of the Services.

"Goods"

any goods which the Company supplies to the Buyer (including any of them or any part of them) under a Contract.

"Guarantee"

a guarantee or Final Inspection Certificate for or related to the Goods in a form to be provided by the Company in favour of a third party nominated by the Buyer.

"Guarantee Period"

the on-going period of protection provided to a third party as set out in a Guarantee.

"Intellectual Property Rights"

all intellectual and industrial property rights including patents, know-how, registered trade marks, registered designs, utility models, applications for and rights to apply for any of the foregoing, unregistered design rights, unregistered trade marks, rights to prevent passing off for unfair competition and copyright, database rights, topography rights and any other rights in any invention, discovery or process, in each case in the United Kingdom and all other countries in the world and together with all renewals and extensions.

"Services"

any services which the Company performs for the Buyer under a Contract, which are ancillary to the supply of Goods.

"Service Point"

the place at which the Services are to be performed, as set out in the Company's written acknowledgement of order.

"Specific Delivery Requirement"

any goods, which are required to be delivered by a type of vehicle specified by the Buyer.

"Terms and Conditions"

the standard terms and conditions of sale set out in this document together with any special terms agreed in writing between the Buyer and the Company.

"Trademark"

the SARNAFIL trademark registered in the United Kingdom under trademark number 10462240.

"Working Day"

any day other than Saturday or Sunday or a public or bank holiday in England.

2. FORMATION AND INCORPORATION

2.1 Subject to any variation under Condition 14.5, the Contract will be upon these Terms and Conditions, to the exclusion of all other terms and conditions and all previous oral or written representations including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order or similar document, whether or not such document is referred to in the Contract.

2.2 Each order or acceptance of a quotation for Goods or Services will be deemed to be an offer by the Buyer to purchase Goods or Services upon these Terms and Conditions. The Contract is formed when the Buyer receives confirmation that the order is accepted by the Company. Such confirmation may either be given orally or in writing. No contract will come into existence until such confirmation has been given by the Company.

2.3 The Buyer must ensure that the terms of its order and any applicable specification are complete and accurate.

2.4 Acceptance of delivery of the Goods or commencement of the performance of the Services will be deemed conclusive evidence of the Buyer's acceptance of these Terms and Conditions.

2.5 Subject to Condition 6.5, the Buyer may not cancel the Contract. The Company may cancel the Contract at any time prior to delivery of the Goods or commencement of the performance of the Services.

3. DESCRIPTION OF THE GOODS AND SERVICES

3.1 The description of the Goods will be as set out in the Company's price list. All samples, drawings, descriptive matter, specifications and advertising issued by the Company and any descriptions or illustrations contained in the Company's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods represented by or described in them. They will not form part of the Contract and this is not a sale by sample.

3.2 The Company may make any change to the specification, design, materials or finishes of the Goods which are:

- 3.2.1 required to conform with any applicable safety, statutory or regulatory requirement; or
- 3.2.2 do not materially affect their quality or performance.

3.3 The Company will only perform Services which are ancillary to, or relating to, Goods provided under a Contract.

3.4 The Services will only be performed by the Company at the Service Point.

3.5 The Company shall use all reasonable endeavours to perform the Services:

- 3.5.1 to the standard required for the issue of a Final Inspection Certificate;
- 3.5.2 promptly, but time shall not be the essence for the performance of the Services.

3.6 The Company shall have the right to make any changes to the Services which are necessary to comply with applicable safety, statutory or regulatory requirements, or which do not materially affect the nature or quality of the Services, and the Company shall notify the Buyer in any such event.

4. PRICE AND PAYMENT

4.1 The price for the Goods or Services will be the price set out in the Company's published price list current at the date of delivery of Goods or performance of Services or as otherwise notified by the Company to the Buyer prior to the Contract being made. Orders for Goods valued below £2000 (before VAT) are exclusive of any costs of packaging and carriage, VAT and any other applicable sales tax or duty which will be added to the sum in question. Orders for Goods valued greater than £2000 (before VAT) and which are to be dispatched from the Company's warehouse within the United Kingdom are inclusive of any costs of packaging and carriage within the United Kingdom but exclusive of VAT and any other applicable sales tax or duty which will be added to the sum in question.

4.2 The Company may invoice the Buyer for the Goods on or at any time after dispatch, or for the Services on or at any time after performance commences and payment is due in pounds sterling by the last day of the next calendar month following the date of invoice, or upon termination of the Contract, whichever occurs first.

4.3 Time for payment will be of the essence. No payment will be deemed to have been received until the Company has received cleared funds.

4.4 All payments to be made by the Buyer under the Contract will be made in full without any set-off, restriction or condition and without any deduction for or on account of any counterclaim.

4.5 If any sum payable under the Contract is not paid when due then, without prejudice to the Company's other rights under the Contract, that sum will bear interest from the due date until payment is made in full, both before and after any judgment, at a combined rate of the Bank of England base rate from time to time and the rate provided by the Late Payment of Commercial Debts (Interest) Act 1998 amended from time to time, and the Company will be entitled to suspend deliveries of the Goods or performance of the Services until the outstanding amount has been received.

4.6 The Company reserves the right to recoup any sum, resulting from costs incurred from legal proceedings to recover the sum payable under the Contract.

4.7 Any invoice queries must be communicated to the Company within 10 (ten) Working Days of receipt of the invoice by the Buyer.

5. INSTALMENTS

The Company may deliver the Goods, or perform Services, by separate instalments. Each instalment will be a separate Contract and no cancellation or termination of any one Contract relating to an instalment will entitle the Buyer to repudiate or cancel any other Contract or instalment unless otherwise notified by the Company. Each separate instalment will be invoiced and paid for in accordance with the provisions of the Contract.

6. DELIVERY OF GOODS

6.1 Delivery of the Goods within the UK mainland will be CPT Delivery Point INCOTERMS 2010 (save that carriage may be charged to the Buyer in accordance with Condition 6.4 and/or Condition 6.5).

6.2 Delivery of the Goods to Northern Ireland, the Scottish Isles, the Channel Islands or the Isle of Man will be made FOB Delivery Point INCOTERMS 2010.

6.3 Delivery of the Goods outside the UK will be made FAS Delivery Point INCOTERMS 2010, except that risk shall pass to the Buyer at the time that the Goods leave the Company's premises.

6.4 Delivery of the Goods will be accepted at any time of day. At the sole discretion of the Company, overnight deliveries or deliveries at specified times may be agreed in certain circumstances. Notwithstanding condition 6.1, such deliveries shall be subject to an additional charge being raised by the Company. If the Buyer fails to take delivery, or provide any necessary documents, the Goods will be deemed to have been delivered and the Company, without prejudice to its other rights, may at its option:

6.4.1 store or arrange for storage of the Goods until actual delivery or sale and charge the Buyer for all related costs and expenses (including, without limitation, storage and insurance); and/or

6.4.2 following written notice to the Buyer, sell any of the Goods at the best price reasonably obtainable in the circumstances and charge the Buyer for any shortfall below the price under the Contract. Excessive waiting times may also be charged to the Buyer in certain circumstances.

6.5 The Company will use reasonable endeavours to deliver Goods 5 (five) Working Days after the date on which the order is confirmed by the Company, but the time of delivery will not be of the essence of a Contract. Notwithstanding condition 6.1, carriage will be charged on deliveries required within 5 (five) Working Days, or deliveries with specific time or vehicle type stipulations. If, despite those endeavours, the Company is unable for any reason to fulfil any delivery of Goods on a specified date, the Company will be deemed not to be in breach of the Contract, nor (for the avoidance of doubt) will the Company have any liability to the Buyer for direct, indirect or consequential loss (all three of which terms includes, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused (including as a result of negligence) by any delay or failure in delivery of Goods except as set out in this condition. Any delay in delivery of Goods will not entitle the Buyer to cancel the order unless and until the Buyer has given 10 (ten) Working Days' written notice to the Company requiring the delivery of the Goods and the Company has not fulfilled the delivery of the Goods within that period. If the Buyer cancels the order in accordance with this Condition 6.5 then, save as excluded under Condition 6.6:

6.5.1 the Company will refund to the Buyer any sums which the Buyer has paid to the Company in respect of the Goods which have been cancelled;

6.5.2 and the Buyer will be under no liability to make any further payments under Condition 4 in respect of the Goods that have been cancelled.

6.6 Notwithstanding, the provisions of Condition 6.5, the Company will be under no obligation to:

6.6.1 to refund the Buyer any sums which the Buyer has paid to the Company in respect of the Bespoke Goods which have been cancelled under Condition 6.5; and

6.6.2 to waive any outstanding further payments due by the Buyer in respect of Bespoke Goods which have been cancelled under Condition 6.5.

6.7 The Buyer will provide at its expense at the Delivery Point adequate and appropriate equipment and manual labour for off-loading the Goods.

6.8 A £10.00 handling charge will be made in addition to the carriage charge for overnight dispatch of Goods. This service is offered as resources allow and is subject to available transport.

6.9 The type of vehicle used to deliver Goods and the method of packaging of the Goods for delivery will be at the discretion of the Company.

6.10 Any change required by the Buyer to the delivery vehicle and/or the method of packaging the Goods for delivery selected by the Company will constitute a Specific Delivery Requirement. The Buyer will incur any additional costs for a Specific Delivery Requirement.

6.11 The Buyer will provide a full and correct address, including postcode, for the delivery of the Goods.

7. RISK/TITLE IN THE GOODS

7.1 Risk of damage to or loss of the Goods will pass to the Buyer in accordance with Condition 6.

7.2 Ownership of the Goods will not pass to the Buyer until the Company has received in full (in cash or cleared funds) all sums due to it in respect of:

- 7.2.1 the Goods; and
- 7.2.2 all other sums which are or which become due to the Company from the Buyer on any account, whether for Goods or Services.

7.3 Until ownership of the Goods has passed to the Buyer, the Buyer must:

7.3.1 hold the Goods on a fiduciary basis as the Company's bailee;

7.3.2 store the Goods (at no cost to the Company) separately from all other Goods of the Buyer or any third party in such a way that they remain readily identifiable as the Company's property;

7.3.3 not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and

7.3.4 maintain the Goods in satisfactory condition insured on the Company's behalf for their full price against all risks to the reasonable satisfaction of the Company, and will where requested by the Company produce a copy of the policy of insurance.

7.4 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions:

7.4.1 any sale will be effected in the ordinary course of the Buyer's business at full market value and the Buyer will account to the Company accordingly; and

7.4.2 any such sale will be a sale of the Company's property on the Buyer's own behalf and the Buyer will deal as principal when making such a sale.

7.5 The Buyer's right to possession of the Goods will terminate immediately if any of the circumstances set out in Condition 11.1 occur.

7.6 The Company will be entitled to recover payment for the Goods notwithstanding that title in any of the Goods has not passed from the Company.

7.7 The Buyer grants the Company, its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them, or, where the Buyer's right to possession has terminated, to recover them.

7.8 Where the Company is unable to determine whether any Goods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer will be deemed to have sold all goods of the kind sold by the Company to the Buyer in the order in which they were invoiced to the Buyer.

7.9 On termination of the Contract, howsoever caused, the Company's (but not the Buyer's) rights contained in this Condition 7 will remain in effect.

8. LIABILITY OF COMPANY

8.1 The Company will, free of charge, within a period of 12 months from the date of delivery of Goods, or where a Guarantee has been issued, for the Guarantee Period, which are proved to the reasonable satisfaction of the Company to be missing, damaged or defective due to defects in material or design (other than a design made, furnished or specified by the Buyer), repair, or at its option provide or replace, such Goods. This obligation will not apply where:

8.1.1 the Goods have been improperly altered in any way whatsoever, or have been subject to misuse or unauthorised repair;

8.1.2 the Goods have been improperly installed or connected;

8.1.3 any maintenance requirements relating to the Goods have not been complied with;

8.1.4 the Buyer has failed to notify the Company of any defect(s) or missing item(s) from the order acknowledgement within 48 hours of delivery where the defect(s) or missing item(s) should be apparent on reasonable inspection, or within 48 hours of the same coming to the knowledge of the Buyer where the defect(s) or missing item(s) is not that which should be apparent on reasonable inspection, and in any event no later than 12 months from the date of delivery.

8.1.5 where a guarantee has been issued, and has been breached by the third party beneficiary of the Guarantee within the Guarantee Period

8.2 Any Goods which have been replaced by the Company will belong to the Company. Any repaired or replacement Goods will be liable to repair or replacement under the terms specified in Condition 8.1 for the unexpired portion of the 12 month period from the original date of delivery of the replaced Goods or where a Guarantee has been issued, for the Guarantee Period.

8.3 In the event of any breach of the Company's express obligations under Conditions 6.5, 8.1 and 8.2 above the remedies of the Buyer will be limited to damages.

8.4 The Company does not exclude its liability (if any) to the Buyer:

8.4.1 for breach of the Company's obligations arising under section 12 Sale of Goods Act 1979 or section 2 Supply of Goods and Services Act 1982;

8.4.2 for personal injury or death resulting from the Company's negligence;

8.4.3 under section 2(3) Consumer Protection Act 1987;

8.4.4 for any matter which it would be illegal for the Company to exclude (or to attempt to exclude) its liability; or

8.4.5 for fraud.

8.5 Except as provided in Conditions 6.5 and 8.1 to 8.4, the Company's liability to the Buyer, whether in contract, tort (including negligence), breach of statutory duty, restitution (or otherwise) for any injury, death, damage or direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss) howsoever caused arising out of or in connection with:

8.5.1 any of the Goods, or the manufacture or sale or supply, or failure or delay in supply, of the Goods by the Company or on the part of the Company's employees, agents or sub-contractors;

8.5.2 any of the Services, or their performance, or failure or delay in performance, of the Services by the Company or on the part of the Company's employees, agents or sub-contractors;

8.5.3 any breach by the Company of any of the express or implied terms of the Contract;

8.5.4 any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods;

8.5.5 any use made by the Buyer of any of the Services, or of any product incorporating any of the Services; or

8.5.6 any statement made or not made, or advice given or not given, by or on behalf of the Company or otherwise under the Contract, shall be limited to the invoiced value of the Goods.

8.6 Except as set out in Conditions 6.5 and 8.1 to 8.5, the Company hereby excludes to the fullest extent permissible in law, all conditions, warranties and stipulations, express (other than those set out in the Contract) or implied, statutory, customary or otherwise which, but for its exclusion, would or might subsist in favour of the Buyer.

8.7 Each of the Company's employees, agents and sub-contractors may rely upon and enforce the exclusions and restrictions of liability in Conditions 6.5 and 8.1 to 8.5 in that person's own name and for that person's own benefit, as if the words "its employees, agents and sub-contractors" followed the word Company wherever it appears in those conditions save each reference in Condition 8.5.1.

8.8 The Buyer agrees to indemnify, keep indemnified and hold harmless the Company from and against all costs (including the costs of enforcement), expenses, liabilities (including any tax liability), injuries, direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and like loss), damages, claims, demands, proceedings or legal costs (on a full indemnity basis) and judgments which the Company incurs or suffers as a consequence of a direct or indirect breach or negligent performance or failure or delay in performance by the Buyer of the terms of the Contract. Where a Guarantee has been issued, such indemnity shall continue until the end of the Guarantee Period.

9. GUARANTEE

9.1 Where the Company provides a Warranty additional to the guarantee in Condition 8 hereof, the Buyer may request that the Warranty be provided in favour of an interested third party nominated by the Buyer.

9.2 The Warranty shall be on such terms and in such form as the Company considers appropriate.

9.3 The Warranty shall only be provided when all payments due from the Buyer have been received and if in association with a Final Inspection Certificate, when the Company has been given all reasonable opportunity to carry out a technical audit.

9.4 The Buyer acknowledges that in the event of a claim being brought against the Company under, and in accordance with the terms of a Warranty, which is solely or partially due to the installation of the Goods not having been carried out in accordance with the Company's recommendations or with the skill and care expected of an experienced contractor, the Buyer shall indemnify the Company and shall:

9.4.1 recognise the continuing obligations of the Company and the Buyer to remedy defects in the Goods for the Guarantee Period; and

9.4.2 not seek to rely on and, if and to the extent necessary, expressly waive any entitlement to rely on the provisions of the Limitation Act 1980 in defence of such claim.

10. FORCE MAJEURE

The Company will not be liable to the Buyer for any failure or delay or for the consequences of any failure or delay in performance of the Contract, if it is due to any event beyond the reasonable control of the Company including, without limitation, acts of God, war, industrial disputes, protests, fire, tempest, explosion, an act of terrorism and national emergencies and the Company will be entitled to a reasonable extension of time for performing such obligations in such circumstances.

11. TERMINATION

11.1 The Company may by written notice terminate the Contract immediately if the Buyer:

11.1.1 is in material breach of any of the terms of the Contract. Failure to pay any sums due in accordance with Condition 4.2 is a material breach of the terms of the Contract which is not capable of remedy.

11.1.2 becomes bankrupt, insolvent, makes any composition with his creditors, has a receiver appointed under the Mental Health Act 1983 or dies;

11.1.3 has any restraint, execution or other process levied or enforced on any of its property;

11.1.4 ceases to trade or appears in the reasonable opinion of the Company likely or is threatening to cease trade;

or

11.1.5 the equivalent of any of the above occurs to the Buyer under the jurisdiction to which the Buyer is subject.

11.2 The Company may terminate the Contract in accordance with Condition 14.14.

11.3 The termination of the Contract howsoever arising is without prejudice to the rights, duties and liability of either the Buyer or the Company accrued prior to termination. The conditions which expressly or impliedly have effect after termination will continue to be in force notwithstanding termination, which shall include but shall not be limited to, the Buyer's obligations in relation to any Guarantee.

12. INTELLECTUAL PROPERTY

12.1 No right or licence is granted to the Buyer in respect of the existing Intellectual Property Rights of the Company, except the right to use, or re-sell the Goods in the Buyer's ordinary course of business.

12.2 All Intellectual Property Rights in or arising out of or in connection with the performance of Services shall be owned by the Company.

12.3 The Buyer will not without the Company's prior consent allow the Trademark or any other trade marks of the Company or other words or marks applied to the Goods to be obliterated, obscured or omitted nor will he add any additional marks or words.

13. DISTRIBUTION

13.1 If the Buyer purchases the Goods and resells them then the Company shall have no liability for nor shall any indemnity from the Company to the Company in these terms apply to any liability of the Buyer to the extent that such liability would not have existed had the Buyer sold the goods upon terms no less favourable than these terms and conditions.

14. GENERAL

14.1 Time for performance of all obligations of the Buyer is of the essence. Time for performance of all obligations of the Company is not of the essence.

14.2 Each right or remedy of the Company under the Contract is without prejudice to any other right or remedy of the Company whether under the Contract or not.

14.3 If any condition or part of the Contract is found by any court, tribunal, administrative body or authority competent jurisdiction to be illegal, invalid or unenforceable then that provision will, to the extent required, be severed from the Contract and will be ineffective, without, as far as is possible, modifying any other provision or part of the Contract and this will not affect any other provisions of the Contract which will remain in full force and effect.

14.4 No failure or delay by the Company to exercise any right, power or remedy will operate as a waiver of it, nor will any partial exercise preclude any further exercise of the same, or any other right, power or remedy.

14.5 Save as set out in the Contract and Condition 8.1.5, these Terms and Conditions may only be varied or amended in writing and signed by a senior manager of the Company.

14.6 The Company may assign, delegate, license, hold on trust or sub-contract all or any part of its rights or obligations under the Contract.

14.7 The Contract is personal to the Buyer who may not assign, delegate, license, hold on trust or sub-contract all or any of its rights or obligations under the Contract without the Company's prior written consent.

14.8 The Contract contains all the terms which the Company and the Buyer have agreed in relation to the Goods and/or Services and supersedes any prior written or oral agreements, representations or understandings between the parties relating to such Goods and/or Services. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Company which is not set out in the Contract. Nothing in this Condition 14.8 will exclude any liability which one party would otherwise have to the other party in respect of any statements made fraudulently.

14.9 Save as set out in Condition 8.7 the parties to the Contract do not intend that any of its terms will be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person not a party to it.

14.10 Any notice in connection with the Contract will be in writing addressed to the other party at its registered office, or principal place of business and will be delivered by hand, or first class or special delivery post or Airmail. The notice will be deemed to have been duly served, if delivered by hand, when left at the proper address for service or if made by pre-paid, first class post or special delivery post, 48 hours after being posted or in the case of Airmail, 14 days after being posted.

14.11 The formation, existence, construction, performance, validity and all aspects whatsoever of the Contract or of any term of the Contract will be governed by English law. The English courts will have exclusive jurisdiction to settle any dispute which may arise out of, or in connection with the Contract. The parties agree to submit to that jurisdiction.

14.12 Where Part II of the Housing Grants, Construction and Regeneration Act 1996 applies, either party may refer any dispute or difference arising under this Agreement to adjudication. The adjudication procedure and the agreement for the appointment of an adjudicator shall be set out in the Model Adjudication Procedures published by the Construction Industry Council current at the date of reference. The nominating body shall be the Technology and Construction Solicitors' Association or any successor organisation.

14.13 The Buyer will keep confidential any and all Confidential Information that it may acquire. The Buyer will not use the Confidential Information for any purpose other than to perform its obligations under the Contract. The Buyer will ensure that its officers and employees comply with the provisions of this Condition 14.13. The obligations on the Buyer set out in this Condition will not apply to any information which is publicly available or becomes publicly available through no act or omission of the Buyer or if the Buyer is required to disclose by order of a court of competent jurisdiction.

14.14 Where a Brexit Trigger Event occurs (as defined

NUMBERS >

101 Multi Purpose Putty	67
103 Trowel Mastic	67
105 EpoxySet	66
113 Plumbers Putty	139
115 GP Building Mastic	8
125 One Hour Caulk	8
145 Butyl Rubber Sealant	9
175 Universal Acrylic	9
195 Siliconised Acrylic	9
2 Part Wood Filler	108
200 Contractors LMA Silicone	9
201 Mortar Admix	52
202 Integral Liquid Waterproof	52
203 Accelerator & Frostproof	52
204 Evermix 3 In 1	52
206 Strike Release Oil	53
207 Zeromix C.F.F	53
208 Powder Mortar Tone	53
209 Liquid Mortar Tone	53
225 Industrial & Glazing Silicone	10
30 Minute PU Wood Adhesive Gel	38
30 Minute PU Wood Adhesive Liquid	38
335 Construction Silicone	10
401 Brick & Patio Cleaner	58
402 Water Seal	58
403 Concrete Hardener & Dustproof	60
404 Fungicidal Wash	57
405 Path & Patio Seal	58
406 Stabilising Solution	60
407 Mortar Stain Remover	60
408 Super Seal	58
409 Block-Guard	56
45 Minute PU Wood Adhesive Liquid	38
450 Builders Silicone	10
5 Minute PU Wood Adhesive Gel	37
5 Minute PU Wood Adhesive liquid	37
500 Bath & Sanitary Silicone	10
501 PVA Bond	50
502 All Purpose Weatherproof Wood Adhesive	37
503 SBR Bond	50
505 Plasterers Gripcoat	51
506 Contractors PVA	50
507 Rendagrip	51
565 Clean Room Silicone	11
700T LMN Silicone	11
701 Non-Slip Tile Adhesive	90
702 Water Resistant Tile Adhesive	90
703 Fix & Grout	90
704 Super White Powder Wall Tile Grout	93
705 Rapid Set Tile Adhesive	91
708 Febflor Universal	64

709 Febflor Latex Plus	65
710 Febflor Flexiplus	65
711 Rapid Set Flexiplus	91
714 Whiteset Flexiplus	91
730 Universal Flexible Hygienic	93
901 Black Bitumen Paint	78
902 Bitumen Flashing & Primer	78
903 Bitumen Trowel Mastic	78
904 Roof Felt Adhesive	78
905 All Weather Roof Coating	79
906 Bitumen Roofing Emulsion	79
907 Solar Reflective Paint	79
908 DPM	79
A >	
AC50 Acoustic Sealant & Adhesive	11
AC95 Intumescent	14
All Purpose Powder Filler	107
All Purpose Ready Mixed Filler	105
American Duct Tape	117
Anchorset Green	68
Anchorset Nozzle	69
Anchorset Red	69
Anti Pick 109	23
Aqua Mate	12
Aquaseal Waterproof Tanking Membrane	89
Aquaseal Wet Room Kit	88
Aquaseal Wet Room Tape	89
B >	
B1 FireFoam	99
B2 FireFoam	99
Barrier Tape	121
Bath & Kitchen Sealant	15
Bath & Kitchen Sealant Easi-Squeeze	15
Black Jack Flashing DIY	77
Black Jack Flashing Trade	77
Boiled Linseed Oil	113
Brush Cleaner	111
Brush Restorer	111
C >	
Caulk Once	7
Cemstrip	59
Clear Fix	33
Clear Varnish	85
Clear Weatherproof Tape	119
Constructa-Pro	97
Cotton Dust Sheets	110
Coving Adhesive	17
Creocote	83

D >	
D4 Wood Adhesive	37
Deep Gap Filler	105
Dual Purpose Foam Cleaner	98
E >	
EB25	28
EpoxySet NF	66
Euro Scrim	123
Evercrl Emergency Roof Repair Cart	75
Evercrl One Coat	74
Exact Gap Foam	96
External Frame Sealant	17
F >	
Feb Brickclean	191
Feb General Purpose PVA	193
Feb Rendamix	191
Feb Wintamix	191
Febgrout Flowable	61
Febgrout Flowable	193
Febmix Admix	190
Febmix DH	190
Febmix Plus	190
Febmix SW	190
Febond Blue-Grit	192
Febond PVA	192
Febond SBR	192
Febproof Plus	190
Febset 45	61
Febset 45	193
Febsspeed	191
Febtank Super	61
Febtank Super	193
Fill & Skim	107
Fill Once	104
Filler Coat	107
Fine Surface Filler	105
Fire Mate	14
Fire Sealant 300	22
Fire Sealant 400	22
Firespan Intumescent Pads	14
Fix & Fill	96
Flexible Decorators Filler	15
Flexible Decorators Filler Easi-Squeeze	15
Floor Paint	70
Floor Varnish	85
Flue Jointing Compound	133
Foil Pack Applicator Gun	19
Foil Pack Spare Nozzles & Push Disc	19
Forever White	6
Forever White Grout	92
Forever White Grout Reviver	92

G >	
Gaffa Tape	118
Galva Mate	12
Gator Glue	36
General Purpose Silicone	15
General Purpose Silicone Easi-Squeeze	15
Glass Cleaner	128
Glass Protector	103
Graffiti Remover	129
Griptide	31
Gun A Nail Extra	31
Gun A Nail Standard	31
H >	
Hand Cleaner	129
Heat Mate	13
Heat Resistant Paint	134
Heat Resistant Plaster	135
Heat Resistant Silicone	135
Heatproof Screed	135
Heavy Duty Double Sided Tape	122
Heavy Duty Wonder Wipes	127
Hybriflex 25LM	24
Hybriflex 40	24
Hybriflex 480	24
Hybriflex 55	24
Hybriflex FR	25
Hybriflex SMP	25
I >	
Industrial Superglue GP	40
Industrial Superglue HV	40
Instant Nails	17
Instant Nails Easi-Squeeze	17
J >	
Jetcem Deep Rapid Repair Sand & Cement	62
Jetcem Plaster Rapid Repair	63
Jetcem Rapid Repair Cement	62
Jetcem Waterproof Rapid Repair Cement	62
Joint Backer Rod	22
Jumbo Sealant Gun	18
K >	
KOS Fire Cement	132
KOS Fire Cement - Cartridge	133
KOS Flue Cement	133
L >	
Laminated Dust Sheets	110
Lead Mate	13
Lead Mate Patination Oil	75
Low Tack Masking Tape	120
Liquid Roof	76
Lumberjack 160 Woodbond	46
Lumberjack 550 Floor Adhesive	46

Lumberjack 650 Floor Adhesive	46
M >	
Mammoth Aluminium Tape	118
Mammoth Builders PVC Tape	118
Mammoth Spray Adhesive	122
Masking Tape	120
Masonry Dry Rot Treatment	83
Maximum Torque	34
Mega Tape	118
Methylated Spirit	112
Mirror Mate	33
Mitre Fast Activator	41
Mitre Fast Adhesive	41
Mitre Fast Kit	41
MP Wood Filler	108
Multi Stick	32
Multi-Purpose Double Sided Tape	122
N >	
No Waste Foam	97
O >	
Oil Away	59
One Coat General Purpose Render	63
One Strike Ready Mixed Filler	106
One Strike Ready Mixed Filler Cartridge	106
Opti-Mix 3-In-1 Render Additive	55
Opti-Mix Integral Waterproof	54
Opti-Mix Mortar Plasticizer	54
Opti-Tone Cement Colourant Black	55
Overlap & Border Adhesive	113
P >	
P11 System Cleanser	138
P14 System Inhibitor	138
P16 Pipe Cement	139
P18 Gas Leak Detector	139
P20 Flux Soldering Paste	139
P45 Medium Duty Foam Gun	98
P65 Heavy Duty Foam Gun	98
Packaging Tape	121
Paper Wipe Roll	128
Patio Wizard	57
Pinkgrip	30
Pinkgrip Dry Fix Applicator Gun	35
Pinkgrip Dry Fix FR	35
Pinkgrip Solvent Free	30
Plumbers Gold	138
Polythene Dust Sheets	110
Power Pro Sealant Gun	18
Powerful Grip Tape	116
Pro Blue Masking Tape	120
Pro Point Gun Kit	63
Pro-Fill	109
Professional Gun Grade Foam	97

Professional Sealant Gun	18
Puraflex 25	25
Puraflex 40	25
PVC Cream Cleaner	128
PVC Hazard Tape	121
PVC Solvent Cleaner	128
PVCu Acti-Spray	41
Pyro Mate	14
Q >	
Quick Mac Instant Tarmacadam	63
R >	
Raw Linseed Oil	113
Resiblock Indian Sandstone Sealer	163
Resiblock Superior	163
Resiblock Trade	163
Roll & Stroll Carpet Protector	102
Roll & Stroll Contract Carpet Protector	103
Roll & Stroll Hard Surface Protector	103
Roll & Stroll Textured Carpet Protector	103
Roof & Gutter Sealant	16
S >	
Safer Spirit	112
Salt Away	59
Seal Rite Smooth-Out Tool	20
Seal Rite Strip-Out / Smooth-Out Twin Pack	20
Seal Rite Strip-Out Tool	20
Shed & Fence Mate	83
Showerproof Bathroom Silicone	16
Sika Accelerator	151
Sika AnchorFix-1	157
Sika Block Paving Seal	162
Sika Brick & Patio Cleaner	165
Sika Concrete Crack Repair	157
Sika Damp Proofing Slurry	147
Sika Dustproof	165
Sika FastFix All Weather	160
Sika Level-01 Acrylic Primer	170
Sika MaxMix Cement Colour	153
Sika MaxMix Frostproof & Accelerator	153
Sika MaxMix Mortar Plasticiser	153
Sika MaxMix Waterproof	153
Sika MonoTop-115 GP	154
Sika MonoTop-610	154
Sika MonoTop-614F	154
Sika MonoTop-615	155
Sika MonoTop-620	155
Sika MonoTop-630 Rapid	156
Sika Mould Buster	165
Sika Multiseal	147
Sika Patio Seal	162
Sika Plastix 22A	180
Sika Plastix 48N	180

Sika Primer 3N	183	Sikafloor-122 Level	172	Surveyline	70
Sika Primer MB	170	Sikafloor-125 Level Latex	172	T >	
Sika Proof	151	Sikafloor-131 Level Latex Ultra	173	Tarmac Restorer	59
Sika Release Oil	152	Sikafloor-245 Level Deep Fill Ultra	173	Tarpaulin	110
Sika Rendermix	151	Sikafloor-440 Level Fibre Reinforced	172	Teak Oil	113
Sika Sanisil	180	Sikafloor-81 EpoCem Mortar	171	Thermofoam	96
Sika Setting Sand	162	Sikagard 112 Mortar & Brick Cleaner	164	Threadlock GP	40
Sika Silent Layer Mat	169	Sikagard Universal 5 Star Wood Treatment	186	Timber & Laminate Sealant	16
Sika Stone Protector	163	Sikagard Wood Preserver	186	Trafficline	70
Sika Tramex Hygrometer	171	Sikagard Woodworm Killer	186	Triple Action Wood Treatment	82
Sika Tramex Moisture Meter	171	SikaGrout-111 GP	154	Turps Substitute	112
Sika Water Repel+	157	SikaHyflex-250	181	W >	
Sika Water Seal	164	Sikalastic-1K	146	Wallcovering Adhesive	113
Sika Wintermix	152	SikaMix Plus Mortar Plasticiser	151	Wallpaper Adhesive	113
Sika-1 Finishing Mortar	145	SikaMur InjectoCream-100	147	Wallpaper Stripper	112
Sika-1 Render Mortar	144	SikaSeal-415 Industrial Wipes	183	Weather Mate	12
Sika-1 Screed Mortar	145	SikaSeal Decorators Caulk	178	Wet Rot Wood Hardener	109
Sika-1 Spritz & Bonding Coat Mortar	144	Sikasil Pool	183	White Spirit	112
Sika-1 Waterproofer	142	Silicone 825	21	Wonder Wipes	126
Sika-2 Water Plug	146	Silicone 950	23	Wonder Wipes Spray	127
Sika-4 Rapid Setting	146	Silicone Eater	12	Wood Filler Hardener Catalyst	109
Sika-4A Water Stop	146	Silicone HM 60	23	Wood Preserver	82
SikaBond AT Universal	179	Silicone HM 60	23	Wood Stain	84
SikaBond Contractors PVA	150	Silicone S50	22	Woodworm Killer	82
SikaBond MS Foil	167	Silicone Spray	129	X >	
SikaBond MS Wood Floor	166	Silweld	119	XL Fire Cement	133
SikaBond PVA	150	Smart Tack Bulk	45	XT44 Multi Spray	129
SikaBond Rapid DPM	170	Smart Tack Bulk Gun	45		
SikaBond SBR+	150	Smart Tack Bulk Hose	45		
SikaBond Waterproof PVA	150	Smart Tack Handy	45		
SikaBond Wood Flooring Kit	169	Stain Block	112		
SikaBond-52	168	Standard Nozzles	20		
SikaBond-54	168	Stick 2 All Purpose Contact Adhesive	39		
SikaBond-55005	169	Stick 2 All Purpose Superglue Bottle	44		
SikaBond®-151	168	Stick 2 All Purpose Superglue Tube	44		
SikaCeram Fix & Grout Tile Adhesive	174	Stick 2 Carpet Fix Spray Adhesive	39		
SikaCeram Non-Slip Tile Adhesive	174	Stick 2 Contact Adhesive	42		
SikaCeram Rapid Set Flexible	175	Stick 2 Epoxy Putty	43		
SikaCeram Rapid Set Tile Adhesive	175	Stick 2 Epoxy Putty Aqua	43		
SikaCeram Waterproof Tile Adhesive	174	Stick 2 Hard Plastic Adhesive	42		
SikaCim No Crack Concrete	152	Stick 2 Rapid Epoxy Metal	44		
Sikadur -31 EF Normal	155	Stick 2 Rapid Epoxy Syringe	43		
Sikadur Epoxy Repair Kit	155	Stick 2 Rapid Epoxy Tube	43		
Sikadur-33	157	Stick 2 Spray Contact Adhesive	39		
Sikaflex 11FC+	163	Stick 2 Superglue Gel	44		
Sikaflex Construction+	182	Stick 2 Textile Adhesive	42		
Sikaflex EBT+	178	Stick 2 Touch Up Enamel	44		
Sikaflex Floor	182	Stixall Extreme Power	29		
Sikaflex PRO-3	181	Stixall Extreme Power Easi Squeeze	29		
Sikaflex PRO-3 Self Levelling	181	Sugar Soap Liquid	111		
Sikaflex Tank N	182	Sugar Soap Powder	111		
Sikafloor EpoCem Primer	171	Superflow Sealant Gun	19		
		Superglue De-bonder	40		

Acetoxy – A product that cures by a reaction with moisture in the air, giving off an odour of Acetic Acid or vinegar. Acetoxy cure sealants shouldn't be used when they are primarily in contact with alkaline substrates such as concrete.

Acrylic – Water based sealants which cure through the loss of water into the substrate. These products are commonly used for interior finishing and can be overpainted once cured.

CE

CE – There are four main types of approval under the sealant CE Mark:

- F** – Façade use which is split into two sub categories with FINT meaning internal use only and F EXT INT meaning the product can be used both internally and externally. F EXT INT is then split into various classifications:

P – Plastic which means the product has limited elastic recovery and behaves more like a plastic bag.

E – Elastic which means the product behaves more like an elastic band.

HM – High Modulus.

LM – Low Modulus.

- G** – Glazing use.

- S** – Sanitary use which is only approved for internal use and is split into two sub categories S and XS with the latter being the more stringently tested of the two. A number will always follow the S or XS with 1 showing the least biological growth and 3 showing the most, basically meaning S3 is the lowest classification and XS1 is the highest.

- PW** – Pedestrian Walkway use.

Fire Rating – The measure of a sealants ability to maintain its insulation and integrity in a joint when exposed to fire.

Hybrid Polymers / MS – This is the next generation technology combining a sealant and adhesive into one product which can be used on most porous and non-porous materials giving them an almost unlimited number of application possibilities. One major advantage these products have over other sealants is that they can be applied in the wet and even under water.

Neutral Cure – Products which cure by a system of crosslinkers that, when activated by exposure to moisture in the air release almost odourless by-products, mainly alcohols. Neutral cure sealants have very little effect on the substrate applied to i.e. non-corrosive.

Modulus – Sealants can be either high, mid or low modulus and refers to the elastic nature of the material.

Flexibility – The degree of movement a sealant can cope with when applied with a greater number meaning the sealant is more flexible.

Shore A Hardness – A number which denotes the surface hardness of a sealant once cured. The higher the number, the harder the surface.

Silicone – The most common form of sealant on the market, silicones come in a variety of grades for multiple application uses.

Polyurethanes – Combining the properties of a sealant, adhesive and filler into one product.

Oil Based Mastic – A traditional product mainly used in wooden window installations and pre-cast concrete panel sealing applications.

Treated Articles – Some products now state 'Please use treated articles responsibly' within the health and safety panel which refers to any item which contains a preservative to protect the product through its life cycle.

		Can also be used as a cement admixture			Prevents mould growth in areas of high humidity i.e. bathrooms, kitchens and sanitary applications		Strong anti-slump properties
	In sq. metres for every 1 litre or 1kg of product. Coverage is always variable dependent upon surface conditions, porosity of surface and amount of product applied. Figures quoted are intended as a guide only.		Safe for use in aquaria				
	5L TO 20KG Dosage Range of product to cement					Suitable as final wearing surface	
	+/-5% Expressed as a percentage of the original joint size			Will not taint or contaminate food when cured			
							No migration of oils or pigments into surrounding porous substrates
				When cured			
	Suitable for use with underfloor heating						

EVERBUILD PRODUCTS

SIKA PRODUCTS

SEALANTS	04
ADHESIVES	26
BUILDING PRODUCTS	48
BITUMEN & ROOFING	72
WOOD CARE	80
TILE ADHESIVES	86
EXPANDING FOAMS	94
FILLERS & DECORATING SUNDRIES	100
TAPES	114
CLEANING	124
FIRE CEMENTS & COMPOUNDS	130
PLUMBING	136
WATERPROOFING	140
ADMIXTURES & BUILDING CHEMICALS	148
LANDSCAPING & SURFACE TREATMENTS	158
FLOORING & WALL FINISHING CHEMICALS	166
ADHESIVES & SEALANTS	176
WOOD PRESERVATIVES	184
FEB	188
PRODUCT INDEX	196
JARGON BUSTER	199
ICON GUIDE	200